


WAN LUNG

2021

若要訂購，請撥: **1 800.000.0000**



目錄標題

日期: **00/00/00**

目錄副標題



提要欄位標題


在這裡簡短地描述您的產品或服務

在這裡簡短地描述您的產品或服務

在這裡簡短地描述您的產品或服務

ALUMINUM FERRULES







ITEN NO.	SIZE	A	B	S	L
	mm	mm	mm	mm	mm
A2302-010005	1	1.2	2.4	0.65	5
A2302-015006	1.5	1.7	3.4	0.75	6
A2302-020007	2	2.2	4.4	0.85	7
A2302-025009	2.5	2.7	5.4	1.05	9
A2302-030011	3	3.3	6.6	1.25	11
A2302-035013	3.5	3.8	7.6	1.5	13
A2302-040014	4	4.4	8.8	1.7	14
A2302-045016	4.5	4.9	9.8	1.9	16
A2302-050018	5	5.5	11	2.1	18
A2302-060021	6	6.6	13.2	2.5	21
A2302-065023	6.5	7.2	14.4	2.7	23
A2302-070025	7	7.8	15.6	2.9	25
A2302-080028	8	8.8	17.6	3.3	28
A2302-090032	9	9.9	19.8	3.7	32
A2302-100035	10	10.9	21.8	4.1	35
A2302-110039	11	12.1	24.2	4.5	39
A2302-120045	12	13.2	26.4	4.9	42
A2302-130046	13	14.2	28.4	5.4	46
A2302-140049	14	15.2	30.6	5.8	49
A2302-160056	16	17.5	35	6.7	56

ITEN NO.	SIZE	A	B	S	L
	mm	mm	mm	mm	mm
A2302-180063	18	19.8	39.2	7.6	63
A2302-200070	20	21.7	43.4	8.4	70
A2302-220077	22	24.3	48.6	9.2	77
A2302-240084	24	26.4	52.8	10.0	84
A2302-260090	26	28.5	57.0	10.9	90
A2302-280098	28	31.0	62.0	11.7	98
A2302-300105	30	33.1	66.2	12.5	105
A2302-320112	32	35.2	70.4	13.4	112
A2302-340119	34	37.8	75.6	14.2	119
A2302-360126	36	39.8	79.8	15.0	126
A2302-380133	38	41.9	83.8	15.8	133
A2302-400140	40	44	88	16.6	140
A2302-420147	42	46.2	92.4	17.5	147
A2302-440154	44	48.4	98.8	18.3	154
A2302-460161	46	50.8	101.3	19.2	161
A2302-480168	48	52.8	105.6	20.0	168
A2302-500175	50	55	110	20.8	175
A2302-520182	52	57.2	114.4	21.6	182
A2302-540189	54	59.4	118.8	22.5	189

PRESCON SLEEVE FOR WIRE ROPE






ITEN NO.	SIZE.	a	b	c	d	e
	mm	mm	mm	mm	mm	mm
A6500-006025	6	25	16.7	8.3	11.9	7.1
A6500-008038	8	38	23	11.1	15.5	11.1
A6500-010038	10	38	23	11.9	16.7	11.1
A6500-011051	11	51	31	14.3	21.4	15.1
A6500-013051	13	51	31	15.9	23	15.1
A6500-014070	14	70	37	17.5	26.2	17.9
A6500-016070	16	70	37	19.1	27.8	17.9
A6500-019081	19	81	43.6	23.4	32.5	21.8
A6500-022090	22	90	51.5	26.2	38.9	25.4
A6500-025102	25	102	58	29.4	43.7	28.6
A6500-028112	28	122	64	32.5	49.2	31.8
A6500-032132	32	132	71	36.5	55	35.7
A6500-034148	34	148	76	39.7	60	39.7
A6500-037159	37	159	83	42.9	66.7	42.9
A6500-044184	44	184	102	49.2	79	50
A6500-050216	50	216	111	57	92	57
A6500-056243	56	243	128	64	102	64
A6500-062267	62	267	140	70	114	71
A6500-068292	68	292	146	76	121	79
A6500-075305	75	305	152	83	127	86
A6500-085356	87	356	178	98	148	100
A6500-093381	93	381	191	103	160	108
A6500-100406	100	406	206	111	173	114
A6500-112457	112	457	232	124	194	129

SNAP HOOK WITH SCREW

ALUMINUM






ITEN NO.	A	B	C
	mm	mm	mm
AHC68W-05	5	50	28
AHC68W-06	6	60	35
AHC68W-07	7	70	39
AHC68W-08	8	80	44

SNAP HOOK D TYPE WITH PIN

ALUMINUM






ITEN NO.	A	B	C
	mm	mm	mm
AL6835-11	10.5	105	55

SNAP HOOK LOCKABLE CARABINER

ALUMINUM






ITEN NO.	A	B	C
	mm	mm	mm
AL708-07	7	80	46
AL708-10	10	120	80

SNAP HOOK D TYPE

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68-0430	4x30	4	30
AHC68-04	4x40	4	40
AHC68-05	5x50	5	50
AHC68-06	6x60	6	60
AHC68-07	7x70	7	70
AHC68-08	8x80	8	80
AHC68-10	10x100	10	100

SNAP HOOK D TYPE WITH PIN

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68SF-05	5x50	5	50
AHC68SF-06	6x60	6	60
AHC68SF-07	7x70	7	70
AHC68SF-08	8x80	8	80
AHC68SF-10	10x100	10	100

SNAP HOOK CARBINE TYPE

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68-05-F001	5x50	5	50
AHC68-06-F001	6x60	6	60
AHC68-07-F001	7x70	7	70
AHC68-08-F001	8x80	8	80

SNAP HOOK SWIVEl D TYPE

ALUMINUM






ITEN NO.	A	B
	In.	In.
A5024-04	1/2"	2-1/4"
A5024-05	5/8"	2-5/8"
A5024-06	3/4"	3"

SNAP HOOK 6 TYPE

ALUMINUM






ITEN NO.	A	B
	mm	mm
AHC68D-06	6	60
AHC68D-06	8	80

SNAP HOOK D TYPE LRON WIRE

ALUMINUM






ITEN NO.	Ø A	L
	mm	mm
AHC68SFT-04	4	40

SNAP HOOK CARBINE TYPE

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68T-04	4x40	4	40
AHC68T-05	5x50	5	50
AHC68T-06	6x60	6	60
AHC68T-07	7x70	7	70
AHC68T-08	8x80	8	80
AHC68T-10	10x100	10	100

SNAP HOOK WITH EYELET AND KEY RING

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68X-05	5x50	5	50
AHC68X-06	6x60	6	60
AHC68X-07	7x70	7	70
AHC68X-08	8x80	8	80
AHC68X-10	10x100	10	100

SNAP HOOK CARBINE TYPE

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68TP-05	5x50	5	50
AHC68TP-06	6x60	6	60
AHC68TP-07	7x70	7	70
AHC68TP-08	8x80	8	80

SNAP HOOK EGG TYPE

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68A-04	4x40	4	40
AHC68A-05	5x50	5	50
AHC68A-06	6x60	6	60
AHC68A-07	7x70	7	70
AHC68A-08	8x80	8	80
AHC68A-10	10x100	10	100

SNAP HOOK EGG TYPE LRON WIRE

ALUMINUM






ITEN NO.	SIZE	Ø A	L
	mm	mm	mm
AHC68A-06	6x60	6	60

WITH BRASS SCREW

ALUMINUM






ITEN NO.	Ø A	L
	mm	mm
A0354-03055	3	55
A0354-03060	3	60

QUICK LINK

ALUMINUM





ITEN NO.	Ø A	L1	L2	F
	mm	mm	mm	mm
AS32-035	3.5	36.5	17	5
AS32-04	4	40	19	6
AS32-05	5	49	23	6.5
AS32-06	6	58	26.5	7.5
AS32-08	8	75	33.5	10.5
AS32-09	9	82	35	11.5
AS32-10	10	90	40.5	12.5
AS32-12	12	107	47.5	14.5

QUICK RELASE KEY RING

ALUMINUM



ITEN NO.	A
	mm
AL0203-025	25
AL0203-028	28

FOOTPRINT SHAPED BEER OPENER KEYCHAINS

ALUMINUM




ITEN NO.	A	B	C
	mm	mm	mm
AL0206-062	62	40	2.5
AL0206-072	72	43	2.5

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP001S	11	110	64	20	22

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP001D	11	110	64	20	22

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP002S	11	110	60	20	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP002D	11	110	60	20	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP004S	10	102	59	18	22

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP011S	12	120	70	28	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP011D	12	120	70	28	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP012S	12	116	75	25	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP012D	12	116	75	25	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP014	12	116	75	25	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP014S	12	116	73	25	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP014D	12	116	75	25	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP015S	12	110	74	22	30

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP015D	12	110	74	22	30

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP016S	12	107	74	23	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP016D	12	107	74	23	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP017S	11	113	74	25	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP017D	11	113	74	25	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP019S	11	118	78	24	25

CARABINER WITH AUTOMATIC LOCK

ALUMINUM





ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP019D	11	118	78	22	25

CARABINER WITH SCREW

ALUMINUM



ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP021S	11	128	89	22	22

CARABINER WITH AUTOMATIC LOCK

ALUMINUM



ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP021D	11	128	89	22	22

CARABINER WITH SCREW

ALUMINUM




ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP024D	11	200	144	50	25

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP025S	11	116	72	22	30

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP025D	11	116	72	22	30

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP026S	11	137	89	28	40

SNAP HOOK WITH PIN

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP027B	11	106	66	24	22

CARABINER WITH SCREW

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP027S	11	107	67	24	22

CARABINER WITH AUTOMATIC LOCK

ALUMINUM






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
AHCP027D	11	107	67	24	22

CARABINER LRON WIRE

ALUMINUM






ITEN NO.	A	B	C	KN
	mm	mm	mm	
AHCP035	10	94	60	25

CARABINER LRON WIRE


ALUMINUM







ITEN NO.	A	B	C	KN
	mm	mm	mm	
AHCP034	8	80	48	12

METAL FISHING IMPLEMENTS





新億行貿易有限公司
HSIN YI HAN TRADING CO., LTD.
4, Lane 43, 1 Sec. Chang Ho Rd, Changhua, Taiwan, R.O.C.
FAX: 886–4–7262767


H01
H02
H03
H04
H05
C37 2"
H06
H07
H08
H09
H10
E04
E10
H12
H13
H14
H11
A07 4"
A08 3"
A01
A02
A03
A04
A09
B13
B14
C55
C54
C53
C52 ½"-3"
C33 ¾"
C56
C34 1"
C35 1"
C57
C38 ¾"
C39
C40 ½"
C58
C59
B33
B06
B07
B08
B09
B10
B11
B34
B35
B36
B37
B38
B16
B17
B18
B19
B20
B21
B22 ½"
B23
B24 ¾"
B25 1"
B26 1¼"
B01
B02
B03
B05 4"-4½"
B27 3½"
B28 4"
B29 4½"
B39 4¾"
B40 4"
B30 3½"
B31
B41
C00
C01
C02
C03
C41
C42
C44
C60
C61
C43
C62
C63
C64
C65
C66
C67
C68
C69


Wl110-034 WL107-10 WL108-10 WL107-10 WL110-118 WL203-058 WL210-100 WL210-034 WL101-03 WL107-04 WL108-04 WL107-06 WL108-06
WL304-10 WL302-10 WL302-06 WL301D-05 WL0103 WL0102 WL301-04 WL0401B-05 WL0402-05 WL0401-100 WL5001-034
WL0402-06 WL0402-04 WL0401-100 WL0401B-100 WL0401-06 WL0402-114 WL0402-10 WL0402B-05 WL0402B-06 WL0402-06 WL0301B-114 WL0301-10
WL0807-058 WL0807-034 WL0807-078 WL0806-10 WL0807-038 WL2202 WL2201 WL0806-06 WL0807-012 WL0201 WL0202 WL0203
WL0504-034 WL0504-058 WL0503-058 WL0504-100 WL0503-012 WL5003 WL5004 WL5005 WL5006 WL5008 WL1602-034 WL1602-100 WL1602-112
WL1301-114 WL1301-100 WL1302-114 WL1302-034 WL1301-034 WL1801-012 WL1801-058 WL1301-200 WL1302-112 WL1303-112 WL1402-038 WL1402-012
WL1201-112BP WL1202-012 WL1202-038 WL0901 WL0902 WL0903 WL0904 WL0905 WL5015-058 WL5009 WL5014-012 WL5013 WL1201-114 WL5012-0516 WL5011
WL5002 WL2101-100 WL2101-114 WL2006-100 WL2005-100 WL2001-114 WL2001-10 WL2003-112 WL2004-034 WL1902-114 WL1902-034 WL1903-038 WL1904-012
WL1001-014 WL1002-034 WL1103-034 WL1102-012 WL1101-034 WL0604TH-06 WL0604-06 WL0604-05 WL0604-04 WL0605-10 WL0606-05 WL1503-06B WL1502 WL1502-012

專　製

銅製品、船用五金
皮件小五金、建材五金



BSX - 65



W010P - 9 1/2"



W001P - 7"



W 012P - 5"



W015 - 5085CP



W018 - 11018



W016 - 5860BP



HS - 2



W14 - 52



H05 - C



W019 - 4232



HS - 6



H03 - 6347



H05 - C



W006



HS 01



W008



W009



H03 - 5238



HS - 4



W003



H03 - 4538




W007 - 60

W007 - 90



H03 - 3831



HS - 9



0014003



0014004



W002



0014005



W001



W004



W013




丸龍金屬有限公司
Wan Lung Metal Co., Ltd.
彰化縣秀水鄉馬興村雅興街115巷92號
NO.92,LANE 115,YEA SHIN ST., MAA SHING TSUN,
HSIU SHUI HSIANG, CHANGHUA HSIEN, TAIWAN,R.O.C
TEL:(04)751-0067 FAX:886-4-7510292


各種掛鉤、銅、鐵線製品，
及建材五金配件。
ZINCDIE CAST BUCKLES &
SNAP HOOKS
F-01
F-02
F-03
F-04
F-05
F-06
F-07
F-08
F-09
F-10
F-11
F-12
F-13
F-14
F-15
F-16
F-17
F-18
C-68-05
C-68-06
C-68-07
C-68-08
F-30
F-31
F-32
F-33
F-34
F-35
F-36
Z-3142-25
F-38
F-39
F-40
F-41
F-42
F-43
F-44
F-45
F-46
F-47
F-48
F-49
F-50
F-51
F-52
F-53
F-54
F-55
九龍金屬有限公司
WAN LUNG METAL CO., LTD.
彰化縣秀水鄉馬興村雅興街115巷92號
NO.92,LANE 115,YEA SHIN ST., MAA SHING TSUN,
HSIU SHUI HSIANG, CHANGHUA HSIEN, TAIWAN,R.O.C
TEL:(04)751-0067 FAX:886-4-7510292

251B QUICK SNAP ROUND SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B00-038	3/8”	2”
B01-058	5/8”	3-1/4”
B01-034	3/4”	3-3/8”
B02-034	3/4”	3-5/8”
B03-034	7/8”	4-1/4”

QUICK SNAP STRAP SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B00D-012	1/2”	2”
B00D-058	5/8”	2”
B00D-034	3/4”	2”
B01D-100	1”	3-1/8”
B01D-112	1-1/2”	3-1/4”

2311B SNAP HOOK ROUND FIXED EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B05-034-400	3/4”	4”
B05-118-458	1-1/8”	4-5/8”

3142B TIE SNAP SWIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B16-034	3/4”	3-3/4”
B16-078	7/8”	3-3/4”
B16-100	1”	3-7/8”

3002B PANIC HOOK ROUND EYE WITH ROTARY PROTECTION

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B17-100	1”	4-1/4”

249B QUICK SNAP RIGID ROUND EYE

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
C00-038	10	54	7
C01-058	16	71	10
C02-034	19	80	14
C03-034	20	97	15

5015B TRIGGER SNAP STRAP SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B08D-058	5/8”	2-1/4”
B08D-034	3/4”	2-3/8”
B08D-100	1”	2-3/8”
B08D-114	1-1/4”	2-3/8”
B08D-112	1-1/2”	2-3/8”

5013B TRIGGER SNAP ROUND SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B09-038	3/8”	2-1/2”
B09-012	1/2”	2-1/2”
B09-058	5/8”	2-1/2”
B09-034	3/4”	2-5/8”

TRIGGER SNAP ROUND SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B09M-4617	11mm	1-3/4”
B09M-4617-012	13mm	2”
B09M-4922	15mm	2”

TRIGGER SNAP ROUND SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B09M-3414	8mm	1-3/8”
B09M-3616	10mm	1-3/8”

LOBSTER CLAW CLASPS

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B0185-100	1.2	10
B0185-125	1.5	12.5
B0185-145	1.7	14.5
B0185-185	2	18.5
B0185-225	2.5	22.5

LOBSTER CLAW CLASPS SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B0185S-150	1.5	15
B0185S-175	1.5	17.5

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B18-0516	5/16"	2"	3/16"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B19-0716	7/16"	2"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B20-012	1/2"	2-3/4"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B21-038	3/8"	3"
B22-012	1/2"	3"

017B BOLT SNAPS STRAP SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B22D-058	5/8"	2-3/4"
B22D-034	3/4"	2-3/4"
B22D-100	1"	2-3/4"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B26-114	1-1/4"	4-1/2"
B26-118	1-1/8"	4-1/2"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B23-058	5/8"	3-1/8"
B24-034	3/4"	3-1/8"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B24D-034	3/4"	3-1/8"
B24D-058	5/8"	3-1/8"
B24D-100	1"	3-1/8"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B25-034	3/4"	3-1/2"
B25-100	1"	3-1/2"

BOLT SNAPS STRAP SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B06-058	5/8"	3"
B06-034	3/4"	3"
B06-100	1"	3"
B06-114	1-1/4"	3-1/8"
B06-112	1-1/2"	3-1/4"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A
	In.
B27-312	3-1/2"
B28-400	4"
B29-412	4-1/2"
B39-434	4-3/4"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A
	In.
B30-312	3-1/2"
B30-400	4"
B30-500	5"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BS02-012D	1”	2”	5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BS02-038	3/8”	1-5/8”	5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BS02C-012	1/2”	1-5/8”	5
BS02C-0916	9/16”	1-5/8”	5
BS02C-034	3/4”	1-5/8”	5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BS04-03	3/8”	2”	5.5
BS04-04	1/2”	2-1/8”	5.5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BS04D-05	5/8”	2-1/4”	5.5
BS04D-06	3/4”	2-1/4”	5.5

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BS06-058	5/8”	2-1/4”
BS06-034	3/4”	2-1/4”
BS06-100	1”	2-1/4”

5055B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BSP1050-038	3/8"	2-1/2"
BSP1050-012	1/2"	2-1/2"
BSP1050-058	5/8"	2-1/2"
BSP1050-34	3/4"	2-1/2"
BSP1050-100	1"	2-1/2"


BRONZE CASTING





ITEN NO.	A	B
	In.	In.
BSP1051-038	3/8"	2-1/2"
BSP1051-012	1/2"	2-1/2"
BSP1051-058	5/8"	2-1/2"
BSP1051-34	3/4"	2-1/2"
BSP1051-100	1"	2-1/2"






ITEN NO.	A	B
	In.	mm
BSP1052-100	1"	62

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BSP3007	10	37	4

BOLT SNAPS STRAP SWIVEL EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B2011-034	3/4"	2-1/8"
B2011-100	1”	2-1/8”
B2011-114	1-1/4”	2-1/8”
B2011-112	1-1/2”	2-1/8”

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B2602-118	1-1/8”	4-3/8”	13

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B31D-100	1"	3-1/8"

BOLT SNAP SMIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B31-058	5/8"	3-1/8"
B31-034	3/4"	3-1/4"
B31-100	1"	3-3/4"

SPRING SNAP RIGID STRAP EYE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B37-058	5/8"	2-1/2"	3/8"
B37-034	3/4"	2-1/2"	3/8"
B37-100	1"	2-5/8"	3/8"

SPRING SNAP RIGID STRAP EYE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B37P-058	5/8"	2-1/2"	3/8"
B37P-034	3/4"	2-1/2"	3/8"
B37P-100	1"	2-5/8"	3/8"

56B SPRING SNAP RIGID ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B37SR-058	5/8"	2-1/2"
B37SR-034	3/4"	2-1/2"
B37SR-078	7/8"	2-1/2"

3726B SPRING SNAP RIGID STRAP EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B3726-05	5/8"	2-1/2"
B3726-06	3/4"	2-1/2"
B3726-10	1"	2-3/4"

3726B SPRING SNAP RIGID STRAP EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B3726P-05	5/8"	2-1/2"
B3726P-06	3/4"	2-1/2"
B3726P-10	1"	2-3/4"

4979B BOLT SNAP SWIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B38-034	3/4"	3-3/4"

853B CAP DOUBLE ENDED

BRONZE CASTING






ITEN NO.	A
	In.
B855-318	3-1/8"
B855-312	3-1/2"
B855-334	3-3/4"
B855-478	4-7/8"
B855-518	5-1/8"

BRONZE CASTING






ITEN NO.	A
	In.
B1015-312	3-1/2"

BRONZE CASTING






ITEN NO.	A
	In.
B1014-312	3-1/2"

BRONZE CASTING






ITEN NO.	A
	In.
B39-434	4-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1005-100	1"	3"
B1005-112	1-1/2"	3"

200B SPRING SNAP RIGID EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4101-058	5/8"	2-7/8"
B4101-034	3/4"	2-7/8"
B4101-078	7/8"	3-1/8"
B4101-100	1"	3-1/8"
B4101-118	1-1/8"	3-1/4"
B4101-114	1-1/4"	3-5/8"
B4101-112	1-1/2"	3-5/8"
B4101-134	1-3/4"	3-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4102-058	5/8"	2-5/8"
B4102-034	3/4"	2-3/4"
B4102-078	7/8"	2-7/8"
B4102-118	1-1/8"	3-1/8"
B4102-114	1-1/4"	3-1/2"
B4102-112	1-1/2"	3-1/2"
B4102-134	1-3/4"	1-5/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4103-012	1/2"	1-5/8"
B4103-034	3/4"	1-5/8"

25B BOLT SNAP RIGID ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B25B-034	3/4"	3"
B25B-078	7/8"	3-1/4"
B25B-100	1"	3-1/4"
B25B-118	1-1/8"	3"
B25B-114	3-3/4"	1-1/4"
B25B-112	1-1/2"	3-7/8"
B25B-200	2"	3-7/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
C00D-034	3/4"	2-3/8"
C00D-100	1"	2-3/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1010-238	3/8"	2-3/8"
B1010-234	1/2"	2-3/4"
B1010-318	1/2"	3-1/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1008-034	3/4"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B5002-058	5/8"	3-1/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B125-012	1/2"	3-3/8"

LOBSTER CLASPS SWIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1102-014	1/4"	1-1/2"

BRONZE CASTING






ITEN NO.	A
	mm
C57-40	40

1001B PANIC HOOK FIXED EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1001-012	1/2"	3-3/4"

1002B PANIC HOOK SWIVEL STRAP EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1002-058	5/8"	3-1/8"
B1002-034	3/4"	3-1/8"
B1002-100	1"	3-1/8"

1003B PANIC HOOK SWIVEL ROUND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1003-058	5/8"	3-1/2"
B1003-034	3/4"	3-1/2"
B1003-100	1"	3-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BC38-0516	5/16"	1"
BC38-038	3/8"	2"
BC38-012	1/2"	1-7/8"

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BC39-50	50	26	7.5	5
BC39-60	60	28	8	6

BRONZE CASTING






ITEN NO.	A	B	C
	In.	mm	mm
BC55-118	1-1/2"	18	88

BRONZE CASTING






ITEN NO.	A	B
	In.	mm
B1011-212	2-1/2"	5

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1012-0516	51	9
B1012-038	53	11

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1013-038	3/8"	2"

SWIVEL ROUND EYE AND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B34-038-038	3/8 "	2 "
B34-012-012	1/2 "	2"
B34-058-058	5/8 "	2-3/4 "
B34-034-034	3/4 "	2-5/8 "
B34-100-100	1 "	3-1/8 "
B34-118-118	1-1/8 "	4 "
B34-114-114	1-1/4 "	4-1/2 "

SWIVEL SQUARE EYE AND EYE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B34D-012-012	1/2 "	1-1/2"
B34D-058-058	5/8 "	2-1/4"
B34D-034-034	3/4 "	2-1/4"
B34D-100-100	1 "	2-1/2"
B34D-118-118	1-1/8 "	3-1/4 "
B34D-114-114	1-1/4 "	3-1/4 "
B34D-112-112	1-1/2"	3-1/4 "

5003B COAT HANGER

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
B35-050	50	9	40	9
B35-070	70	12	60	12
B35-090	90	15	80	15

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	mm
B1517-034	3/4"	5/8"	1-5/8"	4

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	In.
B1518-100	1"	1-1/2"	2-1/2"	3/16"
B1518-114	1-1/4"	3/4"	2-1/4"	3/16"
B1518-138	1-3/8"	1"	2-5/8"	3/16"
B1518-112	1-1/2"	3/4"	2-5/8"	3/16"

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	mm
B1544-114	1/2	1-1/4	2-1/2	4

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1523-034	3/4"	2-3/8"
B1523-118	1-1/8"	2-3/8"
B1523-1316	1-3/16"	2-3/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1524-100	1"	3"

BRONZE CASTING






ITEN NO.	A
	In.
B60-034CP	3/4"
B60-100CP	1"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BS11-114	1-1/4"	4-3/4"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1514-034	3/4"	3/4"	5-5/8"

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	In.
B1513-114	1-1/4"	7/8	1/2	7"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1515-058	5/8"	7/8"	3-3/4"
B1515-034	3/4"	1-1/8"	4-1/8"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1516-034	3/4"	1-1/8"	4-1/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1519-118	1-1/8"	2-3/4"
B1519-114	1-1/4"	2-7/8"

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1520-20035	20	35
B1520-20040	20	40
B1520-20045	20	45
B1520-26040	26	40
B1520-30050	30	50

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1411-034	3/4"	1-1/8"
B1411-114	1-1/4"	1-1/2"
B1411-138	1-3/8"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1412-112	1-1/2"	1-1/4"
B1412-134	1-3/4"	1-1/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1413-112	1-1/2"	2-1/2"

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B182-012	1/2"	3/4"	4	5
B182-058	5/8	1"	5	5.5
B182-034	3/4"	7/8"	5	5.5
B182-078	7/8"	1"	5	7
B182-100	1"	1-1/4"	5	7.5

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BS6162-118	30	52

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BS3208-118	30	52

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1232-114	1-1/4"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1219-078	7/8"	1-1/2"
B1219-100	1"	1-3/4"
B1219-118	1-1/8"	2"
B1219-114	1-1/4"	2-1/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1214-12015	1/2"	7/8"
B1214-12018	1/2"	1"
B1214-034	3/4"	1-1/4"
B1214-100	1"	1-3/8"
B1214-114	1-1/4"	1-3/4"

BRONZE CASTING






ITEN NO.	A
	In.
B1233-100	1"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1245-112	1-1/2"	1-3/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1246-034	3/4"	3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1209-0516	5/16"	1/2"
B1209-058	5/8"	3/4"
B1209-078	7/8"	1"
B1209-100	1"	1-1/8"
B1209-118	1-1/8"	1-1/4"
B1209-114	1-1/4"	1-1/2"
B1209-112	1-1/2"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1204-100	1"	1-1/8"	5
B1204-114	1-1/4"	1-1/4"	6
B1204-112	1-1/2"	1-1/2"	8

BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BBP3025-118	5	30	25

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BBPC3588-034	4.5	20.5	41
BBPC3588-101	4.5	27	54
BBPC3588-100	6	27.5	59
BBPC3588-118	6.5	30	61
BBPC3588-3	5	40	61

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B5044-114	1-1/4"	1-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4841-100	1"	1"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4842-114	1-1/4"	1-1/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4843-100	1"	1-1/8"
B4843-114	1-1/4"	1-1/4"
B4843-112	1-1/2"	1-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4844-118	1-1/8"	1"
B4844-158	1-5/8"	1-5/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4845-058	7/8"	3/4"
B4845-100	1"	1-1/8"

210B BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BC59-012	13	19	23	33
BC59-058	16	26	28	38
BC59-034	19	26	31	42
BC59-078	22	29	35	47
BC59-100	26	32	40	52
BC59-118	28	35	46	59
BC59-114	32	39	47	61
BC59-112	38	45	49	64
BC59-134	45	51	54	71
BC59-200	53	62	65	83

50B ROLLER BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BB192-038	3	13	11
BB192-012	3.5	14	13.5
BB192-058	4	16	15
BB192-034	4.5	20	17
BB192-078	4.5	23	19
BB192-100	4.5	26	20
BB192-118	5.5	30	21
BB192-114	5	32	24
BB192-112	5	39	26
BB192-134	5.5	46	29
BB192-200	6	51	31


BRONZE CASTING





ITEN NO.	A	B
	In.	In.
B1223-058	5/8"	5/8"
B1223-034	3/4"	3/4"
B1223-078	7/8"	7/8"
B1223-100	1"	1"
B1223-118	1-1/8"	1"
B1223-114	1-1/4"	1-1/4"
B1223-112	1-1/2"	1-1/2"
B1223-138	1-3/8"	1-1/4"
B1223-134	1-3/4"	1-3/4"
B1223-200	2"	2"






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B1202-038	3/8"	3/8"	2.5	4
B1202-012	1/2"	5/8"	5.5	7.5
B1202-058	5/8"	3/4"	5.5	7
B1202-034	3/4"	3/4"	6	7.5
B1202-078	7/8"	1"	6	7.5
B1202-100	1"	1-1/8"	6	7.5
B1202-118	1-1/8"	1-1/4"	6.5	7.5
B1202-114	1-1/4"	1-1/2"	7.5	7.5
B1202-112	1-1/2"	1-5/8"	7.6	9

150B BUCKLE

BRONZE CAST-






ITEN NO.	A	B
	In.	In.
B1237-012	1/2"	1-1/2"
B1237-058	5/8"	1-5/8"
B1237-034	3/4"	1-3/4"
B1237-078	7/8"	2"
B1237-100	1"	2-3/16"
B1237-118	1-1/8"	2-1/4"
B1237-114	1-1/4"	3-3/8"
B1237-112	1-1/2"	2-3/4"
B1237-134	1-3/4"	3"

5705B BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
C33-012	4	14	27
C33-058	4	18	33
C33-034	4	20	38
C33-078	4	23.5	41.5
C33-100	4.5	26.5	44
C33-118			
C33-114	4	32	49
C33-112	4	39	64
C33-134	5	45	75
C33-200			

7B ROUND RING

BRONZE CASTING






ITEN NO.	A	B
	mm	In.
C52-012	3.5	1/2"
C52-058	4	5/8"
C52-034	4	3/4"
C52-078	3.7	7/8"
C52-100	4	1"
C52-118	5	1-1/8"
C52-114	4.5	1-1/4"
C52-115	6	1-1/2"
C52-134	6	1-3/4"
C52-200	6	2"
C52-212	6.5	2-1/2"
C52-300	6.5	3"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B4846-114	1-1/4"	1-1/4"
B4846-112	1-1/2"	1-1/2"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BB1234-034	3/4"	3/4"	4
BB1234-078	7/8"	7/8"	5
BB1234-100	1"	1"	6
BB1234-114	1-1/4"	1-1/4"	7

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1210-034	3/4"	3/4"	5.5
B1210-078	7/8"	7/8"	5.5
B1210-100	1-1/4"	1-1/4"	6


BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BAE354-01	37	54

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	In.
B1238-114	1-1/4"	1-3/4"	2-1/2	2-1/8
B1238-112	1-1/2"	1-3/4"	2-1/4	2-1/8


BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BP1321-034	13.5	21

BRONZE CASTING







ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BP3456-112	40	33	54	47

132B BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	In.
B1211-058	5/8"	1"	1-1/4"	1-5/8"
B1211-034	3/4"	1"	1-1/2"	1-3/4"
B1211-078	7/8"	1-1/4"	1-3/4"	2"
B1211-100	1"	1-1/2"	2"	2-3/8"
B1211-138	1-3/8"	1-3/4"	2-3/8"	2-3/4"
B1211-158	1-5/8"	2"	2-3/4"	3-1/4"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	mm
BB9946A-034	3/4"	30
BB9946A-100	1"	33
BB9946A-114	1-1/4"	37
BB9946A-112	1-1/2"	44
BB9946A-134	1-3/4"	46

BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1241-012	1/2"	3/4"	5
B1241-058	5/8"	7/8"	5
B1241-034	3/4"	1-1/8"	7
B1241-100	1"	1-1/2"	9

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BBTV718-034	3/4"	1-1/2"
BBTV718-100	1"	1-1/2"
BBTV718-114	1-1/4"	1-3/4"
BBTV718-112	1-1/2"	2"
BBTV718-134	1-3/4"	2-3/8"

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	mm
B1230-114	1-1/4"	1-1/4"	3-1/4"	5

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B1231-034	3/4"	3/4"	4	6

BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1240-112	1-1/2"	2-7/8"	3/8"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BBS002B-034	3/4"	1-1/2"	3.5
BBS002B-100	1"	1-3/4"	3.5
BBS002B-114	1-1/4"	1-7/8"	4.8
BBS002B-112	1-1/2"	2"	5.5
BBS002B-134	1-3/4"	2-3/8"	5.5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1215-034	3/4"	1-1/8"	4
B1215-100	1"	1-1/4"	4

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BJT6028-134	5.2	45	80

121B BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1208-034	3/4"	1-1/2"	4
B1208-118	1-1/8"	1-1/4"	4
B1208-114	1-1/4"	1-1/2"	4

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BPC2244-2	52	73

50B BUCKLE

BRONZE CASTING






ITEN NO.	A
	In.
C34-058	5/8"
C34-034	3/4"
C34-100	1"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1525-034	3/4"	1-1/4"	5
B1525-078	7/8"	1-1/4"	5

370B HALTER RING WITH THREE EYELETS

BRONZE CASTING






ITEN NO.	A
	In.
C35-058	5/8"
C35-034	3/4"
C35-078	7/8"
C35-100	1"
C35-118	1-1/8"

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	In.	mm
B1521-100	1"	2-1/4"	2-1/2"	6

BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	mm	mm
B1522-058	5/8"	43	52
B1522-078	7/8"	51	57
B1522-11850	1-1/8"	52	55
B1522-11860	1-1/8"	60	67
B1522-112	1-1/2"	68	77

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1526-112	1-1/2"	3-1/8"	5

121B BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1206-012	1/2"	1"
B1206-058	5/8"	1-1/8"
B1206-034	3/4"	1-1/4"
B1206-100	1"	1-5/8"
B1206-118	1-1/8"	1-7/8"
B1206-114	1-1/4"	2"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B12061-100	1"	1-3/8"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1222-058	5/8"	1-1/4"
B1222-034	3/4"	1-3/8"
B1222-078	7/8"	1-5/8"
B1222-100	1"	1-5/8"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1243-012	1/2"	1-3/8"
B1243-058	5/8"	1-1/2"
B1243-034	3/4"	1-3/4"
B1243-078	7/8"	2"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1220-100	1"	1-3/8"
B1220-118	1-1/8"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BBPC3795-114	3.5	32	57
BBPC3795-112	4	40	66
BBPC3795-134	4	45	80

121B BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1207-058	5/8"	1"
B1207-078	7/8"	1-3/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1247-100	1"	1-3/8"

122B BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
B1228-012	3.2	13	20	2.3
B1228-058	3.5	16	25	2.5
B1228-034	4.5	20	30	3
B1228-078	5	22	31	3.3
B1228-100	5.5	25	35	3.3
B1228-114	6	31	39	3.6

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1404-112	1-1/2"	1-1/2"	5
B1404-134	1-3/4"	1-5/8"	5

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1227-034	3/4"	3/4"
B1227-100	1"	1"
B1227-112	1-1/2"	1-1/8"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
B1533-114	35	70	5

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1229-058	5/8"	1-3/4"
B1229-034	3/4"	1-7/8"
B1229-078	7/8"	2"
B1229-100	1"	2"
B1229-114	1-1/4"	2-1/4"
B1229-112	1-1/2"	2-7/8"
B1229-134	1-3/4"	2-7/8"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1221-100	1"	2-1/2"
B1221-118	1-1/8"	2-1/2"
B1221-114	1-1/4"	2-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1225-100	1"	3-1/8"
B1225-118	1-1/8"	3-1/4"
B1225-114	1-1/4"	3-1/4"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1532-134	1-3/4"	1-1/8"	5

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1239-034	3/4"	7/8"
B1239-100	1"	1"
B1239-112	1-1/2"	1-1/8"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1236-114	1-1/4"	1/2"
B1236-158	1-5/8"	1/2"
B1236-200	2"	1/2"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1212-034	3/4"	1-1/2"
B1212-100	1"	2"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1213-114	1-1/4"	1-1/4"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BLB25-2735	5	27	35
BLB25-3042	4.5	30	42
BLB25-3237	4.5	32	37

BUCKLE

BRONZE CASTING






ITEN NO.	A
	In.
B1218-212	2-1/2"

8531B BUCKLE

BRONZE CASTING






ITEN NO.	A
	In.
B1217-112	1-1/2"
B1217-212	2-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1205-112	1-1/2"	1-1/2"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1235-138	1-3/8"	1-7/8"	7

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1203-114	1-1/4"	1-3/8"
B1203-134	1-3/4"	1-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1242-112	1-1/2"	1-1/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1244-134	1-3/4"	1-1/4"

5706B BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BC56-058	5/8"	2"
BC56-034	3/4"	2-1/4"
BC56-100	1"	2-1/2"
BC56-118	1-1/8"	2-3/4"
BC56-114	1-1/4"	2-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1216-034	3/4"	1-1/4"
B1216-118	1-1/8"	2"

147B BUCKLE

BRONZE CASTING






ITEN NO.	A
	In.
B1224-012	1/2"
B1224-058	5/8"
B1224-034	3/4"
B1224-100	1"

146BS BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1226-012	1/2"	1-1/8"
B1226-058	5/8"	1-1/4"
B1226-078	7/8"	1-1/2"
B1226-100	1"	1-7/8"
B1226-114	1-1/4"	2-1/2"
B1226-112	1-1/2"	3-1/8"

BUCKLES

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
B1201-112	54	46	36	76

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1512-112	40	28

SAM BROWNE REPLACEMENT

BRONZE CASTING






ITEN NO.	A	B	C
	mm	In.	In.
B6201-200	4	2"	1-3/16"
B6201-214	5	2-1/4"	1-3/8"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	In.	In.
B6202-214	9	2-1/4"	1-3/16"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1401-318	3-1/8"	2-1/2"	5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1402-200	2"	2"	4

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1403-238	2-3/8"	1-1/2"	4

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1510-114	1-1/4"	4"
B1510-112	1-1/2"	4-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	mm
B1418-114	1-1/4"	6

BRONZE CASTING






ITEN NO.	A	B
	In.	mm
B1419-118	1-1/8"	1-1/4"

BRONZE CASTING







ITEN NO.	A	B
	mm	mm
BB2956	56	29

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1405-034	3/4"	1"
B1405-100	1"	1"
B1405-114	1-1/4"	1"
B1405-112	1-1/2"	1"
B1405-138	1-3/8"	1"
B1405-200	2"	1"
B1405-318	3-1/8"	1"

BUCKLE

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1406-034	3/4"	1"
B1406-100	1"	1"
B1406-112	1-1/2"	1"
B1406-200	2"	1"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1400-200	2"	1-1/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1531-114	1-1/4"	1-3/8"
B1531-112	1-1/2"	1--1/4"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1414-178	1-7/8"	1-1/4"	7

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1417-158	1-5/8"	1-5/8"	7
B1417-200	2"	2"	7

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1416-034	3/4"	1-1/2"	7

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1415-112	1-1/2"	1-1/4"	7
B1415-134	1-3/4"	1-1/2"	7

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1408-100	1"	1/2"	7

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1407-078	1-1/2"	7/8"	6
B1407-100	1-1/2"	1"	6

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1410-112	1-1/2"	1/2"	5

BUCKLE

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1409-100	1"	1/2"	1/8"
B1409-112	1-1/2"	1/2"	1/8"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1528-114	1-1/4"	1-1/2"	5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1538-114	1-1/4"	5/8"	5

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1540-158	1-5/8"	1-1/8"	3.5
B1540-218	2-1/8"	1-1/8"	3.5

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BOF23	23	28	3
BOF25	25	33	3.5
BOF30	30	38	4

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1539-078	7/8"	5/8"

325B D-RING

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BDA0351914	3.5	19	14
BDA041913	4	19	13
BDA0452626	4.5	26	26
BDA052319	5	23	19
BDA0552825	5.5	28	25
BDA0553025	5.5	30	25
BDA063329	6	33	29


BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BDSF0510	5	26	19
BDSF1025	10	63	49
BDSF1030	10	75	59
BDSF1035	10	90	70

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BDS19075	19	75	38

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BDSR11064	11	64	51

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1541-200	2"	1-7/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1542-078	7/8"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1420-114	1-1/4"	1/2"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1421-100	1"	1"	3/4"
B1421-114	1-1/4"	1"	1"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1422-038	3/8"	2"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	In.	In.
BD104030	10	4”	3”

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	mm	mm	mm
BS01				

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1511-358	3-5/8”	3-7/8”	7
B1511-418	4-1/8”	4-1/4”	8

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	mm	mm	mm
B1534-114	33	40	30	4

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1535-114	34	24


BRONZE CASTING






ITEN NO.	A	B
	mm	In.
B1536-118	3	1-1/8






ITEN NO.	A	B
	mm	In.
BS3500-134	45	91





ITEN NO.	A	B
	mm	mm
BS3501-134	47	79






ITEN NO.	A	B	C
	mm	mm	mm
BS3502-134	3.5	46	72

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BS3503-134	46	81

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1527-134	46	52

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1529-134	45	79

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B1530-118	19	29
B1530-134	14	43

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BH0209-158	1-5/8"	1-1/8"

HENDLE PULL

BRONZE CASTING







ITEN NO.	A	B
	In.	In.
BH0210-112	1-1/2"	1-1/8"

O174B PULLEYS SINGLE SHEAVE RIGID EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
BRONZE CASTING







ITEN NO.	A	B
	In.	In.
S22F-04	1/2"	3/16"
S22F-06	3/4"	3/16"
S22F-10	1"	1/4"
S22F-114	1-1/4"	5/16"
S22F-112	1-1/2"	5/16"
S22F-20	2"	7/16"

O176B PULLEY DOUBLE SHEAVE RIGID EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
BRONZE CASTING






ITEN NO.	A	B
	In.	In.
S22D-06	3/4"	3/16"
S22D-10	1"	1/4"
S22D-112	1-1/2"	5/16"
S22D-20	2"	7/16"

O173B PULLEY SINGLE SHEAVE SWIVEL EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
BRONZE CASTING






ITEN NO.	A	B
	In.	In.
S21F-04	1/2"	3/8"
S21F-06	3/4"	1/2"
S21F-10	1"	5/8"
S21F-114	114"	5/8"
S21F-112	1-1/2"	3/4"
S21F-200	2"	3/4"
S21F-300	3"	7/8"
S21F-400	4"	1"

O178BL PULLEY DOUBLE SHEAVE SWIVEL EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
BRONZE CASTING






ITEN NO.	A	B
	In.	In.
S21D-06	3/4"	1/2"
S21D-100	1"	5/8"
S21D-112	1-1/2"	3/4"

LIFTING HANDLE


BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BH03-3831	1-1/4"	1-1/2"
BH03-4538	1-3/4"	1-1/2"
BH03-5238	2"	1-1/2"
BH03-6347	2-1/2"	1-7/8"


BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BW13-312-243	3-1/2"	2-3/4"


BRONZE CASTING






ITEN NO.	A
	In.
BW14-200	2"

BRONZE CASTING






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BHS-01	1.5	54	35	4.5	40


BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BHW018-11018	113	69	19

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BHW019-4232	1-1/4"	1-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1545-114	1-1/4"	3-5/8"

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	In.
B1501-558	5-5/8"	7-3/8"	8-1/4"
B1501-614	6-1/4"	7-1/8"	8-5/8"
B1501-700	7-1/2"	7-1/8"	10"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1502-638	6-3/8"	1-3/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1503-238	11-1/8"	2-3/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1504-212	2-1/2"	5-5/8"

DOOR KNOCKER

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1505-614	6-1/4"	3"

DOOR KNOCKER

BRONZE CASTING





ITEN NO.	A	B
	In.	In.
B15052-614	8"	3"

BRONZE CASTING





ITEN NO.	A	B	C
	In.	mm	mm
BS16-09			

BRONZE CASTING





ITEN NO.	A	B	C	D
	In.	In.	mm	mm
BS17-10				

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BS18			

BRONZE CASTING

ITEN NO.	A	B
	In.	In.
BS8421087	1-1/4"	1-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1508-514	5-1/4"	4-1/4"

DOOR HASP LATCH LOCK

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BA07	2	22	104
BA08	2	22	77

DOOR HASP LATCH LOCK SWIVEL STAPLE

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BH09-03	2	22	77
BH09-04	2	22	104

DOOR HASP LATCH LOCK

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BA0802-318	2.5	26	79

DOOR HASP LATCH LOCK SWIVEL STAPLE

BRONZE CASTING






ITEN NO.	A
	In.
BH10-03	3"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BS29	42	19	8

BOW SHACKLE

BRONZE CASTING






ITEN NO.	D	A	B	C	D1	F
	mm	mm	mm	mm	mm	mm
B42WL-0408	4	12	8	8	4	10

BOLT TYPE ANCHOR SHACKLE

BRONZE CASTING







ITEN NO.	A	B	C
	mm	mm	mm
B42-034	5	19	17

BOLT TYPE ANCHOR SHACKLE

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
B42B-034	5	19	17

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
B13			

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
B14	2.2	56	23

BRONZE CASTING



ITEN NO.	A
	mm
BHL401	20
BHL402	25
BHL403	30
BHL404	40
BHL405	50
BHL406	60
BHL407	75


BRONZE CASTING



ITEN NO.	A
	mm
BHL601	20
BHL602	25
BHL603	30
BHL604	40
BHL605	50
BHL606	60
BHL607	75

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B600101-038	3/8"	1-1/8'	18	33
B600101-058	5/8"	1-1/2"	24	40
B600101-034	3/4"	1-3/4'	30	51
B600101-100	1"	2"	36	63
B600101-114	1-1/4"	2-3/8"	45	74

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B600102-012	1/2"	1-1/4"	21	61
B600102-058	5/8"	1-3/8"	23	71
B600102-034	3/4"	1-1/2"	28	77
B600102-114	1-1/4"	2-1/8"	43	103
B600102-112	1-1/2"	2-1/2"	51	138

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B600201-012	1/2"	1-1/4"	21	36
B600201-100	1"	2"	36	60
B600201-200	2"	3-1/8"	67	108

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B600202-114	1-1/4"	2-1/8"	43	98

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	mm	mm	mm
B600302-038	3/8"	1-1/8"	17	50

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BBR0506015	0.5	6	15
BBR0506021	0.5	6	21

BAN DOOR WINDOW LOCK

BRONZE CASTING






ITEN NO.	A
	In.
BA8421078	3"

HENDLE PULL

BRONZE CASTING






ITEN NO.	A
	In.
BA12048BOC	4-3/4"

DOOR HINGE

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BA3822	2	22	30

BRONZE CASTING






ITEN NO.	A
	In.
BAH012012	1/2"
BAH034034	3/4"
BAH100100	1"

BRONZE CASTING






ITEN NO.	A
	In.
BAH114114	1-1/4"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BAT012012	1/2"	1/2"
BAT034034	3/4"	3/4"
BAT100100	1"	1"
BAT114114	1-1/4"	1-1/4"

台彎彰化縣秀水鄉雅興街 115 巷 92 號 TEL:886-7-510067 FAX:886-7-510292
E-MAIL : wl@wan-lung.com wl@wan-lung.com

BRONZE CASTING






ITEN NO.	A
	In.
B1250-418	4-1/8"

BRONZE CASTING






ITEN NO.	A
	In.
B1251-414	4-1/4"

BRONZE CASTING






ITEN NO.	A
	In.
B1252-418	4-1/8"

BRONZE CASTING






ITEN NO.	A
	In.
B1253-358	3-5/8"

BRONZE CASTING






ITEN NO.	A
	In.
B1254-114	1-1/4"

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BK3959	4.5	10.5	59	39

BRONZE CASTING






ITEN NO.	A	B	C
	In.	mm	mm
B1256-138	1-3/8"	23	138
B1256-112	1-1/2'	27	137

BRONZE CASTING






ITEN NO.	A	B	C
	In.	mm	mm
B1255-138	1-3/8"	31	26.5
B1255-178	1-7/8"	39	29

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BH0206-318	3-1/8"	1/2"	14
BH0206-414	4-1/4"	5/8"	16

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BH0208-200	2"	1/2"	77
BH0208-278	2-7/8"	1/2"	97

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BH0207-318	3-1/8"	2-3/8"	98

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
BH0204-158	1-5/8"	1-3/8"	69
BH0204-200	2"	1-3/8"	86
BH0204-314	3-1/4"	1-7/8"	126

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BF0014003	30	30	19

325B D-RING

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BF0014004	35	29	22

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BF0014005	60	18	19

7B ROUND RING

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BF55CP	50	36	22

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BAE04-02	38	32	33	19.5
BAE10-02	30	32	25	19

BRONZE CASTING






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0201	21	40	22	50	12

HENDLE PULL

BRONZE CASTING





ITEN NO.	A	B	C	D
	In.	mm	mm	mm
BH0205-458	4-5/8"	17	30	23

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BH0203			

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BFL96-0201-260	42	150

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BH0201-585	144	43	40

HENDLE PULL

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BH0202-234	107	28	26	19
BH0202-434	120	31	28	20
BH0202-600	150	29	35	29

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BFA0101			

325B D-RING

BRONZE CASTING






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0102-218	19	42	35	54	20
BFA0102-238	21	49	33	61	16.5
BFA0102	24	43	50	90	17

BRONZE CASTING







ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0104-400	30	40	60	101	30

7B ROUND RING

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BFA0401-412	4-1/2"	3-1/8"
BFA0401-500	5"	3-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
BFA0501-934	9-3/4"	3"

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BFA0103-134	23	29	27	45
BFA0103-318	32	39	48	80
BFA0103-200	29	16	43	51
BFA0103-238	33	44	54	60

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BFA0114-418	14	181	84	104


BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BFA0115-438	19	97	99	112

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BFA0112-378	38	61	53	98
BFA0112-914	45	79	88	22

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BFA0106-300	29	40	36

BRONZE CASTING






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0109-312	31	63	39	74	89
BFA0109-412	30	62	40	74	114

BRONZE CASTING






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0110-334	38	66	67	96	40

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BFA0111-418	33	89	57

325B D-RING

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
BFA0113-378	11	126	59

BRONZE CASTING



ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0108-314	24	53	65	83	43
BFA0108-338	43	61	70	87	51

BRONZE CASTING



ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0105-158	22	30	31	43	9
BFA0105-258	26	40	40	68	13

BRONZE CASTING



ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
BFA0107-212	24	49	51	62	20

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BFA03	37	17	35


325B D-RING


BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BFA0302-100	34	26	39
BFA0302-118	35	30	40

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BFA0303-200	51	10	30

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BFA0304-118	29	8	22

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BC1037-10037	10	37	17	4

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BOFL-1	25	15	4.5

THIMBLES RIGGING

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
C58-11	11	32	14	55
C58-13	13	33	17	55

26B ROPE CLAMP

BRONZE CASTING






ITEN NO.	A
	In.
C40-012	1/2"
C40-058	5/8"
C40-034	3/4"
C40-078	7/8"
C40-100	1"

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
C40C-012	45	23	24

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
C40P-012	44	25	24

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
C42	22	17	18
C41	24	31	39

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
C43			
C60			
C61			

BRONZE CASTING






ITEN NO.	A
	mm
C44	25

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
C63		

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B155001-178	1-7/8"	1-5/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B155002-278	2-7/8"	2-1/2"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1551-134	1-3/4"	3-1/8"

BRONZE CASTING






ITEN NO.	A	B
	In.	In.
B1552-318	3-1/8"	2-7/8"

BRONZE CASTING






ITEN NO.	A
	mm
B1553-378	99

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B154801-200	2"	1-1/8'	28

325B D-RING

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B154802-278	2-7/8"	1-1/8'	34

BRONZE CASTING





ITEN NO.	A	B	C
	In.	In.	mm
B154803-234	2-3/4"	2-1/4"	31

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154804-418	4-1/8"	2-1/8"	37

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154805-334	3-3/4"	1-7/8"	33

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154806-400	4"	1-3/4"	32

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154807-400	4"	1-3/4"	27

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154808-314	3-1/4"	1-3/4"	27

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154809-338	3-3/8"	1-3/4"	26

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154810-312	3-1/2"	2-3/8'	24

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B154811-414	4-1/4"	2-1/4"	34

BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B1547-318	3-1/8"	1-5/8"	28
B1547-334	3-3/4"	2"	30
B1547-414	4-1/4"	2-1/4"	28
B1547-500	5"	2-1/2"	52
B1547-538	5-3/8"	3"	51

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
B154901-638	161	59	34

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
B154902-578	150	59	32


BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
B154903-812	209	59	89

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	In.	mm	mm
B1509-234	1/4"	2-3/4"	19	24
B1509-314	1/4"	3-1/4"	20	26
B1509-312	3/8"	3-1/2"	18	28

325B D-RING

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
B3102-09105	9	105
B3102-09129	9	129

BRONZE CASTING






ITEN NO.	A	B	C	D
	In.	mm	mm	mm
B1546-158	1-5/8"	6	54	56
B1546-200	2"	9	66	68

BRONZE CASTING






ITEN NO.	A	B	C
	In.	mm	mm
BHW0191-500	5"	49	19

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1506-412	4-1/2"	3-1/8"	139
B1506-534	5-3/4"	4-1/2"	139

BRONZE CASTING






ITEN NO.	A	B	C
	In.	In.	mm
B1554-134	1-3/4"	1-3/4"	3.5

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BH9863B	2.5	43

BRONZE CASTING






ITEN NO.
BH05-06

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BHS-04-03	103	50	32	6

BRONZE CASTING






ITEN NO.	A
	In.
BH12-04	4″
BH12-06	6″
BH12-08	8″
BH12-10	10″

7B ROUND RING

BRONZE CASTING





ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BH14	38	11	14	4.5

WINDOW DOOR RESTRICTOR LOCK LATCH

BRONZE CASTING






ITEN NO.	A
	In.
BHS-07	

KICKDOWN DOOR STOP

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BHS-08	41	105

BUCKLE DOOR TOUCH LATCH

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
BHS09-44	44	8	12
BHS09-49	49		
BHS09-60	60		
BHS09-69	69	13	19

SLIDE BOLT LATCH LOCK

BRONZE CASTING



ITEN NO.	A
	In.
BHS-06	6″

BRONZE CASTING

ITEN NO.	A	B	C
	mm	mm	mm
BR42-4-15	4.5	4	15
BR7-5-10	7	5	10

BRONZE CASTING

ITEN NO.	A	B	C
	mm	mm	mm
BR8-4-15	8	4	15

BRONZE CASTING

ITEN NO.	A	B	C
	mm	mm	mm
BR45-55-155	45	55	155
BR55-65-135	55	65	135
BR70-80-130	70	80	130
BR80-90-130	80	90	130

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BHW001-04	100	30

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BHW002-04	90	47


BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BHW003-04	100	30

BRONZE CASTING





ITEN NO.	A	B
	mm	mm
BHW004-02		


BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BHW006-03	55	59	53

BRONZE CASTING





ITEN NO.	A
	mm
BHW007-60	60
BHW007-90	90

BRONZE CASTING




ITEN NO.	A	B
	In.	In.
BHW0092-078	7/8”	2-1/8”
BHW0090-118	1-1/8”	2-7/8”

BRONZE CASTING



ITEN NO.	A
	In.
BHW010-02	9-1/2”

BRONZE CASTING



ITEN NO.	A
	In.
BHW011-02	7”


BRONZE CASTING



ITEN NO.	A
	In.
BHW012-02	5”

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BHW015-5085	70	50	85

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
BHW016-5860BP	90	58	60

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BLS1102-01		

BRONZE CASTING






ITEN NO.	A	B
	mm	mm
BLS1102-02		

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BLS1102-03	2.2	16	5.2

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BLS1102-04	9.8	6.4	4	11.8
BLS1102-05	12	9.3	4	10.5

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
BLS1102-06	6.2	4.5	11

BRONZE CASTING






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
BLS1102-07	12	6.5	4	10.1

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
BLS1102-08	5.3	4.3	11

BRONZE CASTING

ITEN NO.	A	B	C
	mm	mm	mm
BR10-15-31	10	15	31

BRONZE CASTING


ITEN NO.	A	B	C
	mm	mm	mm
BR10-17-5-27-14	10	17	5

BRONZE CASTING

ITEN NO.	A	B
	mm	mm
BR30-13	30	13

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
B501101-036	8.2	16	36
B501101-052	19	24	52
B501101-063	19	23	63

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
B501102-050	18	23	50

BRONZE CASTING






ITEN NO.	A	B	C
	mm	mm	mm
B501103-044	26	178	44

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
B501104-054	25	201	54


BRONZE CASTING



ITEN NO.	A	B	C
	In.	In.	mm
B1507-338	3-3/8"	5-3/8"	70

BRONZE CASTING





ITEN NO.	A	B
	In.	In.
BELL1010-114	1-1/4"	3-1/4'
BELL1010-200	2"	4-3/4"
BELL1010-238	2-3/8"	5-5/8"

BRONZE CASTING



ITEN NO.	A	B
	In.	In.
BHS-02-08		



ITEN NO.	A	B
	In.	In.
BHS-0205		

BRONZE CASTING



ITEN NO.	A	B
	In.	In.
BHS-02-06		




ITEN NO.	A	B
	In.	In.
BHS-02-07		

7B ROUND RING

BRONZE CASTING





ITEN NO.	A	B	C
	mm	mm	mm
BD021310	2.5	13	10
BD031511	3	15	11
BD031711	3	17	11
BD032017	3	20	17
BD0351412	3.5	14	12
BD0351813	3.5	18	13
BD0352219	3.5	22	19
BD042017	4	20	17
BD0421	4	21	13
BD042428	4	24	28
BD042619	4	26	19
BD042626	4	26	26
BD0452017	4.5	20	17
BD0452626	4.5	26	26
BD0453223	4.5	32	23
BD0453929	4.5	39	29
BD052420	5	24	20
BD06112	6	38	30
BD06200	6	51	40
BD0657757	6.5	77	57

BRONZE CASTING



ITEN NO.	A	B
	In.	In.
SHS-0204		

BRONZE CASTING



ITEN NO.	A	B
	In.	In.
SS28x120		




ITEN NO.	A	B
	In.	In.
SS40x116		

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON




ITEN NO.	A	B
	In.	In.
M2311-058	5/8”	3-1/2”
M2311-034	3/4”	4-1/2”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
M2312-058	5/8”	3-1/2”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
MS34-058	5/8”	3-1/2”
MS34-034	3/4”	3-1/2”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B	C
	In.	In.	In.
M3141C-06	3/4”	3-3/4”	5/8”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
M3142R-07	7/8”	4”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A
	In.
M3143-118BN	1-1/8”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
M3145-NP	1”	5-1/8”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
M830-058	5/8”	3-1/4”
M830-034	3/4”	3-1/4”
M830-100	1”	3-1/2”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON




ITEN NO.	A	B
	In.	In.
M830D-058	5/8”	2-3/4”
M830D-100	1”	2-3/4”


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A
	mm
M225-038	3/8"
M225-012	1/2"
M225-058	5/8"
M225-034	3/4"
M225-100	1"
M225-118	1-1/8"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A	B	C
	In.	mm	mm
MF52-100	1"	36	8

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED



ITEN NO.	A
	In.
T2005-612	6-1/2"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED



ITEN NO.	A	B
	mm	mm
T3.0-120	3	120

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED

ITEN NO.	A	B
	In.	In.
TAC40-038	3/8"	3/4"
TAC40-012	1/2"	1"


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON

ITEN NO.	A	B
	In.	In.
SH17S-100	1"	4-1/4"

251B QUICK SNAP ROUND SWIVEL EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A	B
	In.	In.
S251S-00	1/2"	2-1/2"
S251S-01	3/4"	3-3/8"
S251S-02	3/4"	3-7/8"
S251S-03	7/8"	4-5/8"

7979B BOLT SNAP SWIVEL ROUND EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON




ITEN NO.	A	B
	In.	In.
S38-034	3/4"	3-1/2"

161B QUICK SNAP ROUND SWIVEL EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A
	In.
S161D-312	3-1/2"
S162D-400	4"
S163D-412	4-1/2"
S164D-434	4-3/4"

S249C RIGID EYE SNAP


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B	C
	In.	In.	In.
S249C-00	1/2"	2-1/8"	1/4"
S249C-01	5/8"	2-7/8"	3/8"
S249C-02	3/4"	3-1/4"	1/2"
S249C-03	3/4"	3-7/8"	1/2"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A	B	C
	In.	In.	In.
S8303-038	57	10	9
S8302-012	70	13	11
S8301-058	83	16	14
S8300-034	90	19	16

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON

ITEN NO.	A	B
	In.	In.
SHC00-038	3/8"	2-1/4"
SHC01-058	5/8"	2-7/8"
SHC02-034	3/4"	3-1/4"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
MS33-058	5/8"	4"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B	C	D
	In.	mm	mm	mm
M232-312	3-1/2"	9	17	7
M232-40	4"	11	20	7
M232-412	4-1/2"	9	20	7
M232-50	5"	12	25	12
M232-514	5-1/4"	14	28	12
M232-60	6"	14	32	11

255B BOLT SNAP SWIVEL ROUND EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	A	B
	In.	In.
S225S-038212	3/8"	2-1/2"
S225S-038318	3/8"	3-1/8"
S225S-012	1/2"	3-3/8"
S225S-012300	1/2"	3"
S225S-058	5/8"	3-1/2"
S225S-034	3/4"	3-5/8"
S225S-100	1"	4"
S225S-118	1-1/8"	4-5/8"
S225S-114	1-1/4"	4-3/4"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED



ITEN NO.	A	B	C
	mm	mm	mm
SDH103-050050056	5	50	56

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED




ITEN NO.	A	B	C
	mm	mm	mm
S249C-00+SDH103			

OPEN HOOK

ZINC PLATED
NICKEL PLATED






ITEN NO.	SIZE	L1	L2
	mm	mm	mm
TI0145-05	5	80	60

SLIDE BUCKLE WITH SNAP

ZINC PLATED
NICKEL PLATED



ITEN NO.	SIZE	THICKNEESS
	In.	mm
TB0149-02	1"	2mm

OPEN EYE SWIVELS

STEET ELECTRIC GALVAIZED




ITEN NO.	SIZE	O.L
	mm	mm
TI1491-02	1.75	65

SADDLERY BUCKLE

STEET ELECTRIC GALVAIZED
NICKEL PLATED







ITEN NO.	A	B	C
	In.	In.	mm
TI1403-058	5/8"	2-1/2"	7/16"(10mm)
TI1403-034	3/4"	2-1/2"	7/16"(10mm)
TI1403-100	1"	2-1/2"	7/16"(10mm)
TI1403-112	1-1/2"	2-1/2"	7/16"(10mm)

HOOK BUCKLE

STEET ELECTRIC GALVAIZED
NICKEL PLATED






ITEN NO.	A
	In.
M200-058	5/8"
M200-034	3/4"
M200-078	7/8"
M200-100	1"
M200-112	1-1/2"
M200-114	1-1/4"

PLUMB BOB

STEET ELECTRIC GALVAIZED
NICKEL PLATED






ITEN NO.	A	B	C
	mm	mm	mm
TF53-25	67	28	32

STEET ELECTRIC GALVAIZED






ITEN NO.	A	B
	mm	mm
BELL-1	29	46

FLAG HALYARD CLEAT

STEET ELECTRIC GALVAIZED






ITEN NO.	Ø	A	B
	mm	mm	mm
SHW4015-067	4.5	10	67
SHW4015-112	5.8	21	112
SHW4015-150	6.7	24	150

WIRE EYE STRAP

STAINLESS STEEL AISI 304 S14
STAINLESS STEEL AISI 316 BH14
STEEL ELECTRIC GALVANIZED TH14






ITEN NO.	D	L1	L2	H	h	d
	mm	mm	mm	mm	mm	mm
TH14-04	4	40	32	16	11	3.2
TH14-05	5	50	40	16	13	4.2
TH14-06	6	57	44	22	16	5.2
TH14-08	8	63	47	25	17	5.2

WIRE EYE STRAP

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C
	mm	mm	mm
TH1401-05	5	26	50

STAMPED EYE STRAP

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	T	E	D2	A2	A1	L	D1
	mm	mm	mm	mm	mm	mm	mm
TH1402-12	1.5	4.2	9	35	11	12	5
TH1402-14	2	5.0	11	45	15	14	6
TH1402-20	2	5.3	12	55	20	20	7
TH1402-28	2	5.3	12	75	28	28	7
TH1402-32	3	6.4	14	80	32	32	8

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B
	mm	mm
SHW007-110	7	110
SHW007-150	9	150
SHW007-163	9	163

WEBBING BUCKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	a	B	D
	mm	mm	mm	mm
T1405-114	45	32	29	5
T1405-158	54	41	29	5
T1405-134	58	45	29	5
T1405-200	65	51	34	6

SQUARE BUCKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	a	B	D
	mm	mm	mm	mm
T1407-114	45	32	36	21
T1407-158	55	41	36	20
T1407-200	58	45	36	20
T1407-134	65	51	40.5	22.5

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	C
	In.	In.	In.
SCAM02-100	5/8 "	1 "	2 "
SCAM02-112	3/4"	1-1/2"	2-3/4"

US TYPE WIRE ROPE CLIPS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	SIZE	A	B	C	D	E	F	G
	In.	In.	In.	In.	In.	In.	In.	In.
TS35-00	1/16"	13/16"	13/32"	15/32"	3/16"	3/8"	1/2"	23/32"
TS35-01	1/8"	7/8"	7/16"	9/16"	3/16"	7/16"	9/16"	25/32"
TS35-015	3/16"	1-1/32"	1/2"	9/32"	1/4"	9/16"	21/32"	15/16"
TS35-02	1/4"	1-1/4"	19/32"	23/32"	5/16"	21/32"	25/32"	1-1/4"
TS35-025	5/16"	1-3/8"	5/8"	25/32"	5/16"	23/32"	7/8"	1-11/32"
TS35-03	3/8"	1-19/32"	7/8"	7/8"	3/8"	7/8"	1-1/16"	1-21/32"
TS35-035	7/16"	1-3/4"	29/32"	29/32"	3/8"	31/32"	1-3/16"	1-27/32"
TS35-04	1/2"	1-15/16"	29/32"	1-1/32"	7/16"	1-1/16"	1-3/8"	2-1/8"
TS35-05	5/8"	2-1/4"	1-3/32"	1-1/8"	1/2"	1-5/16"	1-9/16"	2-11/32"
TS35-06	3/4"	2-13/32"	1-11/32"	1-1/4"	9/16"	1-3/8"	1-21/32"	2-11/16"
TS35-07	7/8"	2-13/16"	1-1/2"	1-15/32"	5/8"	1-5/8"	1-13/16"	3-1/16"
TS35-10	1"	3-1/16"	1-11/16"	1-21/32"	5/8"	1-25/32"	2-5/32"	3-7/16"
TS35-114	1-1/4"	3-1/2"	2-1/4"	2-7/16"	3/4"	2-3/16"	2-3/8"	3-7/8"

DIN 741 WIRE ROPE CLIPS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	SIZE		D	B	H1	H2	H3	L1	L2
	mm	In.	mm	mm	mm	mm	mm	mm	mm
TS35D-03	3	1/8	M4	12	20	10	10	21	5
TS35D-05	5	3/16	M5	13	24	10	11	23	6
TS35D-06	6	1/4	M5	15	28	11	12	26	8
TS35D-08	8	5/16	M6	19	34	15	14	30	10
TS35D-10	10	3/8	M8	22	42	17	18	34	11
TS35D-11	11	7/16	M8	22	44	18	19	36	12
TS35D-13	13	1/2	M10	30	55	21	23	42	14
TS35D-14	14	9/16	M10	30	57	22	23	44	15
TS35D-16	16	5/8	M12	33	63	26	26	50	17
TS35D-19	19	3/4	M12	38	75	30	29	54	20
TS35D-22	22	7/8	M14	44	85	34	33	61	23
TS35D-26	26	1	M14	45	95	37	35	65	27
TS35D-30	30	11/8	M16	50	110	43	37	74	32
TS35D-34	34	11/4	M16	55	120	50	42	80	36
TS35D-40	40	11/2	M16	60	140	55	45	88	42

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	SIZE	B1	B2	D	H1	H2	I	BREAKING LOAD
	mm	mm	mm	mm	mm	mm	mm	KGS
S35SF-02	2	4	18	M3	14	11	14	400
S35SF-03	3	5	24	M4	16	12	17	500
S35SF-04	4	6	24	M4	18	14	19	750
S35SF-05	5	7	33	M6	20	16	24	1400
S35SF-06	6	8	33	M6	22	18	28	2450
S35SF-08	8	10	40	M8	28	21	34	4150
S35SF-10	10	12	50	M10	35	24	45	7500
S35SF-12	12	14	60	M12	39	28	51	9000
S35SF-14	14	16	65	M12	45	33	53	9000
S35SF-16	16	18	75	M14	48	38	60	11500
S35SF-19	19	20	80	M14	53	40	62	11500
S35SF-22	22	26	100	M18	62	47	78	15000
S35SF-25	25	29	110	M18	68	52	86	15000

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	SIZE	B1	B2	D	H1	H2	L
	mm	mm	mm	mm	mm	mm	mm
S35SJ-02	2	4	18	M3	13	10	14
S35SJ-03	3	5	21	M4	14	10	15
S35SJ-04	4	6	24	M4	18	12	19
S35SJ-05	5	7	25	M6	20	13	24
S35SJ-06	6	8	32	M6	20	17	28
S35SJ-08	8	10	42	M8	26	19	34
S35SJ-10	10	12	50	M10	33	21	45
S35SJ-12	12	14	61	M12	37	23	50
S35SJ-16	16	18	76	M16	47	33	58
S35SJ-22	22	24	106	M22	61	44	60

SIMPLEX WIRE ROPE CLIP

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	SIZE	L	D
	mm	mm	mm
TLS511-02	2		M4
TLS511-03	3	20	M4
TLS511-04	4	21.5	M5
TLS511-05	5	26	M6
TLS511-06	6	30	M6
TLS511-08	8	36	M8
TLS511-10	10	42	M10

DUPLEX WIRE ROPE CLIP

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	SIZE	L	D
	mm	mm	mm
TLS512-02	2	37	M4
TLS512-03	3	40	M4
TLS512-04	4	43	M5
TLS512-05	5	52	M6
TLS512-06	6	60	M6
TLS512-08	8	72	M8
TLS512-10	10	84	M10

JIS TYPE DEE SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1
	mm	mm	mm	mm	mm
S41JIS-04	4	14	8	8	4
S41JIS-05	5	16	10	10	5
S41JIS-06	6	22	12	12	6
S41EIS-08	8	27	16	16	8
S41JIS-10	10	31	20	20	10
S41JIS-12	12	40	24	24	12
S41JIS-14	14	46	28	28	14
S41JIS-16	16	52	32	32	16
S41JIS-18	18	58	36	36	18
S41JIS-20	20	64	40	40	20
S41JIS-22	22	75	44	44	22
S41JIS-25	25	83	50	50	25
S41JIS-28	28	96	56	56	28
S41JIS-32	32	114	64	64	32
S41JIS-36	36	116	72	72	36
S41JIS-38	38	126	76	76	38
S41JIS-44	44	138	80	90	44
S41JIS-50	50	160	90	100	50
S41JIS-65	65	**207**	110	130	65
S41JIS-75	75	263	120	150	75

JIS TYPE BOW SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1	F
	mm	mm	mm	mm	mm	mm
S42JIS-04	4	16	8	8	4	14
S42JIS-05	5	19	10	10	5	16
S42JIS-06	6	25	13	13	6	20
S42JIS-08	8	32	16	16	8	24
S42JIS-10	10	38	19	19	10	28
S42JIS-12	12	48	25	25	12	36
S42JIS-14	14	50	28	28	14	38
S42JIS-16	16	55	32	32	16	40
S42JIS-18	18	62	36	36	18	43
S42JIS-20	20	68	40	40	20	46
S42JIS-22	22	82	44	44	22	56
S42JIS-25	25	95	50	50	25	68
S42JIS-28	28	108	56	56	28	74
S42JIS-32	32	120	64	64	32	84
S42JIS-36	36	135	72	72	36	92

US TYPE DEE SHACKLE G-210

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1
	mm (in)	mm	mm	mm	in
S41US-0316	5 (0.19)	20	9.5	14	1/4”
S41US-014	6 (0.25)	25	12	15.5	5/16”
S41US-0516	8 (0.31)	27	13	19	3/8”
S41US-038	10 (0.38)	32	16	23	7/16”
S41US-0716	11(0.44)	37	18	27	1/2”
S41US-012	12(0.50)	42	21	30	5/8”
S41US-058	16(0.63)	51	27	38	3/4”
S41US-034	19(0.75)	60	32	46	7/8”
S41US-078	22(0.88)	67	36	53	1”
S41US-100	25(1.00)	81	43	60	1-1/8”
S41US-118	28(1.13)	90	46	67	1-1/4”
S41US-114	32(1.25)	99	51	77	1-3/8”
S41US-138	35(1.38)	110	56	82	1-1/2”
S41US-112	38(1.50)	121	60	91	1-5/8”
S41US-134	45(1.75)	145	72	105	2”
S41US-200	50(2.10)	170	81	125	2-1/4”
S41US-212	65(2.63)	201	103	143	2-3/4”

US TYPE ANCHOR SHACKLE G-209

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	F	D1
	mm (in)	mm	mm	mm	mm	in
S42US-0316	5 (0.19)	22	9.5	14	15	1/4”
S42US-014	6 (0.25)	28	12	15.5	20	5/16”
S42US-0516	8 (0.31)	31	13	19	21	3/8”
S42US-038	10 (0.38)	36	16	23	26	7/16”
S42US-0716	11(0.44)	42	18	27	29	1/2”
S42US-012	12(0.50)	48	21	30	33	5/8”
S42US-058	16(0.63)	60	27	38	43	3/4”
S42US-034	19(0.75)	71	32	46	51	7/8”
S42US-078	22(0.88)	84	36	53	58	1”
S42US-100	25(1.00)	95	43	60	68	1-1/8”
S42US-118	28(1.16)	106	46	67	73	1-1/4”
S42US-114	32(1.29)	118	51	77	81	1-3/8”
S42US-138	35(1.42)	132	56	82	91	1-1/2”
S42US-112	38(1.54)	145	60	91	97	1-5/8”
S42US-134	45(1.84)	175	72	105	125	2”
S42US-200	50(2.08)	195	81	120	144	2-1/4”
S42US-212	65(2.63)	265	103	143	182	2-3/4”

EUROPEAN TYPE DEE SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1
	mm	mm	mm	mm	mm
S41EU-04	4	14	8	8	4
S41EU-05	5	17	10	10	5
S41EU-06	6	21	12	12	6
S41EU-07	7	24	14	14	7
S41EU-08	8	28	16	16	8
S41EU-09	9	31	18	18	9
S41EU-10	10	35	20	20	10
S41EU-11	11	38	22	22	11
S41EU-12	12	42	24	24	12
S41EU-13	13	46	26	26	13
S41EU-14	14	48	28	28	14
S41EU-16	16	56	32	32	16
S41EU-18	18	63	36	36	18
S41EU-19	19	66	38	38	19
S41EU-20	20	70	40	40	20
S41EU-22	22	77	44	44	22
S41EU-25	25	87	50	50	25
S41EU-28	28	98	56	56	28
S41EU-32	32	112	64	64	32
S41EU-36	36	126	72	72	36
S41EU-38	38	145	76	76	38
S41EU-42	42	145	76	76	42
S41EU-45	45	155	80	90	45
S41EU-50	50	175	90	100	50

EUROPEAN TYPE BOW SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1	F	Breaking
	mm	mm	mm	mm	mm	mm	KGS
S42EU-04	4	16	8	8	4	12	750
S42EU-05	5	20	10	10	5	15	1,300
S42EU-06	6	24	12	12	6	18	1,800
S42EU-08	8	32	16	16	8	24	3,500
S42EU-10	10	40	20	20	10	30	5,400
S42EU-12	12	48	24	24	12	36	7,200
S42EU-13	13	52	26	26	13	38	11,200
S42EU-14	14	56	28	28	14	42	12,200
S42EU-16	16	64	32	32	16	48	13,500
S42EU-18	18	72	36	36	18	54	15,200
S42EU-19	19	76	38	38	19	56	17,200
S42EU-20	20	80	40	40	20	60	18,200
S42EU-22	22	88	44	44	22	66	21,000
S42EU-25	25	100	50	50	25	75	24,000
S42EU-28	28	112	56	56	28	82	26,800
S42EU-32	32	128	64	64	32	96	31,000
S42EU-36	36	144	72	72	36	108	
S42EU-38	38	152	76	76	38	120	
S42EU-45	45	180	90	90	45	140	
S42EU-50	50	200	102	102	50	150	

D-SHACKLE WIDE TYPE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1
	mm	mm	mm	mm	mm
S41EU360WO-05	5	20	25	13	5
S41EU360WO-06	6	33	24	16	6
S41EU360WO-08	8	31	28	20	8
S41EU360WO-10	10	55	41	24	10
S41EU360WO-12	12	66	48	28	12
S41EU360WO-14	14	77	56	35	14
S41EU360WO-16	16	88	64	40	16
S41EU360WO-19	19	104	72	47	19
S41EU360WO-22	22	120	88	54	22
S41EU360WO-25	25	138	100	63	25

EUROPEAN TYPE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1	F
	mm	mm	mm	mm	mm	mm
S42EUL-04	4	18	8	8	4	15
S42EUL-05	5	23	10	10	5	17
S42EUL-06	6	27	12	12	6	21
S42EUL-08	8	37	16	16	8	28
S42EUL-10	10	46	20	20	10	35
S42EUL-12	12	55	24	24	12	42
S42EUL-13	13	60	26	26	13	45
S42EUL-14	14	63	28	28	14	50
S42EUL-16	16	74	32	32	16	56
S42EUL-20	19	87	38	38	19	66
S42EUL-22	22	99	44	44	22	76
S42EUL-25	25	112	50	50	25	87
S42EUL-28	28	126	56	56	28	98

STAINLESS STEEL DEE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	D	A	B	C	D1
	mm	mm	mm	mm	mm
S41EU362-04	4	30	8	8	4
S41EU362-05	5	37	10	10	5
S41EU362-06	6	45	12	12	6
S41EU362-08	8	60	16	16	8
S41EU362-10	10	75	20	20	10
S41EU362-12	12	90	24	24	12
S41EU362-14	14	105	28	28	14
S41EU362-16	16	120	32	32	16

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON



ITEN NO.	D	A	B
	mm	mm	mm
S41EU360BWM-05	5	25	20
S41EU360BWM-06	6	24	33
S41EU360BWM-08	8	32	28
S41EU360BWM-10	10	40	42


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON




ITEN NO.	D	A	B
	mm	mm	mm
S41EU360C-05	5	10	17
S41EU360C-06	6	12	21
S41EU360C-08	8	16	28
S41EU360C-10	10	20	35
S41EU360C-12	12	24	42

TWIST SHACKLE


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	D1
	mm	mm	mm	mm	mm
S42EU380-04	4	23	8	8	4
S42EU380-05	5	28	10	10	5
S42EU380-06	6	33	12	12	6
S42EU380-08	8	44	16	16	8
S42EU380-10	10	55	20	20	10
S42EU380-12	12	66	24	25	12

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON







ITEN NO.	A	B	C
	mm	mm	mm
S41EU365-05	38	12	5
S41EU365-06	43	16	6

PLATE BOW SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	E	F
	mm	mm	mm	mm	mm	mm
S42SF-04	4	15	9.5	9.5	1.5	4.8
S42SF-05	5	17	11	12	2	6.7
S42SF-06	6	23	16	14.5	3	8
S42SF-08	8	31	23	18	4	10
S42SF-10	10	40	25	23	5	11.5
S42SF-12	12	50	29	27	6	14

PLATE DEE SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON







ITEN NO.	D	A	B	C	E	F
	mm	mm	mm	mm	mm	mm
S41SF-04	4	17	10	9.5	1.5	5.7
S41SF-05	5	20	12.5	12	2	7
S41SF-06	6	24	15	14.5	3	8
S41SF-08	8	44	21	18	4	10

PLATE DEE SHACKLE WITH CROSS BAR

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	B1	C	D1	E	F
	mm	mm	mm	mm	mm	mm	mm	mm
S41PCB-05	5	17	35	8	11	3	3	6.5
S41PCB-06	6	17	41	10	15	3	3	7.5
S41PCB-08	8	24	42	12	18.5	3	4	8

PLATE TWIST SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	E	F
	mm	mm	mm	mm	mm	mm
S41PTS-05	5	23	12.5	12	2	7
S41PTS-06	6	36	15	14.5	3	7.5
S41PTS-08	8	36	18	18.5	4	8

PLATE SHACKLE WITH LOCK PLN

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	B	A	C	E	F
	mm	mm	mm	mm	mm	mm
S41PWL-04	4	15	25	12	2	7.5
S41PWL-05	5	17	35	11	3	6.5
S41PWL-06	6	17	40	14.5	3	7.8
S41PWL-08	8	22	42	18.5	4	8

PLATE DEE SHACKLE WITH CROSS BAR

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON






ITEN NO.	D	A	B	C	E	F
	mm	mm	mm	mm	mm	mm
S41PLP-06	6	8	25	16	3	6.5
S41PLP-08	8	10	30	18	4	7.5
S41PLP-10	10	12	40	20	4	9.5
S41PLP-12	12	15	51	26.5	5	12

SNAP SPRING CLIP CARBINE HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F	W.L.L
	mm	mm	mm	mm	mm	mm	LBS
TS24-04	4x40	4	20	40	7	7	80
TS24-05	5x50	5	25	50	8	7	100
TS24-06	6x60	6	30	60	9	8	140
TS24-07	7x70	7	35	70	10	8	200
TS24-08	8x80	8	40	80	12	9	250
TS24-09	9x90	9	45	90	12	10	280
TS24-10	10x100	10	50	100	15	11	400
TS24-11	11x120	11	57	120	18	16	500
TS24-12	12x140	12	67	140	20	19	600
TS24-13	13x160	13	74	160	22	25	700
TS24-14	14x180	14	86	180	22	35	900

SNAP SPRING CLIP CARBINE HOOK WITH EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F	W.L.L
	mm	mm	mm	mm	mm	mm	LBS
TS24X-04	4x40	4	20	40	5	7	80
TS24X-05	5x50	5	25	50	6	7	100
TS24X-06	6x60	6	30	60	7	8	140
TS24X-07	7x70	7	35	70	8	8	200
TS24X-08	8x80	8	40	80	9	9	250
TS24X-09	9x90	9	45	90	10	10	280
TS24X-10	10x100	10	50	100	12	11	400
TS24X-11	11x120	11	57	120	15	16	500
TS24X-12	12x140	12	67	140	17	19	600
TS24X-13	13x160	13	74	160	19	25	700
TS24X-14	14x180	14	86	180	19	35	900

SNAP SPRING CLIP CARBINE HOOK WITH SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F	W.L.L
	mm	mm	mm	mm	mm	mm	LBS
TS24N-04	4x40	4	20	40	7	7	80
TS24N-05	5x50	5	25	50	8	7	100
TS24N-06	6x60	6	30	60	9	8	140
TS24N-07	7x70	7	35	70	10	8	200
TS24N-08	8x80	8	40	80	12	9	250
TS24N-09	9x90	9	45	90	12	10	280
TS24N-10	10x100	10	50	100	15	11	400
TS24N-11	11x120	11	57	120	18	16	500
TS24N-12	12x140	12	67	140	20	19	600
TS24N-13	13x160	13	74	160	22	25	700
TS24N-14	14x180	14	86	180	22	35	900

SNAP SPRING CLIP CARBINE HOOK WITH EYE AND SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F	W.L.L
	mm	mm	mm	mm	mm	mm	LBS
TS24XN-04	4x40	4	20	40	5	7	80
TS24XN-05	5x50	5	25	50	6	7	100
TS24XN-06	6x60	6	30	60	7	8	140
TS24XN-07	7x70	7	35	70	8	8	200
TS24XN-08	8x80	8	40	80	9	9	250
TS24XN-09	9x90	9	45	90	10	10	280
TS24XN-10	10x100	10	50	100	12	11	400
TS24XN-11	11x120	11	57	120	15	16	500
TS24XN-12	12x140	12	67	140	17	19	600
TS24XN-13	13x160	13	74	160	19	25	700
TS24XN-14	14x180	14	86	180	19	35	900

SNAP SPRING CLIP CARBINE HOOK WITH TWO RIVETS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F	W.L.L
	mm	mm	mm	mm	mm	mm	LBS
TS24D-04	4x40	4	20	40	7	7	80
TS24D-05	5x50	5	25	50	8	7	100
TS24D-06	6x60	6	30	60	9	8	140
TS24D-07	7x70	7	35	70	10	8	200
TS24D-08	8x80	8	40	80	12	9	250
TS24D-09	9x90	9	45	90	12	10	280
TS24D-10	10x100	10	50	100	15	11	400
TS24D-11	11x120	11	57	120	18	16	500
TS24D-12	12x140	12	67	140	20	19	600
TS24D-13	13x160	13	74	160	22	25	700
TS24D-14	14x180	14	86	180	22	35	900

SNAP SPRING CLIP CARBINE HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F
	mm	mm	mm	mm	mm	mm
TS2405-05	5x50	5	25	50	8	7
TS2405-06	6x60	6	30	60	9	8
TS2405-07	7x70	7	35	70	10	8
TS2405-08	8x80	8	40	80	12	9
TS2405-09	9x90	9	45	90	12	10
TS2405-10	10x100	10	50	100	15	11
TS2405-11	11x120	11	57	120	18	16
TS2405-12	12x140	12	67	140	20	19

SNAP SPRING CLIP CARBINE HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F
	mm	mm	mm	mm	mm	mm
TS24A-06-90	6x90	6	47	90	19	18
TS24A-08-100	8x100	8	61	100	22	21

SNAP SPRING CLIP CARBINE HOOK WITH BAR

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F
	mm	mm	mm	mm	mm	mm
S241-13	13x160	13	80	160	3	33

QUICK LINK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L1	L2	F	W.L.L
	mm	mm	mm	mm	LBS
T32-035	3.5	36.5	17	5	175
T32-04	4	40	19.5	5.5	500
T32-05	5	49	23	6.5	650
T32-06	6	58	26.5	7.5	875
T32-07	7	65	30.5	8.5	1200
T32-08	8	75	33.5	10.5	1525
T32-09	9	82	35	11.5	1975
T32-10	10	90	40.5	12.5	2300
T32-12	12	107	47.5	14.5	2500
T32-14	14	125	54.5	17	2800
T32-16	16	141	62	19	3300

EUROPEAN SWIVEL EYE AND EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A	B	C	L
	mm	mm	mm	mm
S018-040011	4	11	13	50
S018-050013	5	13	14	60
S018-060015	6	15	15	66
S018-080019	8	19	21	90
S018-090022	9	22	23	100
S018-100024	10	24	26	115
S018-130033	13	33	33	152
S018-160038	16	38	42	188
S018-190041	19	41	51	229
S018-220048	22	48	61	260
S018-250065	25	65	73	290

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON




ITEN NO.	A	B	C
	In.	In.	In.
M402-0316	3/16"	11/16"	74
M402-014	1/4"	3/4"	85
M402-0516	5/16"	1"	105
M402-038	3/8"	1-1/4"	128
M402-012	1/2"	1-3/8"	162
M402-058	5/8"	1-3/4"	197
M402-034	3/4"	2"	220
M402-100	1"	2-3/8"	295
M402-114	1-1/4"	3"	338
M402-112	1-1/2"	4"	510

STRAIGHT SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	Ø A	B	C	F
	mm	mm	mm	mm	mm
S4900-11	11x120	11	70	120	27

DELTA SNAP HOOK WITH SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	Ø A	B	C	D	F
	mm	mm	mm	mm	Mm	mm
S4900NX-11	11x120	11	70	120	4	25

FLATSNAP HOOK WITH TWO RIVETS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	Ø A	B	C	F
	mm	mm	mm	mm	mm
S2390-11	11x120	11	61	120	22

OVAL TYPE SNAP HOOK

STEEL ELECTRIC GALVANIZED







ITEN NO.	SIZE	Ø A	B	C	F
	mm	mm	mm	mm	mm
TS7850-06	6x60	6	32	60	9

422. SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	Ø A	B	C	E	F
	mm	mm	mm	mm	mm
TC422-04040	4	17	40	1.6	6
TC422-05050	5	25	50	2.0	8
TC422-06060	6	35	60	2.5	12
TC422-06075	6	35	75	2.5	12
TC422-06100	6	40	100	2.5	12
TC422-08070	8	40	70	2.5	14
TC422-10080	10	45	80	3.2	15

BOW SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	C
	Mm	mm	mm
TS0080-06	6x100	6	100

WIDE JAW QUICK LINK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED







ITEN NO.	Ø A	L1	L2	F	W.L.L
	mm	mm	mm	mm	LBS
T32LT-035	3.5	47	17	10	175
T32LT-05	5	62	23	14	650
T32LT-06	6	72	26.5	16	875
T32LT-07	7	80	31	17	1100
T32LT-08	8	90	33.5	18	1525
T32LT-10	10	105	40.5	20	2300
T32LT-12	12	122	47.5	23	2500

DELTA SHAPED QUICK LINK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L1	L2	F	W.L.L
	mm	mm	mm	mm	LBS
T84-035	3.5	37	31	5	120
T84-05	5	47	40	6	450
T84-06	6	56	47	7.5	600
T84-08	8	73	56	10	1100
T84-10	10	87	66	12	1500
T84-12	12	104	75	15	1650
T84-14	14	122	86	19	1900

PEAR SHAPED QUICK LINK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L1	L2	F	W.L.L
	mm	mm	mm	mm	LBS
T3201-035	3.5	52	27	9.5	120
T3201-04	4	60	32	11	350
T3201-05	5	70	37	12	450
T3201-06	6	81	42.8	14	600
T3201-08	8	100	50.8	17	110
T3201-09	9	108	57	19	1300
T3201-10	10	117.5	63.5	20.5	1500
T3201-12	12	141	76	23	1650

CARABINE TYPE QUICK LINK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L1	L2
	mm	mm	mm
T3202-06	6	80	32
T3202-08	8	100	46

EGG TYPE SNAP HOOK WITH SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	B	C	F
	mm	mm	mm	mm
TS23-12	12	85	168	42

EGG TYPE SNAP HOOK DIN5299 FORM B

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	W.L.L
	mm	mm	mm	mm	mm	LBS
TS24SE-05	5x50	5	25	50	7	100
TS24SE-06	6x60	6	30	60	8	140
TS24SE-07	7x70	7	35	70	8	200
TS24SE-08	8x80	8	40	80	9	250
TS24SE-09	9x90	9	45	90	10	280
TS24SE-10	10x100	10	50	100	11	400
TS24SE-11	11x120	11	57	120	16	500
TS24SE-12	12x140	12	67	140	19	600

STRAIGHT SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B	C	F	W.L.L
	mm	mm	mm	mm	mm	
TS31-05	5x50	5	25	50	9	100
TS31-06	6x60	6	30	60	11	140
TS31-06-100	6X80	6	27	80	20	140
TS31-08	8x80	8	40	80	13	250
TS31-10	10x100	10	50	100	16	400
TS31-11	11x120	11	58	120	21	500

STRAIGHT SNAP HOOK WITH SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B	C	F	W.L.L
	mm	mm	mm	mm	mm	LBS
TS31N-05	5x50	5	25	50	9	100
TS31N-06	6x60	6	30	60	11	140
TS31N-08	8x80	8	40	80	13	250
TS31N-10	10x100	10	50	100	16	400
TS31N-11	11x120	11	58	120	21	500

LONG STRAIGHT SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B	C	F	W.L.L
	mm	mm	mm	mm	mm	LBS
TS31A-05	5x67	5	25	67	9	100
TS31A-06	6x80	6	30	80	10	140
TS31A-08	8x95	8	40	95	12	250
TS31A-10	10x112	10		112		

D TYPE SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B	C	F
	mm	mm	mm	mm	mm
TS2670A-10	10x110	10	60	110	20

D TYPE SNAP HOOK WITH SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B	C	F
	mm	mm	mm	mm	mm
TS2670A-10	10x110	10	60	110	19

SAFETY SNAP HOOK (BREAKING LOAD 2200KG)

STEEL ELECTRIC GALVANIZED







ITEN NO.	A	B	C	F
	mm	mm	mm	mm
TS0135-10	10	55	105	17

OBLIQUE ANGLE SNAP HOOK WITH EYELET AND SPRING PIN

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	C	D	F	W.L.L
	mm	mm	mm	Mm	mm	LBS
S721SX-05	5x50	5	50	5	9	100
S721SX-06	6x60	6	60	5	10	140
S721SX-08	8x80	8	80	10	13	250
S721SX-10	10x100	10	100	13	18	400
S721SX-11	11x120	11	120	13	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET AND RIVETS AT BOTH END

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	C	D	F	W.L.L
	mm	mm	mm	Mm	mm	LBS
S2490X-10	10x90	10	90	13	13	400

SIMPLE SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B
	mm	mm	mm
S24503-06	6x60	6	60
S24503-08	8x80	8	80

SPRING HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	Ø A	B
	mm	mm	mm
S2430B-06	6x60	6	60
S2430B-08	8x80	8	80

DELTA SIMPLE SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	D	L	W	S	d
	mm	mm	mm	mm	mm
S2430-06	6	61	35	11	9
S2430-08	8	81	46	18	11
S2430-10	10	102	58	22	15
S2430-12	12	120	70	26	18

SPRING HOOK WITH FLAT TYPE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	Ø A	B	C	D	E
	mm	mm	mm	mm	mm	mm
S24301-06	6x60	6	31	60	8	2.5
S24301-12	12x120	12	72	120	24	3.5

OBLIQUE ANGLE SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	SIZE	A	B	C	D	W.L.L
	mm	mm	mm	mm	mm	LBS
S72S-05	5x50	5	50	5	9	100
S72S-06	6x60	6	60	5	10	140
S72S-08	8x80	8	80	10	13	250
S72S-10	10x100	10	100	13	18	400
S72S-11	11x120	11	120	13	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	SIZE	A	B	C	D	W.L.L
	mm	mm	mm	mm	mm	LBS
S72SX-05	5x50	5	50	5	9	100
S72SX-06	6x60	6	60	5	10	140
S72SX-08	8x80	8	80	10	13	250
S72SX-10	10x100	10	100	13	18	400
S72SX-11	11x120	11	120	13	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET AND SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	SIZE	A	B	C	D	W.L.L
	mm	mm	mm	mm	mm	LBS
S72SXN-05	5x50	5	50	5	9	100
S72SXN-06	6x60	6	60	5	10	140
S72SXN-08	8x80	8	80	10	13	250
S72SXN-10	10x100	10	100	13	18	400
S72SXN-11	11x120	11	120	13	24	500

OBLIQUE ANGLE SNAP HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED







ITEN NO.	SIZE	A	C	D	F	W.L.L
	Mm	mm	mm	mm	mm	LBS
TS72-05	5x50	5	50	8	9	100
TS72-06	6x60	6	60	9	10	140
TS72-08	8x80	8	80	12	13	250
TS72-10	10x100	10	100	15	18	400
TS72-11	11x120	11	120	15	24	500

OBLIQUE ANGLE SNAP HOOK WITH EYELET

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	C	D	F	W.L.L
	Mm	mm	mm	mm	mm	LBS
TS72X-05	5x50	5	50	5	9	100
TS72X-06	6x60	6	60	5	10	140
TS72X-08	8x80	8	80	10	13	250
TS72X-10	10x100	10	100	13	18	400
TS72X-11	11x120	11	120	13	24	500

SPRING HOOK

STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	F
	mm	mm	mm	mm	mm	mm
TF36-095104	3/8"	9.5	24	104	13	24.5
TF36-120110	1/2"	12		110		

SNAP HOOK NO.115D

STEEL ELECTRIC GALVANIZED





ITEN NO.	SIZE	Ø A	D	L
	mm	mm	mm	mm
TF1352-06	75x16	6	16	75

SNAP HOOK WITH SWIVEL

ZINC PLATED
NICKEL PLATED






ITEN NO.	SIZE
	mm
TUS0136-40	40
TUS0136-50	50
TUS0136-60	60
TUS0136-70	70
TUS0136-80	80

SNAP HOOK HALF ROUND WITH ROUND SWIVEL

ZINC PLATED
NICKEL PLATED







ITEN NO.	SIZE
	mm
TUS0137-40	40
TUS0137-50	50
TUS0137-60	60
TUS0137-70	70
TUS0137-80	80

SNAP HOOK HALF ROUND WITH RECTANGLE SWIVEL

ZINC PLATED
NICKEL PLATED





ITEN NO.	SIZE
	mm
TUS0138-40	40
TUS0138-50	50
TUS0138-60	60
TUS0138-70	70


SPRING HOOK

STEEL ELECTRIC GALVANIZED



ITEN NO.	SIZE	Ø A	D	L
	In.	mm	mm	mm
TH1006-038	3/8"	6	10	76





ITEN NO.	A	B	C	D
	mm	mm	mm	mm
TUS1030				
TUS1030-118NP	28	50	15	3.2

ZINC PLATED
NICKEL PLATED



ITEN NO.	SIZE
	mm
TS73	20
TS73	25
TS73	30
TS73	35
TS73	40
TS73	45
TS73	50
TS73	60
TS73	70
TS73	80
TS73	90
TS73	100
TS73	120
ITEN NO.	EYE SIZE
	mm
TS74D	1/2"
TS74D	3/8"

SWIVEL SNAP

ZINC PLATED
NICKEL PLATED



ITEN NO.	A	B	C
	mm	mm	mm
TS73-2010	0.8	2	20
TS73-2510	0.8	2.4	25
TS73-3010	1.2	3	30
TS73-3020	1.1	2.5	30
TS73-3030	0.8	2.5	30
TS73-3510	1.7	4	30
TS73-3520	1.3	3.5	35
TS73-4010	2	5	40
TS73-4020	1.6	4	40
TS73-4030	1.4	3.5	40
TS73-4510	2	5	45
TS73-4520	1.7	4	45
TS73-5010	2	5	50
TS73-6010	2.5	5.5	60

ZINC PLATED
NICKEL PLATED





ITEN NO.	SIZE
	mm
TS73	20
TS73	25
TS73	30
TS73	35
TS73	40
TS73	45
TS73	50
TS73	60
TS73	70
TS73	80
TS73	90
TS73	100
TS73	120
ITEN NO.	EYE SIZE
	mm
TS734A	3/8"
TS734A	1/2"
TS734A	5/8"
TS734A	3/4"

ZINC PLATED
NICKEL PLATED



ITEN NO.	SIZE
	mm
TS73	20
TS73	25
TS73	30
TS73	35
TS73	40
TS73	45
TS73	50
TS73	60
TS73	70
TS73	80
TS73	90
TS73	100
TS73	120
ITEN NO.	EYE SIZE
	mm
TS74B	1"


ZINC PLATED
NICKEL PLATED



ITEN NO.	SIZE
	mm
TS73	20
TS73	25
TS73	30
TS73	35
TS73	40
TS73	45
TS73	50
TS73	60
TS73	70
TS73	80
TS73	90
TS73	100
TS73	120
ITEN NO.	EYE SIZE
	mm
TS74C	1/2"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A	B
	In.	In.
MW661-0516	5/16"	1-5/8"
MW661-038	3/8"	2-1/8"
MW661-012	1/2"	2-11/16"

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON




ITEN NO.	A	B	C
	SIZE.	mm	mm
M125166-200	M125	20	M166
M125166-300	M125	30	M166

EGG TYPE SNAP HOOK WITH ALUMI-

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	Ø A	B	C	L	F
	mm	mm	mm	mm	mm	mm
S24SENC-06	6x72	6	30	10	72	8
S24SENC-08	8x95	8	40	13	95	10

SQUARE RING WITH BRASS SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	Ø A	L1	L2
	mm	mm	mm
TH0082-02517050	2.5	50	17

BIT SNAP TYPE 1

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L	F
	mm	mm	mm
TC401-040040	4	42	15
TC401-050050	5	45	16
TC401-060060	6	60	21

BIT SNAP TYPE 2

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L	F
	mm	mm	mm
TC408-050060	5	60	8

REPAIR LAP LINK

STEEL ELECTRIC GALVANIZED






ITEN NO.	d1	L	d2
	mm	mm	mm
TA08460-01	3	17	7
TA08460-02	4	20	8
TA08460-03	5	23	10
TA08460-04	6	29	11
TA08460-05	7	32	14
TA08460-06	8	37	15
TA08460-07	9	37	16
TA08460-08	10	38	17


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316





ITEN NO.	A	B	C
	mm	mm	mm
TC407-08064	8	64	26






ITEN NO.	A	B	C	D	KN
	mm	mm	mm	mm	
TSC68SFD-08	8	80	43	14	30

CARABINE TYPE QUICK LINK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	D	L	W
	mm	mm	mm
S0088-017037	1.7	37	20.5
S0088-020050	2	50	27.5
S0088-022062	2.2	62	34
S0088-025062	2.5	62	34


CURTAIN HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED



ITEN NO.	A	B	C
	mm	mm	mm
14-1399			
14-1397			
TL125.02900022			






ITEN NO.	A	B
	mm	mm
TLN0084-05120	5	120

KEY RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B
	mm	mm
T0-17		17
T0-19		19
T0-012020	1.2	20
T0-21		21
T0-23		23
T0-015025	1.5	25
T0-018028	1.8	28
T0-020025	2	25
T0-27		27
T0-020028	2	28
T0-020030	2	30
T0-020032	2	32
T0-35		35
T0-020038	2	38

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B
	mm	mm
T0F-018028	1.8	28
T0F-020021	2	21
T0F-020023	2	23
T0F-020025	2	25
T0F-020028	2	28
T0F-020030	2	30
T0F-020032	2	32
T0F-020033	2	33
T0F-020035	2	35


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B
	mm	mm
T0O-012016	1.2	16
T0O-015020	1.5	20
T0O-015021	1.5	21
T0O-016023	1.6	23
T0O-016025	1.6	25
T0O-016028	1.6	28
T0O-020030	2	30
T0O-020032	2	32
T0O-020033	2	33
T0O-020036	2	36
T0O-020040	2	40

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	L
	mm	mm
T0P-018025	1.8	25
T0P-020023	2	23
T0P-020028	2	28
T0P-020030	2	30
T0P-020032	2	32

TRIANGLE RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L1	L2
	mm	mm	mm
T3252-0530	5	30	30
T3252-0650	6	50	50
T3252-0850	8	50	50

TRIANGLE BUCKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L1	L2	H
	mm	mm	mm	Mm
T3251-0540	5	40	45	5.5
T3251-0645	6	45	50	7
T3251-0845	8	45	50	8

SQUARE HOOK ZINC PLATED

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L1	L2
	mm	mm	Mm
TQ1410-024017008	2.4	17	8
TQ1410-030020013	3	20	13
TQ1410-030025013	3	25	13
TQ1410-040040030	4	40	30

CHAIN CATCH

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	L
	mm	mm
TO90-20	2.4	20
TO90-25	3	25
TO90-32	3	32
TO90-38	3	38
TO90-42	3	42
TO90-50	3	50
TO90-75	4.2	75

WELDED ROUND RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	Ø A	L
	mm	mm
TO-020015	2	15
TO-025020	2.5	20
TO-025040	2.5	40
TO-030015	3	15
TO-030016	3	16
TO-030020	3	20
TO-030025	3	25
TO-030026	3	26
TO-030028	3	28
TO-030030	3	30
TO-030035	3	35
TO-030038	3	38
TO-030040	3	40
TO-035013	3.5	13
TO-035020	3.5	20
TO-035022	3.5	22
TO-035048	3.5	48
TO-040020	4	20
TO-040025	4	25
TO-040026	4	26
TO-040030	4	30
TO-040032	4	32
TO-040035	4	35
TO-040038	4	38
TO-040040	4	40
TO-040050	4	50
TO-045012	4.5	12
TO-045020	4.5	20
TO-045025	4.5	25
TO-045026	4.5	26
TO-045032	4.5	32
TO-045040	4.5	40
TO-050017	5	17
TO-050020	5	20
TO-050025	5	25
TO-050026	5	26
TO-050028	5	28


ITEN NO.	Ø A	L
	mm	mm
TO-050030	5	30
TO-050031	5	31
TO-050032	5	32
TO-050035	5	35
TO-050038	5	38
TO-050040	5	40
TO-050042	5	42
TO-050045	5	45
TO-050050	5	50
TO-050055	5	55.6
TO-050060	5	60
TO-050075	5	75
TO-055032	5.5	32
TO-055038	5.5	38
TO-060025	6	25
TO-060030	6	30
TO-060035	6	35
TO-060040	6	40
TO-060045	6	45
TO-060050	6	50
TO-060060	6	60
TO-060064	6	64
TO-060075	6	75
TO-060100	6	100
TO-065051	6.5	51
TO-065064	6.5	64
TO-070025	7	25
TO-070030	7	30
TO-070035	7	35
TO-070040	7	40
TO-070050	7	50
TO-070060	7	60
TO-070063	7	63.5
TO-070065	7	65
TO-070070	7	70
TO-070075	7	75
TO-080030	8	30
TO-080035	8	35

ITEN NO.	Ø A	L
	mm	mm
TO-080040	8	40
TO-080045	8	45
TO-080050	8	50
TO-080055	8	55
TO-080060	8	60
TO-080075	8	75
TO-080080	8	80
TO-080100	8	100
TO-090040	9	40
TO-090050	9	50
TO-090055	9	55
TO-090060	9	60
TO-090080	9	80
TO-090090	9	90
TO-090100	9	100
TO-100040	10	40
TO-100050	10	50
TO-100060	10	60
TO-100065	10	65
TO-100070	10	70
TO-100080	10	80
TO-100090	10	90
TO-100100	10	100
TO-110060	11	60
TO-120050	12	50
TO-120055	12	55
TO-120060	12	60
TO-120070	12	70
TO-120075	12	75
TO-120080	12	80
TO-120090	12	90
TO-120100	12	100
TO-120120	12	120
TO-130060	13	60
TO-130090	13	90
TO-130110	13	110
TO-130120	13	120
TO-130150	13	150

SQUARE RING WITH BRASS SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	Ø A	L1	L2
	mm	mm	mm
TD020010008	2	10	8
TD024015013	2.4	15	13
TD025010008	2.5	10	8
TD030010008	3	10	8
TD030015013	3	15	13
TD030020016	3	20	16
TD030025022	3	25	22
TD035017013	3.5	17	13
TD035021016	3.5	21	16
TD040020016	4	20	16
TD040025020	4	25	20
TD040025022	4	25	22
TD040030020	4	30	20
TD040030027	4	30	27
TD045025025	4.5	25	25
TD050025020	5	25	20
TD050030027	5	30	27
TD050040037	5	40	37
TD060032030	6	32	30
TD060040025	6	40	25
TD060040037	6	40	37
TD060050047	6	50	47
TD080040037	8	40	37
TD080050047	8	50	47
TD100050047	10	50	47

ROLDING-UP PIN WITH ROUND RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	L1	L2
	mm	mm	Mm
TL1140-05	5	25	30
TL1140-06	6	25	30
TL1140-08	8	25	30
TL1140-10	10	38	30

ANCHOR RETRIEVER

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	Ø A	B1-B3	C	D	L	L2
	mm	mm	mm	mm	mm	Mm
TL1141-06	9.5	6	40	35	306	110

"S" HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L	F
	mm	mm	mm
TS115-030025	3	25	3
TS115-040035	4	35	4.5
TS115-050045	5	45	6.5
TS115-060055	6	55	7
TS115-070065	7	65	8
TS115-080075	8	75	10
TS115-100105	10	105	11
TS115-120120	12	120	13.5

"U" HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L	F
	mm	mm	mm
TS875-060055	6	55	10.6
TS875-080075	8	75	16.5
TS875-100085	10	85	19

"S" HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L	W1	W2	F1	F2
	mm	mm	mm	mm	mm	Mm
TS268-030036	3	36	9	16	4	11
TS268-040044	4	44	12	19	5	11
TS268-050053	5	53	14	21	6	11
TS268-060062	6	62	15	25	7	16

PIPE "S" HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L	W1	W2	F
	mm	mm	mm	mm	mm
TS118-030050	3	50	13.5	23	13
TS118-034060	3.4	60	14	29.5	13
TS118-040065	4	65	16	35	15
TS118-040086	4	86	30	40	28

BUTCHER HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L	F
	mm	mm	mm
TS119-040080	4	80	23
TS119-050100	5	100	28
TS119-050120	5	120	28

MEAT HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA	L
	Mm	mm	mm
TS120-090230	9x230	9	230
TS120-100245	10x245	10	245
TS120-120275	12x275	12	275

ROPE SHORTENING WITH TONGUE ZIND PLATED

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA	L
	Mm	mm	mm
TS121-050060	5x60	5	60
TS121-060060	6x60	6	60
TS121-060070	6x70	6	70
TS121-070075	7x75	7	75
TS121-080070	8x70	8	70
TS121-080080	8x80	8	80
TS121-090090	9x90	9	90
TS121-100100	10x100	10	100

ROPE SHORTENING WITHOUT TONGUE ZIND PLATED

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA	L
	Mm	mm	mm
TS122-050060	5x60	5	60
TS122-060060	6x60	6	60
TS122-060070	6x70	6	70
TS122-070075	7x75	7	75
TS122-080070	8x70	8	70
TS122-080080	8x80	8	80
TS122-090090	9x90	9	90
TS122-100100	10x100	10	100

SIMPLE "S" HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA	L1
	mm	mm
TS123-100120	10	120

"S" HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED







ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
TS268-030036	2	6.5	18	19.5	75

HAIR PIN

ZINC PLATED
NICKEL PLATED






ITEN NO.	d	L	L1	D
	mm	mm	mm	mm
TL0140-02	2	50	25	10
TL0140-03	3	60	28	18
TL0140-04	4	60	30	20
TL0140-05	5	85	40	24
TL0140-06	6	105	50	30
TL0140-07	7	105	50	30
TL0140-08	8	110	55	28

HAIR PIN WITH EYELET

ZINC PLATED
NICKEL PLATED






ITEN NO.	d	L	L1	D
	mm	mm	mm	mm
TL0141-02	2	50	25	10
TL0141-03	3	62	32	16
TL0141-04	4	78	44	23
TL0141-05	5	92	50	26
TL0141-06	6	120	70	30
TL0141-07	7	130	72	30
TL0141-08	8	130	76	30

LINCH PINS

ZINC PLATED
NICKEL PLATED






ITEN NO.	D	L	d1	d2
	mm	mm	mm	mm
TL0142-04	4.5	30	2	22
TL0142-05	5	40	2.5	24
TL0142-06	6	45	3	25
TL0142-07	7	45	3	38
TL0142-08	8	45	3.5	34
TL0142-09	9	46	3.5	34
TL0142-10	10	46	3.5	34
TL0142-11	11	46	3.5	34

GYMNASTIC RING WITH RED PLASTIC COVER

ZINC PLATED
NICKEL PLATED







ITEN NO.	SIZE	ØA	L
	mm	mm	mm
TL0143-07	7x120	7	120
TL0143-10	10x145	10	145

OPEN LINK

ZINC PLATED
NICKEL PLATED






ITEN NO.	SIZE	ØA	L1	L2
	mm	mm	mm	mm
TL0144-07	7x120	7	120	40

COLD SHUTS

STEET ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA	L	F
	In.	mm	mm	mm
TA457-04	1/8	4	20	8
TA457-05	3/16	5	25	10
TA457-06	1/4	6	30	12
TA457-08	5/16	8	35	12
TA457-10	3/8	9.5	38	14
TA457-11	7/8	11	35	16
TA457-12	1/2	12	48	18

QUICK PINS SQUARE TYPE

STEET ELECTRIC GALVANIZED






ITEN NO.	B	ØA	L1	L2	L3	C
	mm	mm	mm	mm	mm	mm
TL1493-0660	6	2.5	75	60	42	12
TL1493-0860	8	2.5	75	60	42	16
TL1493-1060	10	2.5	75	60	42	20

QUICK PINS SQUARE TYPE 2

STEET ELECTRIC GALVANIZED






ITEN NO.	B	ØA	L1	L2	L3
	mm	mm	mm	mm	mm
TL1494-06	6	2.5	77	60	42

CHAIN HOOK

STEET ELECTRIC GALVANIZED






ITEN NO.	ØA	B	C	L1	L2	L3
	mm	mm	mm	mm	mm	mm
TL1495-0646	2.5	6	14	60	40	46
TL1495-0660	2.5	6	14	75	45	60
TL1495-0860	2.5	8	16	75	45	60

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON

ITEN NO.	A	B
	In.	In.
MH09-038	3/8”	2-1/2”
MH09-058	5/8”	3”

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON





ITEN NO.	A	B	C
	mm	mm	mm
MRX23-0516	12	11	9.6
MRX23-038	13	12	12
MRX23-012	16	16	14
MRX23-058	20	19	17.5


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
MALLEABLE IRON

ITEN NO.	A	B
	In.	In.
MH17S-100	1”	4-1/4”

HAMMER HOLDER

ZINC PLATED
NICKEL PLATED






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
TL1489-06ZP	6	66	51	53	25

HAMMER HOLDER

ZINC PLATED
NICKEL PLATED






ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
TL1536-07NP	7	63	69	63	25

HAMMER HOLDER


ZINC PLATED
NICKEL PLATED





ITEN NO.	A	B	C	D	E
	mm	mm	mm	mm	mm
TL1688-07NP	7	86	59	60	28






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
TL1551-03NP	3	96	2.2	6.5

ROLLER BUCKLE

STEET ELECTRIC GALANIZED






ITEN NO.	ØA	L1	L2	L3
	mm	mm	mm	mm
T0192-058	4	15	16	14
T0192-034	4	17	20	18
T0192-100	4.5	20	26	24
T0192-112	6	30	40	38
T0192-200	6.8	31	54	48

BUCKLE


STEET ELECTRIC GALANIZED






ITEN NO.	ØA	L1	L2
	mm	mm	mm
T01210-012	3	13	13

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
T263035	2.6	30	35	4.5-5.5

CLEVIS GRAB HOOK 330

G43-CARBON STEEL
G70-ALLOT STEEL






ITEN NO.	WEIGHT	CARBON	ALLOY	A	B	E	L
	lbs	lbs	lbs	mm	mm	mm	mm
MH169-014	0.36	2600	3500	8.5	25	9.2	78.5
MH169-0516	0.62	3900	4700	10	30.5	11.2	93
MH169-038	1	5400	7100	13	35	12.7	114.5
MH169-0716	1.5	7200	8750	17	42	14.5	126
MH169-012	2.22	9200	12000	19	47	17	144
MH169-058	4.41	13000	15800	23	56	20	177
MH169-034	6.50	20200	24700	24	66.5	24	207.5

CLEVIS SLIP HOOK 331

ELECTRIC GALVANIZED
H-324 FORGED CARBON STEEL
A-324 FORGED ALLOY STEEL






ITEN NO.	WEIGHT	CARBON	ALLOY	A	B	E	L
	lbs	lbs	lbs	mm	mm	mm	mm
MH124-014	0.55	1950	2750	11	27	23.5	100
MH124-0516	0.82	2875	4300	12.5	33	26	114
MH124-038	1.21	4000	5250	15	39	32	132.5
MH124-0716	2.09	5000	7000	17	44	40	147
MH124-012	2.99	6500	9000	19	48	42.5	166
MH124-058	4.85	9250	13500	18.5	58.7	51	200.5
MH124-034	11.28	12500	19250	30.5	81	64.5	257

U.S. TYPE EYE GRAB HOOK 323

ELECTRIC GALVANIZED
H-324 FORGED CARBON STEEL
A-324 FORGED ALLOY STEEL







ITEN NO.	WEIGHT	CARBON	ALLOY	R	H	Ø	E	L
	lbs	lbs	lbs	mm	mm	mm	mm	mm
MH125-014	0.28	2600	3500	50.5	18.5	13	9	77
MH125-0516	0.45	3900	4700	56.8	22.7	14	11.5	89
MH125-038	0.79	5400	71000	65.2	28.3	17	13	104
MH125-012	1.75	9200	12000	85.5	37.5	22	17	135
MH125-058	3.25	13000	15800	116	45	30	21	180
MH125-034	5.94	20200	24700	133.5	55	35	25	211

U.S. TYPE EYE SLIP HOOKS 324

ELECTRIC GALVANIZED
H-324 FORGED CARBON STEEL
A-324 FORGED ALLOY STEEL







ITEN NO.	WEIGHT	CARBON	ALLOY	Ø	R	L	M	E
	lbs	lbs	lbs	mm	mm	mm	mm	mm
MH126-014	0.4	1950	2750	12.7	65	92	68.5	23
MH126-0516	0.62	2875	4300	16	72.5	106	76	26
MH126-038	1.11	4000	5250	18	86.5	124	89.5	33
MH126-0716	1.56	5000	7000	20.5	98.5	142	108	40
MH126-012	2.10	6500	9000	23	109.5	156	116.5	43
MH126-058	3.90	9250	13500	28.8	132.5	195	143	52
MH126-034	6.93	12500	19250	35	147.5	222	169	55

CLEVIS SLIP HOOK WITH LATCH

ELECTRIC GALVANIZED
H-324 FORGED CARBON STEEL
A-324 FORGED ALLOY STEEL






ITEN NO.	WEIGHT	CARBON	ALLOY	A	B	L	M	E
	lbs	lbs	lbs	mm	mm	mm	mm	mm
MH127-014	0.53	1950	2750	11.3	27	103.5	70.5	21.5
MH127-0516	0.77	2875	4300	13	32	117	79	25.5
MH127-038	1.26	4000	5250	16	40	134	93.5	33.5
MH127-0716	2.25	5000	7000	15	44	151.5	111	36
MH127-012	3.06	6500	9000	19	48	168	124.5	37.5
MH127-058	5.18	9250	13500	18.5	58.7	200.5	143	46.5
MH127-034	12.4	12500	19250	30	81	256	188	58

EYE SLIP HOOK WITH LATCH

ELECTRIC GALVANIZED
H-324 FORGED CARBON STEEL
A-324 FORGED ALLOY STEEL







ITEN NO.	WEIGHT	CARBON	ALLOY	A	Ø	R	E	L
	lbs	lbs	lbs	mm	mm	mm	mm	mm
MH128-014	0.22	1950	2750	8.5	13	65.5	18.5	93
MH128-0516	0.3	2875	4300	9	16	74	24.5	107
MH128-038	0.67	4000	5250	10.25	18	86.5	32.5	123.8
MH128-0716	0.71	5000	7000	12.7	20.6	98.8	32	142.5
MH128-012	0.95	6500	9000	14.5	23	109.5	41.5	156

U.S. TYPE EYE GRAB HOOK 320

ELECTRIC GALVANIZED
320C-CARBON STEEL
320A-ALLOY STEEL






ITEN NO.	d1	d2	h1	h2	m
	mm	mm	mm	mm	mm
MH320-0516	13	25	146	107	32
MH320-038	15	28	160	118	36
MH320-012	15	29	165	120	36.5
MH320-0916	17	32	178	130	40
MH320-058	18	35	195	140	44.5
MH320-01116	19	36	199	145	45

CARBON STEEL






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
MH1021-100	52	132	25	15

CARBON STEEL






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
MH1023-100	56	135	25	17

SWIVEL SNAP SHACKLE ROUND HEAD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	L
	mm	mm	mm
S2478-012	12	12	70
S2478-058	16	15	90
S2478-034	22	19	128

SWIVEL SNAP SHACKLE ROUND HEAD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	L
	mm	mm	mm
S2482-012	12	12	70
S2482-058	16	15	87
S2482-034	22	20	120

FIXED SNAP SHACKLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	L
	mm	mm	mm
S2483-014	8	6	34
S2483-012	12	9	52
S2483-058	16	12	70
S2483-034	22	16	96

SWIVEL SNAP SHACKLE JAW HEAD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	C	B	A	L	SWL	BL
	mm	mm	mm	mm	Kgs	Kgs
S2478-012	33	12	12	73	275	1100
S2478-058	42	16	16	96	500	2000
S2478-034	58	20	22	127	875	3500

SWIVEL SNAP SHACKLE ROUND HEAD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L	A	B
	mm	mm	mm
S2482-012	70	12	12
S2482-034	87	16	12
S2482-058	120	22	16

PELICAN HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L	L1	A	B
	mm	mm	mm	mm
S2831-0300	76	39	13	M6x9
S2831-1000	100	48	16	M8x12

CHAIN HOOK

STAINLESS STEEL AISI 304






ITEN NO.	A	B	F	L
	mm	mm	mm	mm
S247A-06	6	25.5	11	80

OPEN HOOK

STAINLESS STEEL AISI 304






ITEN NO.	A	B	F	L
	mm	mm	mm	mm
S247H-06	6	25.5	11	80

TOGGLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D1	D2	A	L
	mm	mm	mm	mm
S3400-05	5.5	5.2	7	22
S3400-06	6.6	6.3	7	27
S3400-08	8.5	8.3	10	31
S3400-10	10	9.3	12	36
S3400-12	13	12.4	13	50
S3400-14	15	14	13	60
S3400-16	16.5	15.5	17	80

DOOR HINGE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L	B	H
	mm	mm	mm
S9222-300	74	38	4.5
S9222-400	103	38	4.5

SATANLESS STEEEL CLEAT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L	B	H	D	A
	mm	mm	mm	mm	mm
S508-0500	125	40	23	5	56
S508-0600	150	45	32	7	63
S508-0800	200	53	39	6.5	70
S508-1000	250	66	43	7	95
S508-1200	300	70	55	7	102

DOOR HINGE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L	W	E	D
	mm	mm	mm	mm
S2470-050	50	24	10	6.5
S2470-070	70	31	13	10
S2470-100	100	46	23	13

SQUARE EYE PLATE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	D	A	B	H	h	W	d
	mm	mm	mm	mm	mm	mm	mm
TPE321-05	5	30	35	19	12	14	4.2
TPE321-06	6	35	40	26	17	18	5.2
TPE321-08	8	40	50	33	22	20	5.2

SQUARE EYE PLATE WITH RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED







ITEN NO.	D	A	B	H	h	d	L
	mm	mm	mm	mm	mm	mm	mm
TPE320-05	5	30	35	19	12	4.2	30
TPE320-06	6	35	40	26	17	5.2	40
TPE320-08	8	40	50	33	22	5.2	50

OVAL EYE PLATE WITH RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A	B1	B2	H	h	d	L
	mm	mm	mm	mm	mm	mm	mm	mm
TPE3202-05	5	15	45	35.5	20	12	4.2	30
TPE3202-06	6	20	60	46	25	17	5.2	40
TPE3202-08	8	26	80	60	32	21	5.2	50
TPE3202-09	9	32	100	73	38	26	6.5	60

OVAL EYE PLATE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A	B1	B2	H	h	W	d
	mm	mm	mm	mm	mm	mm	mm	mm
TPE3212-05	5	15	45	35.5	20	12	14	4.2
TPE3212-06	6	20	60	46	25	17	18	5.2
TPE3212-08	8	26	80	60	32	21	20	5.2
TPE3212-09	9	32	100	73	38	26	22	6.5

ROUND EYE PLATE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316







ITEN NO.	D	A1	A2	H	h	W	d
	mm	mm	mm	mm	mm	mm	mm
TPE3214-05	5	33	20	20	12	12	4.2
TPE3214-06	6	40	23	26	17	17	4.2
TPE3214-08	8	50	30	32	21	20	5.2

ROUND EYE PLATE WITH RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A1	A2	H	h	d	L
	mm	mm	mm	mm	mm	mm	mm
TPE3204-05	5	33	20	20	15	4.2	30
TPE3204-06	6	40	23	26	20	4.2	40
TPE3204-08	8	50	30	32	24	5.2	50

DIAMOND EYE PLATE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A	B	H	h	w	d
	mm	mm	mm	mm	mm	mm	mm
TPE3211-05	5	37	59	22	12	11	4.2
TPE3211-06	6	50	64	26	15	15	4.2
TPE3211-08	8	60	80	33	20	18	5.2

DIAMOND EYE PLATE WITH RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A	B	H	h	w	L	d
	mm	mm	mm	mm	mm	mm	mm	mm
TPE3201-05	5	37	59	22	12	11	30	4.2
TPE3201-06	6	50	64	26	15	15	35	4.2
TPE3201-08	8	60	80	33	20	18	45	5.2

HOOK PLATE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316







ITEN NO.	D	A1	A2	H	h	S	d	T
	mm	mm	mm	mm	mm	mm	mm	mm
TPE3214H-05	5	33	19	20	12.5	10	4.2	2.5
TPE3214H-06	6	40	23	26	17.5	13	5.2	2.5
TPE3214H-08	8	50	29	33	22	16	5.2	3

ROUND EYE PLATE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316







ITEN NO.	D	A1	H	h	W	B	T
	mm	mm	mm	mm	mm	mm	mm
TPE3215-05	5	33	19	11.5	15	21	2.5
TPE3215-06	6	40	25.5	17	18	25	2.5
TPE3215-08	8	50	32	20	22	27	3

ROUND EYE PLATE WITH RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	L	A	H	h	B	T
	mm	mm	mm	mm	mm	mm	mm
TPE3205-05	5	30	33	19	11.5	21	2.5
TPE3205-06	6	40	40	25.5	17	25	2.5
TPE3205-08	8	50	50	32	20	27	3

TITCHING RING LAG

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A	B	H	L
	mm	mm	mm	mm	mm
TA1142-07	7	45	70	30	50

PAD EYE SWIVEL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316







ITEN NO.	D	A	B	H	w	d
	mm	mm	mm	mm	mm	mm
TPE3216-05	5	35	30	32	15	4.2
TPE3216-06	6	40	35	40	18	4.2
TPE3216-08	8	50	40	45	19	5.7

PAD EYE SWIVEL WITH RING

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D	A	B	H	w	d	L
	mm	mm	mm	mm	mm	mm	mm
TPE3206-05	5	35	30	32	15	4.2	30
TPE3206-06	6	40	35	40	18	4.2	35
TPE3206-08	8	50	40	45	19	5.7	45

RIGGING SCREW JAW/JAW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L (Min-Max)	A	B	C	D
	mm	mm	mm	mm	mm
TF4820JxJ-05	130-190	7.5	9	80	5
TF4820JxJ-06	150-220	7.5	10	95	5
TF4820JxJ-08	180-225	10	11	105	8
TF4820JxJ-10	200-300	12	13	125	9
TF4820JxJ-12	270-385	14	20	150	12
TF4820JxJ-14	300-425	14	22	165	12
TF4820JxJ-16	330-480	16	26	190	16
TF4820JxJ-20	360-540	20	30	210	20

RIGGING SCREW JAW/SWAGE STUD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	Wire-ø	L (Min-Max)	A	B	C	D	D1
	Mm	mm	mm	mm	mm	mm	mm
TF3121P-05	2.5	130-190	7.5	10	80	5	5.5
TF3121P-06	3	150-220	7.5	10	95	6	6.4
TF3121P-08	4	180-225	10	11	105	8	7.5
TF3121P-10	5	200-300	12	13	125	9	9
TF3121P-12	6	270-385	14	20	150	12	10.7
TF3121P-14	7	300-425	14	22	165	12	12.7
TF3121P-16	8	350-475	16	26	190	16	16
TF3121P-20	10	390-540	20	30	210	20	17.8

TURNBUCKLE WITH TERMINAL/SWIVEL TOGGLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	ø	L1	L	A	D	B
	Mm	mm	mm	mm	mm	mm
TF31215-06	3	95	180	7	6	15
TF31215-08	4	105	210	10	8	20
TF31215-10	5	125	250	12	9	25
TF31215-12	6	150	300	13	12	30
TF31215-16	8	190	390	17	16	40
TF31215-20	10	210	450	20	19	45

TURNBUCKLE WITH JAW/SWIVEL TOGGLE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316





ITEN NO.	D1	L1	A	L	L1
	Mm	mm	mm	mm	mm
TF3126-06	6	95	7	144	90
TF3126-08	8	105	10	173	105
TF3126-10	9	125	12	207	125
TF3126-12	12	150	13	251	150
TF3126-16	16	190	17	332	190
TF3126-20	19	210	19	375	210

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316




ITEN NO.	A	B
	Mm	mm
THG228JxJ-1206	1/2"	6"
THG228JxJ-1209	1/2"	9"
THG228JxJ-1909	3/4"	9"

JAW TERMINAL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	L	L1	H	B	C	D
	mm	mm	mm	mm	mm	mm
TLS0032-05	60.5	41	9	7.5	12	5
TLS0032-06	72.5	50	10	7.5	14	5
TLS0032-08	79	55	11	10	17.5	8
TLS0032-10	96	67	13	12	20	9
TLS0032-12	118.5	81	20	14	26	12
TLS0032-14	130	89	22	14	26	12
TLS0032-16	154	104	26	16	36	16
TLS0032-20	172	116	30	20	43	20

JAW SWAGE TERMINAL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	D1	D2	D3	L1	L2	L3
	mm	mm	mm	Mm	mm	mm	mm	mm
TLS0033-03	5.5	3.5	5	11	5.5	41.5	30	25
TLS0033-04	6.5	4.4	5	13	6.35	43.5	31.5	25
TLS0033-05	6.5	5.3	5	13	7.5	51	36	30
TLS0033-06	8.5	6.5	6	16	9.0	67	48.5	40

JAW TERMINAL WITH SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	D1	D2	L1	L2
	Mm	mm	mm	mm	mm
TLS0034-05	5.5	5	11	42.5	31
TLS0034-06	6.5	5	13	48	36
TLS0034-08	8.5	8	16	60.5	42
TLS0034-10	8.5	9	18	71.5	47

TURNBUCKLE EUROPEAN TYPE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR

1.HOOK/EYE
2.HOOH/HOOH
3.EYE/EYE






ITEN NO.	D	L	L1	L2	B	C	S
	mm	mm	mm	mm	mm	mm	mm
TF3113HxE-04	5/32(4mm)	55	47	100	13	8	7.5
TF3113HxE-05	3/16"(5mm)	70	57	120	13	8	7.5
TF3113HxE-06	1/4"(6mm)	90	73	150	22	10	9
TF3113HxE-08	5/16"(8mm)	120	100	200	20	14	11
TF3113HxE-10	3/8"(10mm)	150	120	240	28	16	12
TF3113HxE-12	1/2"(12mm)	200	168	300	36	18	14
TF3113HxE-14	9/16"(14mm)	225	190	360	38	20	15
TF3113HxE-16	5/8"(16mm)	250	210	390	40	26	16
TF3113HxE-20	3/4"(20mm)	300	250	440	50	30	20
TF3113HxE-22	7/8"(22mm)	350	290	500	54	34	22
TF3113HxE-24	1"(24mm)	400	340	570	57	36	24
TF3113HxE-28	1-1/8"(28mm)	450	380	650	68	40	28
TF3113HxE-30	1-3/16"(30mm)	450	380	670	73	42	30
TF3113HxE-32	1-1/4"(32mm)	500	420	740	78	44	32
TF3113HxE-36	1-3/8"(35mm)	550	460	820	88	48	36
TF3113HxE-38	1-1/2"(38mm)	600	510	900	95	50	38

TURNBUCKLE EUROPEAN TYPE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	D	L	L1	A	D1
	mm	mm	mm	mm	mm
S3114JxJ-05	3/16"(5mm)	121	70	6	5.2
S3114JxJ-06	1/4"(6mm)	140	90	7.5	6.2
S3114JxJ-08	5/16"(8mm)	170	120	10	8.7
S3114JxJ-10	3/8"(10mm)	225	150	12	9.7
S3114JxJ-12	1/2"(12mm)	300	200	14	12.6
S3114JxJ-14	9/16"(14mm)	345	225	15	14
S3114JxJ-16	5/8"(16mm)	380	250	16	16
S3114JxJ-20	3/4"(20mm)	465	300	21	20
S3114JxJ-22	7/8"(22mm)	510	330	23	22
S3114JxJ-24	1"(24mm)	600	350	25	24

TURNBUCKLE DIN 1480

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR

1.HOOK/EYE
2.HOOH/HOOH
3.EYE/EYE






ITEN NO.	L1	L2	L3	b1	L4	d1	L5	Weight Per100pcs
	mm	mm	mm	mm	mm	mm	mm	kg
TF1480HxE-06	110	80	85	8.5	80	9	172	9.5
TF1480HxE-08	110	75	85	11	84	10	182	16.5
TF1480HxE-10	125	85	112	13.5	105	14	213	29
TF1480HxE-12	125	80	117	15.5	115	16	238	43
TF1480HxE-14	140	90	122	18.5	122	18	263	62
TF1480HxE-16	170	110	138	19	165	22	320	92
TF1480HxE-20	200	130	170	20.5	167	24	367	163
TF1480HxE-22	220	145	185	26	167	27	398	220
TF1480HxE-24	255	170	205	26	205	27	447	300
TF1480HxE-30	255	160	225	33	255	31	512	460
TF1480HxE-36	295	180	225	44	276	43	568	768
TF1480HxE-42	330	200	340	48	260	49	683	1290
TF1480HxE-48	355	195	360	58	300	58	755	2100

TURNBUCKLE WITH STUB ENDS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR




ITEN NO.	L	W	J	A	B	L1	L2
	mm	mm	mm	mm	mm	mm	mm
TF3131-04	80	11	4	35	80	173	220
TF3131-05	100	13	5	45	100	211	280
TF3131-07	129	14	6	60	120	250	340
TF3131-08	157	17	8	75	140	290	400
TF3131-11	200	22	11	95	160	331	480

RIGGING SCREW BODY

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	d1	d2	d4	c	L	m
	mm	mm	mm	mm	mm	mm
TF312-12	12	22	10	4	125	15
TF312-16	16	27	10	4.5	170	20
TF312-20	20	32	12	5	210	24
TF312-24	24	38	12	5	255	29
TF312-27	27	42	14	5.5	255	34
TF312-30	30	46	16	6	255	36
TF312-36	36	56	16	8	295	43
TF312-42	42	65	20	8.8	330	51
TF312-48	48	73	20	10	355	58
TF312-56	56	80	25	10	355	68
TF312-64	64	89	25	10	425	77
TF312-72	72	110	30	17	425	87
TF312-80	80	120	30	18	440	96

TURNBUCKLE DIN 1478 EYE AND EYE

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	L	W	J	D	d	A	B	L1	L2
	mm	mm	mm	mm	mm	mm	mm	mm	mm
TF1478ExE-05	80	8	3	4.4	10	33	56	122	165
TF1478ExE-06	92	11	4	5.2	8	33	53	124	165
TF1478ExE-08	105	13	5	7.1	13	42	78	173	230
TF1478ExE-10	125	14	6	8.9	10	55	97	210	295
TF1478ExE-12	150	17	8	10.7	16	73	115	240	360
TF1478ExE-16	190	22	11	14.5	21	95	150	315	460
TF1478ExE-20	210	27	10	18.2	25	120	180	370	530

TURNBUCKLE DIN 1478 HOOK AND HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	L	W	J	S	A	B	L1	L2
	mm	mm	mm	mm	mm	mm	mm	mm
TF1478HxH-05	80	8	3	6	33	57	125	170
TF1478HxH-06	92	11	4	6	33	60	125	170
TF1478HxH-08	100	13	5	9	50	78	160	230
TF1478HxH-10	129	14	6	10	62	100	200	300
TF1478HxH-12	157	17	8	12	74	116	240	360
TF1478HxH-16	200	22	11	13	90	147	320	465
TF1478HxH-20	250	27	10	20	115	195	410	560

TURNBUCKLE DIN1478 EYE AND HOOK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	L	W	J	D	d	A	B	L1	L2
	mm	mm	mm	mm	mm	mm	mm	mm	mm
TF1478HxE-05	80	8	3	4.4	10	33	56	122	165
TF1478HxE-06	92	11	4	5.2	8	33	53	124	165
TF1478HxE-08	105	13	5	7.1	13	42	78	173	230
TF1478HxE-10	125	14	6	8.9	10	55	97	210	295
TF1478HxE-12	150	17	8	10.7	16	73	115	240	360
TF1478HxE-16	190	22	11	14.5	21	95	150	315	460
TF1478HxE-20	210	27	10	18.2	25	120	180	370	530
TF1478HxE-24	255		12		27			447	
TF1478HxE-27	255							593	
TF1478HxE-30	255		16		31			512	
TF1478HxE-36	295		16		43			568	
TF1478HxE-42	330		20		49			683	
TF1478HxE-48	355		20		58			755	

台灣彰化縣秀水鄉雅興街 115 巷 92 號 TEL:886-7-510067 FAX:886-7-510292
E-MAIL : wl@wan-lung.com wl@wan-lung.com

EYE SWAGE TERMINAL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D1	A	B	C	D	E	L	L1
	mm	mm	mm	mm	mm	mm	mm	mm
SLS7802-025	2.5	30	13	6	5.5	3	56	44.5
SLS7802-03	3	36	13	6	6.4	4	63	57.5
SLS7802-04	4	39	18	8	7.5	5	77	65
SLS7802-05	5	50	22	10	9	6	87	80
SLS7802-06	6	62	28	12	12.7	8	107	94
SLS7802-07	7	68	28	12	14	9	120	105
SLS7802-08	8	85	32	14	16	10	133	124
SLS7802-10	10	100	36	16	17.8	12	159	142
SLS7802-12	12	120	44	19	21.5	15	180	158
SLS7802-14	14	140	52	23	25	20	235	210

EYE TERMINAL WITH THREAD

STAINLESS STEEL AISI 304 L:Left
STAINLESS STEEL AISI 316 R:Right






ITEN NO.	A	B	D	E	L1	L2
	mm	mm	mm	mm	mm	mm
SLS78021-05	5	13	3	5.5	70	63
SLS78021-06	6	13	4	6.5	72	65
SLS78021-08	8	18	5	8.5	86	78
SLS78021-10	10	22	6	10.5	102	90
SLS78021-12	12	28	8	13.0	123	110
SLS78021-14	14	28	9	13.0	138	124
SLS78021-16	16	32	10	14.5	149	133
SLS78021-20	20	36	12	19.5	158	140

JAW SWAGE TERMINAL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	M	L	A	B	C	D
	mm	mm	mm	mm	mm	mm
SLS7803-025	2.5	55	24	7.5	9	5
SLS7803-03	3	65	32	7.5	10	5
SLS7803-04	4	77	40	10	11	5
SLS7803-05	5	88	57	12	13	8
SLS7803-06	6	106	63	14	20	9
SLS7803-07	7	116	70	14	22	12
SLS7803-08	8	145	85	16	26	16
SLS7803-09	9	150	87	20	30	20
SLS7803-10	10	150	89	20	30	20

TOGGLE TERMINAL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	C	L
	mm	mm	mm	mm
SLS7805-02	2.2	5.5	5	60
SLS7805-025	2.7	5.5	5	60
SLS7805-03	3.3	6.3	6	70
SLS7805-04	4.3	7.5	8	80
SLS7805-05	5.3	9.1	9	95
SLS7805-06	6.3	12.5	12	115
SLS7805-08	8.3	16	16	165
SLS7805-10	10.5	17.8	19.5	185

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	L1	L2	A	S
	mm	mm	mm	mm	mm
SLS0036-03	3	21	29	5	5
SLS0036-04	4	22	31	6	7
SLS0036-05	5	36	36	8	8
SLS0036-06	6	36	50	11	9
SLS0036-08	8	27	47	15	11
SLS0036-10	10	40	64	16	11
SLS0036-12	12	44	75	19	19

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	SIZE	L1	L2	H	S	B
	mm	mm	mm	mm	mm	mm
SLS0038-03	3	28	29	14	4.8	5
SLS0038-04	4	31	31	9	7	6
SLS0038-05	5	37	36	12	8	8
SLS0038-06	6	39	49	14	10	8
SLS0038-08	8	49	47	17	12	10
SLS0038-10	10	55	64	15	11	12
SLS0038-12	12	72	75	23	18	19

TERMINAL SWIFT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	E	B	A	L
	mm	mm	mm	mm
SLS0035-04	8	7	12	60
SLS0035-05	10	8	14	70
SLS0035-06	10	8	18	90
SLS0035-08	12	10	20	100
SLS0035-10	14	12	28	120

SWAGE DOME HEAD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316





ITEN NO.	FUNE	L1	L2	L3	A	A1	A2	KG/100
	mm	mm	mm	mm	mm	mm	mm	mm
TLS7806-03	1/8	35	25	32	3.5	5.5	8	0.5
TLS7806-04	5/32	35	25	32	4.4	6.35	10	0.7
TLS7806-05	3/16	47	30	41	5.3	7.5	11.5	1
TLS7806-06	1/4	52	40	47	6.5	9	14	1.9
TLS7806-08	5/16	66	50	60	8.4	12.58	18	5
TLS7806-10	3/8	77	60	70	10.5	16	22	9.2

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316



ITEN NO.	FUNE	L1	L2	L3	A	A1	A2	KG/100
	mm	mm	mm	mm	mm	mm	mm	mm
SLS0603-05008								

LIFTING EYE BOLT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED




ITEN NO.	A	B	C	D
	mm	mm	mm	mm
SLS0511-050080	5	5	30	80

EYE TERMINAL WITH THREAD AND WASHER

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	D1 Wire-Ø	L	L2	G	KW	KW1
	mm	mm	mm	mm	mm	mm
SLS781-05030	3	79	42	M5	10	12
SLS781-06030	3	85	47	M6	10	12
SLS781-06040	4	92	47	M6	12	14
SLS781-08040	4	102	57	M8	12	14
SLS781-08050	5	111	57	M8	13	16
SLS781-10050	5	117	63	M10	13	16
SLS781-10060	6	128	63	M10	16	19
SLS781-12060	6	145	80	M12	16	19
SLS781-12080	8	162	80	M12	19	24
SLS781-14080	8	171	89	M14	19	24
SLS781-16080	8	182	100	M16	19	24
SLS781-16100	10	190	100	M16	24	27
SLS781-20120	12	227	120	M20	27	32

SWAGE STUD

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316





ITEN NO.	Wire-Ø	L	A	B	C
	mm	mm	mm	mm	mm
SLS0039-05025	2.5	70	M5	24	38
SLS0039-06025	2.5	72	M6	24	40
SLS0039-06030	3	80	M6	32	40
SLS0039-06040	4	95	M6	40	44
SLS0039-08040	4	102	M8	40	52
SLS0039-08050	5	120	M8	57	52
SLS0039-10050	5	130	M10	57	63
SLS0039-10060	6	136	M10	63	63
SLS0039-12060	6	142	M12	63	68
SLS0039-12070	7	148	M12	70	68
SLS0039-12080	8	165	M12	76	79
SLS0039-16080	8	175	M16	76	89
SLS0039-16090	9	190	M16	89	89
SLS0039-20100	10	230	M20	89	120
SLS0039-20120	12	260	M20	120	120
SLS0039-20140	14	300	M20	140	140
SLS0039-24160	16	355	M24	160	170
SLS0039-30200	20	425	M24	200	180

CHOULDER TYPE EYE BOLTS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED



ITEN NO.	A	B
	In.	In.
MLS277-01400200	1/4"	2"
MLS277-01400400	1/4"	4"
MLS277-05160214	5/16"	2-1/4"
MLS277-05160414	5/16"	4-1/4"
MLS277-03800212	3/8"	2-1/2"
MLS277-03800412	3/8"	4-1/2"
MLS277-03800600	3/8"	6"
MLS277-01200314	1/2"	3-/14"
MLS277-01200600	1/2"	6"
MLS277-01200800	1/2"	8"
MLS277-01201000	1/2"	10"
MLS277-01201200	1/2"	12"
MLS277-05800400	5/8"	4"
MLS277-05800600	5/8"	6"
MLS277-03400412	3/4"	4-1/2"
MLS277-03400600	3/4"	6"
MLS277-07800500	7/8"	5"
MLS277-10000600	1"	6"
MLS277-10000900	1"	9"
MLS277-11400800	1-1/4"	8"
MLS277-11401200	1-1/4"	12"
MLS277-11201500	1-1/2"	15"

CHOULDER TYPE EYE BOLTS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED




ITEN NO.	A	B
	In.	In.
MLS291-01400200	1/4"	2"
MLS291-01400400	1/4"	4"
MLS291-05160214	5/16"	2-1/4"
MLS291-05160414	5/16"	4-1/4"
MLS291-03800212	3/8"	2-1/2"
MLS291-03800412	3/8"	4-1/2"
MLS291-03800600	3/8"	6"
MLS291-01200314	1/2"	3-1/4"
MLS291-01200600	1/2"	6"
MLS291-01200800	1/2"	8"
MLS291-01201000	1/2"	10"
MLS291-01201200	1/2"	12"
MLS291-05800400	5/8"	4"
MLS291-05800600	5/8"	6"
MLS291-05800800	5/8"	8"
MLS291-05801000	5/8"	10"
MLS291-05801200	5/8"	12"
MLS291-03400412	3/4"	4-1/2"
MLS291-03400600	3/4"	6"
MLS291-03400800	3/4"	8"
MLS291-03401000	3/4"	10"
MLS291-03401200	3/4"	12"
MLS291-03401500	3/4"	15"
MLS291-07800500	7/8"	5"
MLS291-07800800	7/8"	8"
MLS291-07801200	7/8"	12"
MLS291-10000600	1"	6"
MLS291-10000900	1"	9"
MLS291-10001200	1"	12"
MLS291-10001800	1"	18"
MLS291-11400800	1-1/4"	8"
MLS291-11401200	1-1/4"	12"
MLS291-11402000	1-1/4"	20"

EYE WOODEN SCREW

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C
	mm	mm	mm	mm
SLS3291-060040	6x40L1	40	24	14
SLS3291-060060	6x60L1	60	36	14
SLS3291-060080	6x80L1	80	48	14
SLS3291-060100	6x100L1	100	60	14
SLS3291-080060	8x60L1	60	36	18
SLS3291-080080	8x80L1	80	48	18
SLS3291-080100	8x100L1	100	60	18
SLS3291-100060	10x60L1	60	36	22
SLS3291-100080	10x80L1	80	48	22
SLS3291-100100	10x100L1	100	60	22
SLS3291-100120	10x120L1	120	72	22
SLS3291-120080	12x80L1	80	48	27
SLS3291-120100	12x100L1	100	60	27
SLS3291-120120	12x120L1	120	72	27
SLS3291-120140	12x140L1	140	84	27
SLS3291-120160	12x160L1	160	96	27

LIFTING EYE BOLT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	D	D1	C	L	L1	L2
	mm	mm	mm	mm	mm	mm	mm
SLS307-060040	M6x40L1	16	6	5	34	40	71
SLS307-060060	M6x60L1	16	6	5	54	60	91
SLS307-060080	M6x80L1	16	6	5	70	80	111
SLS307-080080	M8x80L1	20	8	6	70	80	120
SLS307-080100	M8x100L1	20	8	6	90	100	140
SLS307-100100	M10x100L1	25	10	8	88	100	150
SLS307-100120	M10x120L1	25	10	8	105	120	170
SLS307-120100	M12x100L1	30	12	10	88	100	160
SLS307-120120	M12x120L1	30	12	10	105	120	180
SLS307-120140	M12x140L1	30	12	10	120	140	200

EYE BOLT WITH NUT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	D	L	L1	L2
	mm	mm	mm	mm	mm
SLS3191-060040	M6x40L1	13	35	40	64
SLS3191-060060	M6x60L1	13	55	60	84
SLS3191-060080	M6x80L1	13	75	80	104
SLS3191-060100	M6x100L1	13	95	100	124
SLS3191-080060	M8x60L1	17	55	60	92
SLS3191-080080	M8x80L1	17	75	80	112
SLS3191-080100	M8x100L1	17	95	100	132
SLS3191-080130	M8x125L1	17	125	130	162
SLS3191-100060	M10x60L1	21	75	60	92
SLS3191-100080	M10x80L1	21	75	80	119
SLS3191-100100	M10x100L1	21	95	100	139
SLS3191-100120	M10x120L1	21	115	120	159
SLS3191-100150	M10x150L1	21	145	150	189
SLS3191-120080	M12x80L1	25	75	80	126
SLS3191-120100	M12x100L1	25	95	100	146
SLS3191-120120	M12x120L1	25	115	120	166
SLS3191-120150	M12x150L1	25	145	150	196

EYE BOLT WITH NUT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	SIZE	D	L	L1	L2
	mm	mm	mm	mm	mm
SLS3191A-060040	M6x40L1	13	35	40	64
SLS3191A-060060	M6x60L1	13	55	60	84
SLS3191A-060080	M6x80L1	13	75	80	104
SLS3191A-060100	M6x100L1	13	95	100	124
SLS3191A-080060	M8x60L1	17	55	60	92
SLS3191A-080080	M8x80L1	17	75	80	112
SLS3191A-080100	M8x100L1	17	95	100	132
SLS3191A-080130	M8x125L1	17	125	130	162
SLS3191A-100060	M10x60L1	21	75	60	92
SLS3191A-100080	M10x80L1	21	75	80	119
SLS3191A-100100	M10x100L1	21	95	100	139
SLS3191A-100120	M10x120L1	21	115	120	159
SLS3191A-100150	M10x150L1	21	145	150	189
SLS3191A-120080	M12x80L1	25	75	80	126
SLS3191A-120100	M12x100L1	25	95	100	146
SLS3191A-120120	M12x120L1	25	115	120	166
SLS3191A-120150	M12x150L1	25	145	150	196

LIFTING EYE BOLT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED




ITEN NO.	SIZE	D	D1	C	L	L1	L2
	mm	mm	mm	mm	mm	mm	mm
SLS307-060040	M6x40L1	16	6	5	34	40	71
SLS307-060060	M6x60L1	16	6	5	54	60	91
SLS307-060080	M6x80L1	16	6	5	70	80	111
SLS307-080080	M8x80L1	20	8	6	70	80	120
SLS307-080100	M8x100L1	20	8	6	90	100	140
SLS307-100100	M10x100L1	25	10	8	88	100	150
SLS307-100120	M10x120L1	25	10	8	105	120	170
SLS307-120100	M12x100L1	30	12	10	88	100	160
SLS307-120120	M12x120L1	30	12	10	105	120	180
SLS307-120140	M12x140L1	30	12	10	120	140	200

EYE BOLT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	SIZE	A	L	L2	L1	D
	mm	mm	mm	mm	mm	mm
SLS418-060040	M6x40L1	12	34	70	40	M6
SLS418-060060	M6x60L1	12	54	90	60	M6
SLS418-060080	M6x80L1	12	70	110	80	M6
SLS418-080080	M8x80L1	14	70	113	80	M8
SLS418-080100	M8x100L1	14	90	133	100	M8
SLS418-100100	M10x100L1	16	90	140	100	M10
SLS418-100120	M10x120L1	16	110	160	120	M10
SLS418-120120	M12x120L1	18	110	160	120	M12

HAMMOCK HOOK WITH WOODEN THREAD

STASTEEL ELECTRIC GALVANIZED






ITEN NO.	ØA1	ØA2	L1	L2	L3
	mm	mm	mm	mm	mm
TLS0128-0909008100	8.4	9	100	90	45
TLS0128-1010509100	9.5	10	100	105	45

TARP ROPE HOOK

STASTEEL ELECTRIC GALVANIZED






ITEN NO.	ØA1	L1	L2	D
	mm	mm	mm	mm
TF04-05	5	57	32	4
TF04-06	6	70	38	4.5
TF04-07	7	82	45	5
TF04-08	8	95	52	6
TF04-09	9	110	60	7
TF04-10	10	128	70	8

SWING HOOK WITH BOLT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA	L1	L2
	mm	mm	mm	mm
TLS0125-106110	10.6x110	10.6	110	20

SWING HOOK WITH BOLT AND PLASTIC WASHER

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA1	ØA2	L1	L2
	mm	mm	mm	mm	mm
TLS0126-0805010150	10.6x180	10.6	8	150	50

SWING HOOK WITH BOLT & 3NUTS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	ØA1	ØA2	L1	L2
	mm	mm	mm	mm	mm
TLS0127-0805010150	10.6x180	10.6	8	150	50

SWING HOOK WITH BOLT AND PLASTIC WASHER

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	ØA1	ØA2	L1	L2	L3
	mm	mm	mm	mm	mm
TLS0124-0707608104	8	7.3	104	76	50

U-BOLT WITH WASHER AND NUTS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D	E	M
	mm	mm	mm	mm	mm	mm
S413-04060	45	12	30	30	60	M4
S413-05080	50	13	40	36	80	M5
S413-06090	50	15	40	36	90	M6
S413-08080	50	15	40	36	80	M8
S413-10090	70	20	55	52	90	M10
S413-10130	70	20	55	52	130	M10
S413-12150	83	23	65	62	150	M12

V-BOLT WITH WASHER AND NUTS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D	M
	mm	mm	mm	mm	mm
S415-06080	2	80	30	35	M6
S415-06100	2	100	42	35	M6
S415-08080	2	81	30	41	M8
S415-08100	2	100	40	41	M8
S415-10100	2	100	40	49	M10
S415-10120	2	120	50	49	M10

U-BOLT WITH WASHER AND NUTS

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	A	B	C	L	L1	L2	L3
	mm	mm	mm	mm	mm	mm	mm
S540-08065	35	8	10	65	39	3	23
S540-08076	35	8	10	76	39	5	32
S540-08090	35	8	10	90	39	4	47
S540-08115	35	8	10	115	39	29	47
S540-08140	35	8	10	140	39	54	47
S540-08165	35	8	10	165	39	79	47

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED



ITEN NO.	SIZE E	A	B
	mm INCH	mm	mm
SLS3182-10	10 (3/8")	110	55
SLS3182-12	12(1/2")	140	65




ITEN NO.	SIZE E	A	B
	mm INCH	mm	mm
TLS0130-030040			
TLS0130-080070			
TLS0130-040057			

DIN 580 EYE BOLT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE D	A	B	C	D2	L	L1
	mm INCH	mm	mm	mm	mm	mm	mm
SF55-06	M6 (1/4")	20	36	6	17	41	13
SF55-08	M8 (5/16")	20	36	8	20	48	13
SF55-10	M10 (3/8")	25	45	10	25	62	17
SF55-12	M12 (1/2")	30	54	12	30	75	21
SF55-14	M14 (9/16")	30	54	14	30	75	21
SF55-16	M16 (5/8")	35	63	16	35	90	27
SF55-18	M18 (11/16")	35	63	18	35	90	27
SF55-20	M20 (3/4")	40	72	20	40	102	30
SF55-22	M22 (7/8")	45	81	22	45	115	34
SF55-24	M24 (1")	50	90	24	50	126	36
SF55-30	M30 (1-3/16 ")	60	108	30	65	153	45
SF55-32	M32 (1-1/4 ")	60	108	32	65	153	45
SF55-36	M36 (1-3/8 ")	70	126	36	75	181	55
SF55-39	M39 (1-1/2 ")	70	126	39	75	181	55
SF55-42	M42 (1-5/8 ")	80	144	42	85	209	65
SF55-45	M45 (1-3/4 ")	80	144	45	85	209	65
SF55-50	M50 (2 ")	90	166	50	100	236	70

DIN 306 EYE BOLT


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	SIZE E	A	B	C	H	T
	mm INCH	mm	mm	mm	mm	mm
SLS306-06	M6 (1/4")	26	16	5	31	9
SLS306-08	M8 (5/16")	32	20	6	39	12
SLS306-10	M10 (3/8")	41	25	8	48	15
SLS306-12	M12 (1/2")	50	30	10	61	19
SLS306-16	M16 (5/8")	60	35	12	72	23
SLS306-20	M20 (3/4")	72	40	16	86	28
SLS306-24	M24 (1")	90	50	20	111	38
SLS306-30	M30 (1-3/16 ")	110	60	25	135	46
SLS306-36	M36 (1-3/8 ")	133	70	31	161	55
SLS306-42	M42 (1-5/8 ")	151	80	35	184	64
SLS306-48	M48 (1-7/8 ")	170	90	40	208	73






ITEN NO.	SIZE E	A	B	C	H	T
	mm INCH	mm	mm	mm	mm	mm
SLS306L-0650	M6 (1/4")	26	16	5	70	50
SLS306L-0850	M8 (5/16")	32	20	6	80	50
SLS306L-1050	M10 (3/8")	41	25	8	90	50
SLS306L-1250	M12 (1/2")	50	30	10	100	50
SLS306L-1650	M16 (5/8")	60	35	12	110	50

DIN 582 LIFTING EYE NUT

STAINLESS STEEL AISI304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE	A	B	C	D	E
	mm INCH	mm	mm	mm	mm	mm
SF54M-06	M6 (1/4")	20	36	36	20	8
SF54M-08	M8 (5/16")	20	36	36	20	8
SF54M-10	M10 (3/8")	25	45	45	25	10
SF54M-12	M12 (1/2")	30	54	53	30	12
SF54M-14	M14 (9/16")	30	54	53	30	12
SF54M-16	M16 (5/8")	35	63	62	35	14
SF54M-18	M18 (11/16")	35	63	62	35	14
SF54M-20	M20 (3/4")	40	72	71	40	16
SF54M-22	M22 (7/8")	40	81	81	45	18
SF54M-24	M24 (1")	50	90	90	50	20
SF54M-30	M30 (1-3/16 ")	60	108	109	60	24
SF54M-32	M32 (1-1/4 ")	65	108	109	65	25
SF54M-36	M36 (1-3/8 ")	70	126	128	75	28
SF54M-39	M39 (1-1/2 ")	70	126	128	75	28
SF54M-45	M45 (1-3/4 ")	80	147	150	85	32
SF54M-50	M50 (2 ")	90	166	170	100	38

DIN 3061 LIFTING EYE NUT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED
STEEL SELF COLOR






ITEN NO.	SIZE E	A	B	C	D	H
	mm INCH	mm	mm	mm	mm	mm
SLS3061-06	M6 (1/4")	26	16	5	13	28
SLS3061-08	M8 (5/16")	32	20	6.3	16	33
SLS3061-10	M10 (3/8")	41	25	8	20	41
SLS3061-12	M12 (1/2")	50	30	10	25	51
SLS3061-16	M16 (5/8")	60	35	12.5	30	60
SLS3061-20	M20 (3/4")	72	40	16	35	71
SLS3061-24	M24 (1")	90	50	20	45	90
SLS3061-30	M30 (1-3/16 ")	110	60	25	60	110
SLS3061-36	M36 (1-3/8 ")	133	70	31	70	131
SLS3061-42	M42 (1-5/8 ")	151	80	35	80	150
SLS3061-48	M48 (1-7/8 ")	170	90	40	90	170

ROUND RING W/SCREW


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316





ITEN NO.	A	B	C	D	E	F	G	H	SWL	BL
	mm	mm	mm	mm	mm	mm	mm	mm	kgs	kgs
SL318-032503047	25	47	33	6	5	3	3	10	100	400
SL318-043003047	30	47	32	6	5	3	4	10	175	700
SL318-053504059	35	59	34	8	6	4	5	14	288	1150
SL318-064005059	40	59	37	13	8	5	6	15	488	1950
SL318-084506064	45	64	39	10	10	6	8	20	675	2700






ITEN NO.	A	B
	mm	mm
TLS0281-0805010090		

RING BOLT WITH DOUBLE WASHERS AND NUT

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	E	A	B	C	D
	mm	mm	mm	MM(In.)	mm
SL319-053005060	5	60	40	M5(3/16")	30
SL319-063506075	6	75	50	M6(1/4")	35
SL319-063506090	6	90	60	M6(1/4")	35
SL319-084508085	8	85	50	M8(5/16")	45
SL319-085008100	8	100	60	M8(5/16")	50
SL319-085010100	8	100	50	M10(3/8")	50
SL319-095010100	9	100	50	M10(3/8")	50
SL319-095010120	9	120	75	M10(3/8")	50
SL319-105010100	10	100	50	M10(3/8")	50
SL319-126012120	12	120	70	M12(1/2")	60
SL319-126012150	12	150	100	M12(1/2")	60
SL319-126012180	12	180	120	M12(1/2")	60

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
SLS3192-03250445	3	25	4	45

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	A	B
	mm	mm
TOC-010004	1	4
TOC-012006	1.2	6
TOC-013006	1.3	6
TOC-014006	1.4	6
TOC-015007	1.5	7
TOC-018008	1.8	8
TOC-020010	2	10
TOC-020032	2	32
TOC-025012	2.5	12


STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED

ITEN NO.	A	B
	mm	mm
SOD-27	2.5	27

PULLEY BLOCK–TYPE D(WITH BRACKET AND RIVET) NYLON

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316






ITEN NO.	A	B	C	D
	mm	mm	mm	mm
S8253-100-316	7	9	63	10

MAME SWIVEL BLOCK (STAINLESS CASTING SHEAVE)

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316





ITEN NO.	A	B	C
	mm	mm	mm
S21S314-100	10	26	82
S21S314-114	12	31	95
S21S314-112	13	38	108
S21S314-200	14	50	128

PULLEYS SINGLE WHEEL



ITEN NO.	A	B
	In.	In.
TS22F-04	1/2"	5/32"
TS22F-06	3/4"	3/16"
TS22F-10	1"	1/4"
TS22F-114	1-1/4"	5/16"
TS22F-112	1-1/2"	5/16"
TS22F-20	2"	7/16"
TS22F-212	2-1/2"	1/2"
TS22F-30	3"	5/8"


PULLEYS DOUBLE WHEEL



ITEN NO.	A	B
	In.	In.
TS22D-04	1/2"	5/32"
TS22D-06	3/4"	3/16"
TS22D-10	1"	1/4"
TS22D-112	1-1/2"	5/16"
TS22D-20	2"	7/16"

PULLEY SINGLE SHEAVE SWIVEL





ITEN NO.	A	B
	In.	In.
TS21F-04	1/2"	3/8"
TS21F-06	3/4"	1/2"
TS21F-10	1"	5/8"
TS21F-114	114"	5/8"
TS21F-112	1-1/2"	3/4"
TS21F-200	2"	3/4"

PULLEY DOUBLE SHEAVE SWIVEL EYE




ITEN NO.	A	B
	In.	In.
TS21D-04	1/2"	3/8"
TS21D-06	3/4"	1/2"
TS21D-100	1"	5/8"
TS21D-114	114"	5/8
TS21D-112	1-1/2"	3/4"

SISSOR SNATCH BLOCK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C
	mm	mm	mm
S22150-112		38	
S22150-200		50	
S22150-212		63	
S22150-300		75	

SISSOR SNATCH BLOCK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED







ITEN NO.	A	B	C
	mm	mm	mm
S21150-112		38	
S21150-200		50	
S21150-212		63	
S21150-300		75	

SISSOR SNATCH BLOCK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED





ITEN NO.	A	B	C
	mm	mm	mm
S22151-112		38	
S22151-200		50	
S22151-212		63	
S22151-300		75	

SISSOR SNATCH BLOCK

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED




ITEN NO.	A	B	C
	mm	mm	mm
S50503	3	50	50

U.S THIMBLE G-411

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D	E	F
	mm	mm	mm	mm	mm	mm
TF10US-G411-018	18	33	4	49	1.2	27
TF10US-G411-0316	18	33	5.5	49	1.2	27
TF10US-G411-014	18	33	7	49	1.2	27
TF10US-G411-0516	21	38	8.5	54	1.2	32
TF10US-G411-038	24	41	10.3	60	1.5	37
TF10US-G411-012	29	48	13.3	69	2	44
TF10US-G41-058	35	63	16.5	88	3.2	60
TF10US-G411-034	41	63	19.5	94	3.5	68
TF10US-G411-078	48	88	23.5	126	4	80
TF10US-G411-100	63	110	26.5	143	4	100
TF10US-G411-118-114	69	110	32.8	157	5.5	110

U.S THIMBLES G-414

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D	E	F
	mm	mm	mm	mm	mm	mm
TF10US-G414-014	22	41	7	50	1.5	38
TF10US-G414-0516	27	47	9	63	2	45
TF10US-G414-038	28	53	10	72	2.7	53
TF10US-G414-0716	32	60	12	81	3	60
TF10US-G414-012-0916	38	69	15	91	3.7	69
TF10US-G414-058	44	81	17	106	4	78
TF10US-G414-034	50	94	20	125	5.5	95
TF10US-G414-078	56	106	24	138	5.5	106
TF10US-G414-100	62	113	27	153	6.2	119
TF10US-G414-118-114	72	128	33	175	6.2	147
TF10US-G414-114-138	88	163	36	227	9.2	170
TF10US-G414-138-112	88	181	39	225	12.5	178
TF10US-G414-158	100	200	43	280	12.5	203
TF10US-G414-134	113	225	46	303	12.5	213
TF10US-G414-178-200	150	300	52	378	12.5	258
TF10US-G414-214	175	350	60	438	15.5	295

THIMBLE DIN 6899A

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	A	B	C	D	E	Weight kg
	mm	mm	mm	mm	mm	mm
TF10DE-6899A-025	3	21.5	10	28	1	0.0014
TF10DE-6899A-03	3.5	23.5	11	30	1	0.0035
TF10DE-6899A-04	4	26.5	12	34	1	0.0042
TF10DE-6899A-05	5	28	13	36	1	0.0060
TF10DE-6899A-06	6	30	14	38	1	0.0076
TF10DE-6899A-07	7	33	15	43	1.2	0.0110
TF10DE-6899A-08	8	35	16	46	1.2	0.0170
TF10DE-6899A-09	9	39	18	50	1.2	0.0210
TF10DE-6899A-10	10	43	20	56	1.5	0.0350
TF10DE-6899A-11	11	47.5	22	63	1.5	0.0370
TF10DE-6899A-12	12	51.5	24	68	1.5	0.0530
TF10DE-6899A-13	13	56.5	26	75	2	0.0720
TF10DE-6899A-14	14	61	28	82	2	0.0830
TF10DE-6899A-16	16.5	69.5	32	91	2.5	0.1230
TF10DE-6899A-18	18	78	35	102	3	0.1850
TF10DE-6899A-20	20	86.5	40	114	4	0.3150
TF10DE-6899A-22	22	95	44	126	4	0.3650
TF10DE-6899A-24	24	103.5	48	135	4	0.3900
TF10DE-6899A-28	28	120.5	56	162	5	0.6000

WIRE ROPE THIMBLE DIN 6899B

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






57ITEN NO.	Diameter 6 rope	A	B	L	C	S	
	mm	mm	mm	mm	mm	mm	
TF10DE-6899B-03	2.5-3	3	22	19	12	1.6	1.4
TF10DE-6899B-04	3.5-4	4	26	21	13	1.6	1.4
TF10DE-6899B-05	4-5	5	32	23	14	1.6	1.4
TF10DE-6899B-06	5-6	6	38	25	16	2.4	1.6
TF10DE-6899B-07	6-7	7	44	28	18	2.4	1.8
TF10DE-6899B-08	7-8	8	50	32	20	2.8	2.0
TF10DE-6899B-10	9-10	10	57	36	24	3.1	2.0
TF10DE-6899B-12	11-12	12	64	45	28	3.3	
TF10DE-6899B-13	12-13	13	70	48	30	3.3	2.5
TF10DE-6899B-14	13-14	14	76	51	32	3.6	
TF10DE-6899B-16	15-16	16	83	56	36	3.6	2.5
TF10DE-6899B-17	16-17	17	89	61	38	4.7	3
TF10DE-6899B-18	17-18	18	95	64	40	4.7	
TF10DE-6899B-20	18-20	20	102	72	45	5.7	
TF10DE-6899B-22	20-22	22	114	80	50	5.7	3.8
TF10DE-6899B-24	22-24	24	127	90	56	6.5	
TF10DE-6899B-26	24-26	26	140	99	62	6.8	
TF10DE-6899B-28	26-28	28	152	112	70	8	
TF10DE-6899B-30	28-30	30	165	120	75	8	
TF10DE-6899B-32	30-32	32	178	128	80	8	
TF10DE-6899B-34	32-34	34	203	152	95	8.5	
TF10DE-6899B-36	34-36	36	216	160	100	8.5	
TF10DE-6899B-38	36-38	38	229	176	110	8.5	
TF10DE-6899B-40	38-40	40	241	184	115	10.5	
TF10DE-6899B-42	40-42	42	254	192	120	10.5	
TF10DE-6899B-45	4-45	45	305	240	150	10.5	

THIMBLE EUROPEAN COMMERCIAL

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED

SF10SEU
SF10SEU
TF10SEU





ITEN NO.	SISE	B	C	H	S	F	R	L
	mm	mm	mm	mm	mm	mm	mm	mm
TF10SEU-02	2	14	7	11	0.8	2	4	20
TF10SEU-03	3	16	10	16	0.8	3	5	23
TF10SEU-04	4	18	11	17	1	4	6	25
TF10SEU-05	5	22	12	20	1	5.2	7.2	32
TF10SEU-06	6	25	14	22	1	6.2	8.5	37
TF10SEU-07	7	28	16	25	1	7.8	10.5	41
TF10SEU-08	8	34	18	29	1.5	8.3	11.3	48
TF10SEU-10	10	43	24	37	1.5	10.5	14	56
TF10SEU-12	12	48	27	42	1.5	12.5	16	67
TF10SEU-14	14	50	33	50	2	15	19	72
TF10SEU-16	16	64	38	55	2	17	22	85
TF10SEU-18	18	68	41	61	2.5	19	25	93
TF10SEU-20	20	72	43	65	2.5	21	26	1016
TF10SEU-22	22	77	43	67	2.5	23	28	1060
TF10SEU-24	24	77	49	73	2.5	25	31	110
TF10SEU-32	32	94	62	90	3	33	40	134

NACM84/90 STANDARD LINK CHAIN

HIGH TEST CHAIN NACM96(G43)
ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED




ITEN NO.	NORMINAL SIZE		MATERIAL DIAMETER		WORKING LOADLIMIT (MAX)		PROOF TEST (MIN)		BREAKING FORCEMIN		INSIDE LENGTH (MAX)		INSID WIDTH (MM)	
	MM	IN	MM	IN	KG	IB	KN	IB	KN	IB	MM	IN	MM	IN
TLC9643-14031	7	1/4"	7	0.276	1180	2880	17.3	3900	34.6	7800	31.5	1.24	9.8	0.38
TLC9643-516032	8.7	5/16"	8.7	0.343	1770	3900	26	5850	52	11700	32.8	1.29	11.2	0.44
TLC9643-38035	10	3/8"	10.3	0.406	2450	5400	36	8100	72	16200	35	1.38	14	0.55
TLC9643-716041	11.9	7/16"	11.9	0.468	3270	7200	48	10800	96	21600	41.6	1.64	16.6	0.65
TLC9643-12045	13	1/2"	13.5	0.531	4170	9200	61	13800	122.6	27600	45.5	1.79	18.2	0.72

AST80 STANDARD LINK CHAIN

TPROOF COIL ASTM80 (G30)
ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED





ITEN NO.	TRADE SIZE	MATERIAL DIAMETER		WORKING LOADLIMIT		PROOF TEST		BREAKING FORCE MINIMUM		MAXLENGTH PER 100LINKS		MAX WELGHT PER 100 FEET	
	IN	IN	MM	LBS	KG	LBS	KN	LBS	KN	IN	MM	LBS	KG
TLC8030-316100	3/16	0.218	5.5	750	340	1500	6.7	3000	13.3	2.51	99	42	19
TLC8030-14104	1/4	0.281	7.1	1250	570	2500	11.1	5000	22.2	2.64	104	76	34
TLC8030-516114	5/16	0.343	8.7	1900	860	3800	16.9	7600	33.8	2.89	114	115	52
TLC8030-38128	3/8	0.406	10.3	2650	1200	5300	23.6	10600	47.2	3.25	128	166	75
TLC8030-716142	7/16	0.468	11.9	3500	1590	7000	31.1	14000	62.3	3.6	142	225	102
TLC8030-12156	1/2	0.531	13.5	4500	2040	9000	40	18000	80.1	3.96	156	289	131
TLC8030-58194	5/8	0.656	16.7	6900	3130	13800	61.4	27600	122.8	4.92	194	425	193
TLC8030-34220	3/4	0.781	19.8	9750	4420	19500	86.7	39000	173.5	5.59	220	612	278

ASTM80 STANDARD LINK CHAIN

HIGTEST CHAIN ASTM80 (G43)
ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED



ITEN NO.	TRADE SIZE	MATERIAL DIAMETER		WORKING LOADLIMIT		PROOF TEST		MAXLENGTH PER 100LINKS		MAX WELGHT PER 100 FEET	
	IN	IN	MM	LBS	KG	LBS	KN	IN	MM	LBS	KG
TLC8043-14098	1/4	0.287	7.1	2600	1180	4300	19.1	2.49	98	84	38
TLC8043-516110	5/16	0.343	8.7	3900	1770	6400	28.5	2.79	110	120	54
TLC8043-38134	3/8	0.406	10.3	5400	2450	8900	39.6	3.40	134	176	80
TLC8043-716140	7/16	0.468	11.9	7200	3260	11900	52.9	3.55	140	230	104
TLC8043-12150	1/2	0.531	13.5	9200	4170	15300	68.1	4.06	150	300	136

NACM84/90 STANDARD LINK CHAIN

PROOF COIL CHAIN NACM 84/90(G30)
ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED




ITEN NO.	NORMINAL SIZE		MATERIAL DIAMETER		WORKING LOADLIMIT (MAX)		PROOF TEST (MIN)		INSIDE LENGTH (MAX)		INSID WIDTH (MM)	
	MM	IN	MM	IN	KG	IB	KN	IB	MM	IN	MM	IN
TLC8430-18023	4	1/8"	4	0.156	170	375	3.6	800	23.9	0.94	6.4	0.25
TLC8430-316024	5	3/16"	5.5	0.217	365	800	7.2	1600	24.8	0.98	0.3	7.7
TLC8430-14031	7	1/4"	7	0.276	580	1300	11.6	2600	31.5	1.24	0.38	9.8
TLC8430-516032	8	5/16"	8	0.315	860	1900	15.1	3400	32.8	1.29	0.44	11.2
TLC8430-38035	10	3/8"	10	0.394	1200	2650	23.6	5300	35	1.38	0.55	14
TLC8430-12045	13	1/2"	13	0.512	2030	4500	39.8	8950	45.5	1.79	0.72	18.2
TLC8430-58056	16	5/8"	16	0.630	3130	6900	60.3	13600	56	2.2	0.79	20
TLC8430-34070	20	3/4"	20	0.787	4800	10600	94.3	21200	70	2.76	0.98	25
TLC8430-78077	22	7/8"	22	0.866	5810	12800	114.1	25600	77	3.03	1.08	27.5
TLC8430-100090	25	1"	26	1.020	8140	17900	159.1	35800	90.9	3.58	1.25	31.7

DIN763 LINK CHIN

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE		INSIDE LENGTH t		OUTSIDE WIDTH b		WIRKING LOAD	TEST LOAD	BREAKING LOAD	WEIGHT PERM
	MM	± MM	MM	± MM	MM	± MM	KG	N	N	KG
TLC763-02022	2	0.5	22	1	8	0.4	25	800	1250	0.06
TLC763-03026	3		26	1.2	12	0.6	55	1050	3200	0.15
TLC763-04032	4		32	1.5	16	0.8	100	2500	6500	0.27
TLC763-05035	5		35	1.8	20	1	160	4000	1000	0.43
TLC763-06042	6		42	2	24	1.2	200	5000	12000	0.63
TLC763-07049	7		49	2.5	28	1.4	300	7500	19000	0.86
TLC763-08052	8		52	2.5	32	1.6	400	10000	25000	1.1
TLC763-09059	9	1	59	3	36	1.8	530	10500	32000	1.41
TLC763-10065	10		65	3.2	40	2	630	16000	40000	1.75
TLC763-11072	11		72	3.4	44	2	790	15800	47500	2.11
TLC763-12078	12		78	3.6	48	2.3	940	18000	56500	2.55
TLC763-13082	13		82	4	52	2.5	1000	25000	63000	2.95
TLC763-16100	16		100	5	64	3.2	1600	40000	100000	4.45
TLC763-18113	18		113	5.2	70	3.2	2120	42300	127000	5.65
TLC763-19119	19		119	5.6	72	3.4	2370	47300	142000	6.25
TLC763-20120	20		120	6	75	3.8	2500	50000	160000	7
TLC763-22127	22		127	6	82	4	3170	63300	190000	8.55
TLC763-25140	25		140	6.6	85	4.2	4090	81700	245000	10.9
TLC763-28152	28		152	7	96	4.7	6000	120000	300000	13.9
TLC763-32171	32		171	7.8	108	5.2	8000	160000	400000	18.2

DIN766 LINK CHIN

STAINLESS STEEL AISI 304
STAINLESS STEEL AISI 316
STEEL ELECTRIC GALVANIZED






ITEN NO.	SIZE d		INSIDE LENGTH t			INSIDE WIDTH b1	OUTSIDE WIDTH b2	LENGTH PER11 LINKS			WEIGHT PERM
	MM	± MM	MM	+MM	-MM	MM	MM	KG	N	N	KG
TLC766-02012	2	0.2	12	0.2	0.2	3.5	7.5	132	1	0.5	0.07
TLC766-03016	3	0.2	16	0.2	0.2	4.2	11	176	1.4	0.7	0.16
TLC766-04016	4	0.2	16	0.3	0.2	5	13.5	176	2.1	1.1	0.32
TLC766-05018	5	0.2	18.5	0.4	0.2	6	17	203.5	2.4	1.2	0.5
TLC766-06018	6	0.2	18.5	0.4	0.2	7.2	20.2	203.5	2.4	1.2	0.8
TLC766-07022	7	0.3	22	0.4	0.2	8.4	23.8	242	3	1.4	1.1
TLC766-08024	8	0.3	24	0.4	0.2	9.6	27.2	264	3.2	1.5	1.4
TLC766-09027	9	0.4	27	0.5	0.3	10.8	30.6	297	3.6	1.8	1.8
TLC766-10028	10	0.4	28	0.5	0.3	12	34	308	3.7	1.9	2.2
TLC766-11031	11	0.4	31	0.5	0.3	13.2	37.8	341	4	2	2.7
TLC766-12036	12	0.3	36	0.6	0.3	14.4	40.8	396	4.4	2.2	3.1
TLC766-13036	13	0.5	36	0.6	0.3	15.6	44.2	396	4.6	2.4	3.8
TLC766-14041	14	0.6	41	0.7	0.4	16.8	47.6	451	5.4	2.7	4.4
TLC766-16045	16	0.6	45	0.8	0.4	19.2	54.5	495	6	3	5.7
TLC766-18050	18	0.9	50	0.8	0.4	21.6	61.2	550	6.6	3.3	7.3
TLC766-19053	19	0.4	53	0.9	0.4	22.8	64.6	583	7	3.7	7.97
TLC766-20056	20	1	56	1	0.5	24	68	616	7.4	3.7	9
TLC766-22062	22	1.2	62	1.1	0.5	26.4	75	682	8	4	11
TLC766-23064	23	1.2	64	1.1	0.5	27.6	78.2	704	8.4	4.2	12
TLC766-26073	26	1.3	73	1.2	0.6	31.2	88.4	803	9.6	4.8	15
TLC766-28078	28	1.4	78	1.3	0.65	33.8	95.2	858	10.2	5.1	18
TLC766-30084	30	1.5	84	1.4	0.7	41	102	924	11	5.5	19.5
TLC766-32090	32	1.6	90	1.5	0.75	43	108.8	990	11.8	5.9	23

DIN 5685A SHORT LINK CHAIN

ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED






ITEN NO.	SIZE d	INSIDE LENGTH t	OUTSIDE WIDTH b	WIRKING PER	TEST LOAD	BREAKING LOAD
	MM	MM	MM	KG	N	N
TLC5685A-02012	2	12	8	7	500	1250
TLC5685A-02514	2.5	14	10	11	750	2000
TLC5685A-03016	3	16	12	16.5	1120	2800
TLC5685A-03518	3.5	18	14	22.5	1500	3850
TLC5685A-04019	4	19	16	30	2000	5000
TLC5685A-04520	4.5	20	18	39.5	2500	6300
TLC5685A-05021	5	21	20	50	3150	7750
TLC5685A-05523	5.5	23	22	60.5	3800	9500
TLC5685A-06024	6	24	24	73	4500	11500
TLC5685A-06526	6.5	26	26	86	5400	13500
TLC5685A-07028	7	28	28	100	6000	15000
TLC5685A-08032	8	32	32	130	8000	20000
TLC5685A-08534	8.5	34	34	149	9000	22500
TLC5685A-09036	9	36	36	165	10000	25000
TLC5685A-10040	10	40	40	205	12500	31000
TLC5685A-11044	11	44	44	250	15000	38000
TLC5685A-12048	12	48	48	290	18000	45000
TLC5685A-13052	13	52	52	345	21200	53000

DIN 5685C LONG LINK CHAIN

ELECTRIC GALVANIZED
HOT DIPPED GALVANIZED






ITEN NO.	SIZE d	INSIDE LENGTH t	OUTSIDE WIDTH b	WIRKING PER	TEST LOAD	BREAKING LOAD
	MM	MM	MM	KG	N	N
TLC5685C-02022	2	22	8	6	500	1250
TLC5685C-02524	2.5	24	10	10	750	2000
TLC5685C-03026	3	26	12	15	1120	2800
TLC5685C-03528	3.5	28	14	20	1500	3850
TLC5685C-04032	4	32	16	27	2000	5000
TLC5685C-04534	4.5	34	18	35	2500	6300
TLC5685C-05035	5	35	20	43	3150	7750
TLC5685C-05538	5.5	38.5	22	52	3800	9500
TLC5685C-06042	6	42	24	63	4500	11500
TLC5685C-06545	6.5	45.5	26	74	5400	13500
TLC5685C-07049	7	49	28	86	6000	15000
TLC5685C-08052	8	52	32	110	8000	20000
TLC5685C-08556	8.5	56	34	125	9000	22500
TLC5685C-09059	9	59	36	141	10000	25000
TLC5685C-10065	10	65	40	175	12500	31000
TLC5685C-11072	11	72	44	211	15000	38000
TLC5685C-12078	12	78	48	255	18000	45000
TLC5685C-13082	13	82	52	295	21200	53000

SWIVELING ROUND EYE BOLT SNAP

ZINC DIE CAST







ITEN NO.	A	B	C
	In.	In.	In.
WL0301-06	3/4"	4"	1/2"
WL0301-10	1"	4"	1/2"
WL0301-118	1-1/8"	4-1/8"	1/2"
WL0301-114	1-1/4"	4-1/4"	1/2"

SWIVELING STRAP EYE BOLT SNAP

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
WL0401-05	5/8"	3-1/8"	3/8"
WL0401-06	3/4"	3-1/8"	3/8"
WL0401-07	7/8"	3-1/8"	3/8"
WL0401-100	1"	3-1/8"	3/8"
WL0401-118	1-1/8"	3-1/8"	3/8"
WL0401-114	1-1/4"	3-1/8"	3/8"

SWIVELING ROUND EYE BOLT SNAP

ZINC DIE CAST





ITEN NO.	A	B	C
	In.	In.	In.
WL0402-04	1/2"	3-1/4	3/8"
WL0402-05	5/8"	3-1/2"	3/8"
WL0402-06	3/4"	3-1/2"	3/8"
WL0402-10	1"	3-5/8"	3/8"
WL0402-118	1-1/8"	3-3/4	3/8"
WL0402-114	1-1/4"	3-3/4	3/8"

SWIVEL LOOP SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL0806-05	5/8"	3"	3/8"
WL0806-06	3/4"	3"	3/8"
WL0806-10	1"	3"	3/8"
WL0806-112	1-1/2"	3"	3/8"
WL0806-114	1-1/4"	3"	3/8"

SWIVEL BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL0807-038	3/8"	3"	3/8"
WL0807-012	1/2"	3"	3/8"
WL0807-058	5/8"	3-1/8"	3/8"
WL0807-034	3/4"	3-1/4"	3/8"

SWIVEL BOLT SNAP

ZINC DIE CAST




ITEN NO.	A	B	C
	In.	In.	In.
WL1202-012	1/2"	2-1/16"	9/32"
WL1202-038	3/8"	2-1/16"	9/32"

SWIVELING EYE BOLT SNAP

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
WL1401-038	3/8"	2-1/2"	5/16"
WL1401-012	1/2"	2-9/16"	5/16"
WL1401-034	3/4"	2-5/8"	5/16"

SWIVELING STRAP EYE BOLT SNAP

ZINC DIE CAST





ITEN NO.	A	B	C
	In.	In.	In.
WL1402-038	3/8"	2-7/16"	5/16"
WL1402-012	1/2"	2-5/8"	5/16"
WL1402-058	5/8"	2-3/4"	5/16"
WL1402-034	3/4"	2-3/4"	5/16"

ZINC DIE CAST




ITEN NO.	A	B	C
	In.	In.	In.
WL1403-034	3/4"	2-5/8"	5/16"

SWIVELING STRAP EYE BOLT SNAP

ZINC DIE CAST





ITEN NO.	A	B	C
	In.	In.	In.
WL6080-05	5/8"	2-5/8"	3/8"
WL6080-06	3/4"	2-5/8"	3/8"
WL6080-07	7/8"	2-5/8"	3/8"
WL6080-100	1"	2-5/8"	3/8"
WL6080-118	1-1/8"	2-5/8"	3/8"
WL6080-114	1-1/4"	2-5/8"	3/8"
WL6080-112	1-1/2"	2-5/8"	3/8"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL0905-04	1/2"	2"
WL0905-05	5/8"	2"
WL0905-06	3/4"	2"
WL0905-100	1"	2"
WL0905-114	1-1/4"	2"

LOBSTER CLASPS SWIVEL ROUND EYE


ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL1502-0316	3/16"	1-3/8"
WL1502-014	1/4"	1-1/2"
WL1502-038	3/8"	1-3/4"
WL1502-058	5/8"	1-1/2"

LOBSTER CLASPS SWIVEL STRAP EYE

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL1503-04	1/2"	1-5/8"
WL1503-05	5/8"	1-5/8"
WL1503-06	3/4"	1-3/4"
WL1503-07	7/8"	1-3/4"
WL1503-10	1"	1-3/4"
WL1503-114	1-1/4"	1-3/4"

SWIVEL SNAP HOOK LOBSTER CLASPS

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL1504-04	1/2"	1-1/2"
WL1504-05	5/8"	1-5/8"
WL1504-06	3/4"	1-5/8"
WL1504-100	1"	1-3/4"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	mm	mm
WL1514-014	5.7	31
WL1514-038	8.5	32

SNAP HOOK


ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL1519-014	1/4"	1-1/2"
WL1519-038	3/8"	1-1/2"

SWIVEL TRIGGER SNAP STRAP EYE





ITEN NO.	A	B	C
	In.	In.	In.
WL0604-04	3/8"	2-3/8"	7/16"
WL0604-05	5/8"	2-1/2"	7/16"
WL0604-06	3/4"	2-1/2"	7/16"
WL0604-10	1"	2-1/2"	7/16"
WL0604-12	1/2"	2-1/2"	7/16"

SWIVEL TRIGGER SNAP STRAP EYE



ITEN NO.	A	B	C
	In.	In.	In.
WL0605-04	3/8"	2-1/8"	5/16"
WL0605-05	5/8"	2-1/2"	5/16"
WL0605-06	3/4"	2-1/2"	5/16"
WL0605-10	1"	2-1/2"	5/16"

SWIVEL TRIGGER JUMBO TYPE SNAP STRAP EYE



ITEN NO.	A	B	C
	In.	In.	In.
WL0601L-04	1/2"	3-3/4"	5/8"
WL0601L-05	5/8"	4"	5/8"
WL0601L-06	3/4"	4"	5/8"
WL0601L-10	1"	4-1/8"	5/8"
WL0601L-118	1-1/8"	4-3/8"	5/8"
WL0601L-114	1-1/4"	4-3/8"	5/8"

SWIVEL TRIGGER JUMBO TYPE SNAP STRAP EYE



ITEN NO.	A	B	C
	In.	In.	In.
WL0602L-04	1/2"	3-3/4"	5/8"
WL0602L-05	5/8"	4"	5/8"
WL0602L-06	3/4"	4"	5/8"
WL0602L-10	1"	4-1/8"	5/8"
WL0602L-118	1-1/8"	4-3/8"	5/8"
WL0602L-114	1-1/4"	4-3/8"	5/8"

SQUARE LOOP BULL SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
Z3142D-25	1"	4"

BULL SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
Z3142R-25	1"	4"



ITEN NO.	A	B	C
	in.	in.	In.
WL301-04	1/2"	3/4"	5/16"
WL301-05	5/8"	1"	5/16"
WL301-06	3/4"	1-1/8"	5/16"

SWIVELING STRAP CAP SNAP



ITEN NO.	A	B	C
	in.	in.	In.
WL301D-05	5/8"	2-1/2"	7/32"
WL301D-06	3/4"	2-5/8"	7/32"
WL301D-100	1"	2-5/8"	7/32"

SWIVELING STRAP CAP SNAP



ITEN NO.	A	B	C
	in.	in.	In.
WL0102-058	5/8"	3-3/8"	5/16"
WL0102-034	3/4"	3-1/2"	5/16"
WL0102-10	1"	3-3/4"	5/16"
WL0102-100	1"	4"	5/16"

SWIVELING STRAP CAP SNAP



ITEN NO.	A	B	C
	in.	in.	In.
WL0103C-05	5/8"	3-1/4"	3/8"
WL0103C-06	3/4"	3-1/4"	3/8"
WL0103C-08	7/8"	3-1/4"	3/8"
WL0103C-10	1"	3-1/4"	3/8"
WL0103C-114	1-1/4"	3-1/4"	3/8"

SWIVEL BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL0545-012	1/2"	3-1/8"
WL0545-058	5/8"	3-1/4"
WL0545-034	3/4"	3-1/4"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B	C
	mm	mm	mm
WL0545-034	19	76	9

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL0545D-012	1/2"	3"
WL0545D-058	5/8"	3"
WL0545D-034	3/4"	3"
WL0545D-078	7/8"	3"
WL0545D-100	1"	3"

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL0546-034	3/4"	3-3/8"
WL0546-058	5/8"	3-3/8"
WL0546-078	7/8"	3-1/2"
WL0546-100	1"	3-5/8"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B	C
	mm	mm	mm
WL0546-078	22	83	9

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL0546D-078	7/8"	3-1/4"

SWIVELING STRAP EYE BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL2201-034	3/4"	3-3/4"	1/2"
WL2201-078	7/8"	3-3/4"	1/2"
WL2201-100	1"	3-3/4"	1/2"

SWIVELING ROUND EYE BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL2202-034	3/4"	3-1/8"	1/2"
WL2202-078	7/8"	3-3/4"	1/2"
WL2202-100	1"	3-3/4"	1/2"

RIGID ROUND EYE BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL5002-04	1/2"	3-3/8"	11/32"(8.7mm)
WL5002-05	5/8"	3-7/16"	11/32"(8.7mm)
WL5002-06	3/4"	3-9/16"	11/32"(8.7mm)

RIGID STRAP EYE BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL5025-034	3/4"	3-1/16"	3/8"
WL5025-078	7/8"	3-3/8"	3/8"
WL5025-100	1"	3-3/8"	3/8"
WL5025-118	1-1/8"	3-1/2"	3/8"
WL5025-114	1-1/4"	3-3/4"	3/8"
WL5025-112	1-1/2"	3-7/8"	3/8"
WL5025-200	2"	3-7/8"	3/8"

SWIVELING STRAP EYE BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL0504-058	5/8"	3-1/4"	1/2"
WL0504-034	3/4"	3-1/4"	1/2"
WL0504-078	7/8"	3-1/4"	1/2"
WL0504-100	1"	3-1/4"	1/2"
WL0504-114	1-1/4"	3-1/4"	1/2"

SWIVELING ROUND EYE BOLT SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL0503-012	1/2"	3-3/8"	1/2"
WL0503-058	5/8"	3-1/2"	1/2"
WL0503-034	3/4"	3-5/8"	1/2"
WL0503-100	1"	3-3/4"	1/2"

SWIVEL EYE SPRING HOOK

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL5005-014	1/4"	2"
WL5005-038	3/8"	2-5/8"
WL5005-012	1/2"	3-1/8"
WL5005-58	5/8"	3-1/8"
WL5005-034	3/4"	3-3/4"

RIGED STROP EYE SPRING SNAP

ZINC DIE CAST



ITEN NO.	A	B	C
	In.	In.	In.
WL2001-06	3/4"	2-5/8"	3/8"
WL2001-08	7/8"	3"	3/8"
WL2001-10	1"	3"	3/8"
WL2001-118	1-1/8"	3-1/8"	3/8"
WL2001-114	1-1/4"	3-1/2"	1/2"
WL2001-112	1-1/2"	3-1/2"	1/2"
WL2001-134	1-3/4"	3-1/2"	1/2"
WL2001-200	2"	3-3/4"	1/2"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL2005-078	7/8"	2-1/2"
WL2005-100	1"	2-1/2"

ITEN NO.	A	B
	In.	In.
WL1901-058	5/8”	2-5/8”
WL1901-034	3/4”	2-5/8”
WL1901-100	1”	2-5/8”
WL1901-114	1-1/4”	2-5/8’



ITEN NO.	A	B
	In.	In.
WL1902-058	5/8”	2-5/8”
WL1902-034	3/4”	2-5/8”
WL1902-100	1”	2-5/8”
WL1902-114	1-1/4”	2-5/8”



ITEN NO.	A	B
	In.	In.
WL1903-014	1/4”	2-1/2”
WL1903-038	3/8”	2-5/8””
WL1903-012	1/2”	2-5/8””



ITEN NO.	A	B
	In.	In.
WL1904-014	1/4”	2-5/8””
WL1904-038	3/8”	2-5/8””
WL1904-012	1/2”	2-5/8””



ITEN NO.	A	B
	In.	In.
WL1913-014	1/4”	1-7/8”
WL1913-038	3/8”	2”
WL1913-012	1/2”	2-1/4”

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
WL0200-034	3/4"	2-1/2"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	In.	in.
WL5010-038	3/8"	1-3/8"
WL5010-012	1/2"	1-7/16"
WL5010-058	5/8"	1-1/2"

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B	C
	mm	mm	mm
WL1702-012	11	56	7

SNAP HOOK

ZINC DIE CAST




ITEN NO.	A	B	C
	mm	mm	mm
WL1705-034	20	65	7

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	in.	in.
WL724-038	3/8"	2-5/8"
WL724-012	1/2"	2-5/8"
WL724-058	5/8"	2-3/4"
WL724-034	3/4"	2-7/8"

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	in.	in.
WL1600-038	3/8"	2-1/2"
WL1600-012	1/2"	2-1/2"
WL1600-058	5/8"	2-3/4"
WL1600-034	3/4"	2-7/8"

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	In.	In.
WL1001-014	1/4	1-3/4”
WL1001-012	1/2”	2”

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	In.	In.
WL1002-038	3/8”	1-3/4”
WL1002-014	1/4”	1-3/4”
WL1002-012	1/2”	2”
WL1002-058	5/8”	2”
WL1002-034	3/4”	2”
WL1002-078	7/8”	2”
WL1002-100	1”	2”
WL1002-114	1-1/4”	2”

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	In.	In.
WL1003-034	3/4”	2”

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	In.	In.
WL1004-058	5/8”	1-3/4”
WL1004-034	3/4”	1-3/16”

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B
	In.	In.
WL1005-012	1/2”	2”
WL1005-034	3/4”	2”

SNAP HOOK

ZINC DIE CAST






ITEN NO.	A	B	C
	mm	mm	mm
ZH9813-025	25	13	7
ZH9813-028	28	18	8
ZH9813-035	35	20	10

SWIVELING STRAP CAP SNAP






ITEN NO.	A	B	C
	in.	in.	In.
WL0201	3/8"	3-1/2"	3/8"
WL0202	3/8"	4"	3/8"
WL0203	3/8"	4-1/2"	3/8"
WL0204	3/8"	4-3/4"	3/8"

SWIVEL






ITEN NO.	A	B	C
	in.	in.	In.
WL5006-03	3/8"	2"	1/8"
WL5006-04	1/2"	2-1/4"	1/8"
WL5006-05	5/8"	2-1/2"	1/8"
WL5006-06	3/4"	2-5/8"	1/8"
WL5006-08	7/8"	2-3/4"	1/8"
WL5006-10	1"	3"	1/8"
WL5006-118	1-1/8"	2-5/8"	3/16"
WL5006-114	1-1/4"	3-5/8"	3/4"

SWIVEL







ITEN NO.	A	B	C
	in.	in.	In.
WL5006D-034	3/4"	2"	1/8"
WL5006D-078	7/8"	2"	1/8"
WL5006D-10	1"	2"	1/8"
WL5006D-114	1-1/4"	2"	1/8"

SWIVEL ROUND EYE AND ROUND EYE

ZINC DIE CAST






ITEN NO.	A	B	C
	mm	mm	mm
WL5007-12	11.5	33	2.2

SWIVEL EYE AND EYE

ZINC DIE CAST





ITEN NO.	A	B	C
	mm	mm	mm
WL5007D-02			
WL5007D-03	3	16	1.5
WL5007D-04	4	18	1.5
WL5007D-05	5	21	1.8
WL5007D-07	7	24	2

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	mm	mm
ZH0200	8	35

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	mm	mm
W0093-12	12	35
W0093-15	15	35
W0093-19	19	40
W0092-12	12	47
W0092-15	15	50

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	mm	mm
W0092SR-19	19	48

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	mm	mm
W0093-08	8	35

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B
	mm	mm
ZH0205-12	8	35



ITEN NO.	A	B	C
	mm	mm	mm
ZBM13-100	25	47	4



ITEN NO.	A	B	C
	mm	mm	mm
ZBM13D-100	25	47	4

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL91422-034NP	20	42	6	35

SNAP HOOK

ZINC DIE CAST



ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL91423-034NP	20	40	6	35

SNAP HOOK



ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL91431-012	12	47	7	40

SNAP HOOK


ZINC DIE CAST



ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL91433-034	20	45	7	40

SNAP HOOK

ZINC DIE CAST




ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL91443-034NP	25	60	8	45



ITEN NO.	A	B	C
	mm	mm	mm
WL60263-100	25	60	8





ITEN NO.	A	B	C
	mm	mm	mm
ZH2471-020	22	5	7
ZH9813-028	28	18	8
ZH9813-035	35	20	10

SNAP HOOK RIGID EYE

ZINC DIE CAST



ITEN NO.	A	B	C
	mm	mm	mm
Z249-0	50	11.25	7
Z249-1	60	12.5	9
Z249-2	70	15	11
Z249-3	85	18	14
Z249-4	100	21.5	18
Z249-5	120	25	22

SPRING SNAP WITH SQUARE STRIP




ITEN NO.	A	B	C
	in.	in.	In.
WL2101-078	7/8"	2-3/8"	3/8"
WL2101-100	1"	2-3/8"	3/8"
WL2101-118	1-1/8"	2-5/16"	3/8"
WL2101-114	1-1/4"	2-5/16"	3/8"
WL2101-112	1-1/2"	2-5/16"	3/8"




ITEN NO.	A	B
	mm	mm
WL1005-012	13	49
WL1005-034	19	49





ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL5051-012	14	59	9	44





ITEN NO.	A	B	C	D
	mm	mm	mm	mm
WL5052-058	17	78	11	55

RIGID ROUND EYE PANIC SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
Z1001-12	1/2"	4"

SWIVELING STRAP EYE PANIC SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
Z1002-034	3/4"	4"
Z1002-100	1"	4"
Z1002-114	1-1/4"	4"

SWIVELING ROUND EYE PANIC SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
Z1003-034	3/4"	4-5/8"
Z1003-100	1"	4-5/8"

SWIVELING HALF ROUND EYE PANIC SNAP

ZINC DIE CAST



ITEN NO.	A	B
	In.	In.
Z1004-034	3/4"	4"
Z1004-100	1"	4"
Z1004-114	1-1/4"	4"




ITEN NO.	A	B
3102BC		

FLOOR MOUNTED HEAVY DUTY DOOR STOP

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
ZHS372-218BCG	2-1/8"	3-5/8"	

FLOOR MOUNTED HEAVY DUTY DOOR STOP WITH HOOK

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
ZHS372A-218BCG	2-1/8"	3-5/8	

KICKDOWN DOOR STOP

ZINC DIE CAST






ITEN NO.	A	B
	In.	In.
ZHS317-500SCP	5"	1-1/8"

WALL BUMPER STOP

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
ZHS319-212BP	2-1/2"	1"	5/16"

FLOOR DOOR STOP WITH RUBBER STOP

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
ZHS320-134SCP	1-3/4"	1"	1/8"

FLOOR DOOR STOP WITH RUBBER STOP

ZINC DIE CAST






ITEN NO.	A	B	C
	In.	In.	In.
ZHS321-134SCP	1-3/4"	1-1/4"	7/16"

OVAL WURE ROPE CLIP

ZINC DIE CAST






ITEN NO.	A
	mm
WL0241-02	2
WL0241-03	3
WL0241-04	4
WL0241-05	5
WL0241-06	6

1390 TURNBUCKLE EYE ＆HOOK

ZINC DIE CAST

1.HOOK/EYE
2.HOOH/HOOH
3.EYE/EYE






ITEN NO.	SIZE(D)	L	A	C
	mm	mm	mm	mm
Z1390HxE-05050	M5x50	50	5	8
Z1390HxE-05070	M5x70	70	5	9
Z1390HxE-06060	M6x60	60	6	10
Z1390HxE-06100	M6x100	100	6	10
Z1390HxE-08070	M8x70	70	8	11
Z1390HxE-08110	M8x110	110	8	11
Z1390HxE-10080	M10x80	80	10	12
Z1390HxE-10120	M10x120	120	10	15
Z1390HxE-12110	M12x110	110	12	15
Z1390HxE-12130	M12x130	130	12	15

1391 TURNBUCKLE EYE ＆HOOK


ZINC DIE CAST





ITEN NO.	SIZE(D)	L (closed-open)	A	C
	In.	In.	In.	In.
Z1391HxE-05	3/16"	3-7/8"-5-1/2"	5/16"	5/16"
Z1391HxE-055	7/32"	4-3/8"-6-1/4"	3/8"	3/8"
Z1391HxE-06	1/4"	6-1/2"-7-3/4"	3/8"	3/8"
Z1391HxE-08	5/16"	6-3/4"-9-3/8"	7/16"	7/16"
Z1391HxE-10	3/8"	7-3/4"-10-1/2"	1/2"	1/2"





ITEN NO.	A	B	C
	In.	In.	In.
ZCAM02-100ZP	5/8 “	1 “	2 “

BRONZE CASTING

ITEN NO.	A	B
	mm	mm
EB12V-LL3-01-1		

BRONZE CASTING

ITEN NO.	A	B
	mm	mm
GPLB10-H	11	31

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
HC26NP	87	23
HC29NP	103	

BRONZE CASTING

ITEN NO.	A	B
	mm	mm
HC73NP	105	

BRONZE CASTING

ITEN NO.	A	B
	mm	mm
HC95NP		

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BRCD001-06006	6	6
BRCD001-07007	7	7
BRCD001-08006	8	6
BRCD001-09007	9	7
BRCD001-10005	10	5
BRCD001-10007	10	7
BRCD001-10008	10	8
BRCD001-10010	10	10
BRCD001-13008	13	8
BRCD001-15009	15	9

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BRCD101-06030	6	3
BRCD101-07030	7	3
BRCD101-08030	8	3
BRCD101-09030	9	3
BRCD101-10030	10	3
BRCD101-13030	13	3
BRCD101-15030	15	3



ITEN NO.	A	B
	mm	mm
BRC001-07006	7	6
BRC001-07008	7	8
BRC001-08010	8	10
BRC001-09010	9	10



ITEN NO.	A	B
	mm	mm
BRC101-07030	7	3
BRC101-08030	8	3
BRC101-09030	9	3
BRC101-10030	10	3

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BRM003-15015006	15	15	6
BRM003-17015006	17	15	6

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BRM005-10010007	10	10	7
BRM005-12511005	12.5	11	5
BRM005-15013506	15	13.5	6
BRM005-15013510	15	13.5	10
BRM005-17013506	17	13.5	6

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BRM014-14006307	14	6.3	7

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BEC001-1207535	12	7.5	3.5
BEC001-1307555	13	7.5	5.5
BEC001-1508560	15	8.5	6
BEC001-1710060	17	10	6
BEC001-2010070	20	10	7
BEC001-2113665	21	13.6	6.5
BEC001-2313675	23	13.6	7.5
BEC001-2816580	28	16.5	8

BRONZE CASING



ITEN NO.	A	B	C
	mm	mm	mm
BEC002-1005030	10	5	3
BEC002-1808065	18	8	6.5
BEC002-2110080	21	10	8
BEC002-2513575	25	13.5	7.5
BEC002-2816580	28	16.5	8
BEC002-3217090	32	17	9

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BEG001-1105855	11	5.8	5.5
BEG001-1306560	13	6.5	6
BEG001-1608560	16	8.5	6
BEG001-1810060	18	10	6
BEG001-2011070	20	11	7
BEG001-2213665	22	13.6	6.5

BRONZE CASTING



ITEN NO.	A	B	C
	mm	mm	mm
BEG002-0804250	8	4.2	5
BEG002-1205850	12	5.8	5
BEG002-1507050	15	7	5
BEG002-1910060	19	10	6

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BEC101-12070	12	7
BEC101-13080	13	8
BEC101-17105	17	10.5
BEC101-21105	21	10.5
BEC101-24140	24	14
BEC101-28175	28	17.5

BRONZE CASTING



ITEN NO.	A	B
	mm	mm
BEC102-18085	18	8.5
BEC102-21105	21	10.5

BEND TYPE SIDE RELEASE BUCKLE



ITEN NO.	A	B
	In.	Material
PF528-038POM	3/8"	POM
PF528-012POM	1/2"	POM
PF528-058POM	5/8"	POM
PF528-034POM	3/4"	POM
PF528-100POM	1"	POM


HEAVY BELT BEND TYPE SIDE RELEASE BUCKLE




ITEN NO.	A	B
	In.	Material
PF5313-058POM	5/8"	POM
PF5313-034POM	3/4"	POM
PF5313-100POM	1"	POM
PF5313-112POM	1-1/2"	POM


面扣 BUTTON OF CAP
烤漆黑E/B
烤漆白E/W
鍍鎳N/P
霧鎳DN/P
水霧鎳D/P
青銅B/P
金水G/P
水霧金DG/P
黑鎳B/N
黑古A/C
水霧黑K/P
古銀A/S
淺青古1A/B
深青古2A/B
淺紅古1B/C
深紅古2B/C
鈕色
鉻色
RN-1
RN-2
RN-3
RN-4
RN-5
RN-6
RN-7
RN-8
RN-9
RN-10
RN-11
RM59
RP-1
RP-2
RP-3
RP-4
RP-5
RP-6
RP-7
RP-8
RP-9
RP-10
RP-11
RP-12
POLY CAP
NYLON CAP
RM59L/ 17mm
RM53N/20mm
RM59N/ 17mm
RM8N/ 15mm
RUBBER CAP
RM53P/20mm
RM59P/17mm
RM8P/15mm

四合釦 PRESS SNAP FASTENER





四合釦 PRESS SNAP FASTENER
CAP面釦
SOCKET母釦
STUD公釦
POST底釦
RM16
12.5mm
12mm
RM1500
15mm
15mm
RM152
10mm
10.5mm
RM125
12.5mm
10.5mm
11mm
11mm
RM150
15mm
10.5mm
12.5mm
12.5mm
RM1551
15mm
14mm
RM155
15mm
13.5mm
RM156
12.5mm
11mm
RM157
15mm
11mm
RM136
15mm
13.5mm
ℓ:6mm
RM139
15mm
13.5mm
ℓ:10mm
RLY10
15mm
13.5mm
ℓ:10mm
RLY16
15mm
13.5mm
ℓ:16mm
RM600
RM810

五爪釦 PRONG SNAP BUTTON

	CAP 面釦	SOCKET 母釦	STUD 公釦	POST 腳釦
RM199 6.7mm		7.5mm		
RM200 7.7mm		7.5mm		
RM99 8mm		8.5mm		
RM100 8.5mm		8.5mm		
RM101 9.5mm		9.5mm		
RM102 10mm		9.5mm		
RM103 10.5mm		11mm		
RM104 11.5mm		11mm		
RM105 12.5mm		11mm		
RM106 15mm		11mm		
RM107 11.5mm		11mm		
RM1015 9.5mm		9.5mm		
RM1035 10.5mm		11mm		
RM1 075 11.5mm		11mm		

縫線釦 SAWING BUTTON




塑鋼釦 PLASTIC SNAP BUTTON
CAP 面扣
SOCKET 母扣
STUD 公扣
POST 底扣
RM81010 9.5mm 9.5mm
RM1010 10mm 9.5mm
RM1110 11mm 9.5mm
RM1210 11.5mm 9.5mm
RM1311 12mm 10.5mm
RM13113 12mm 10.5mm
RM1313 12mm 12mm
RM1513 15mm 12mm
RM1515 15mm 12mm
RM1412 13.5mm 12mm
RM1414 14mm 13.5mm
RM1615 15mm 14mm
RM502P 14mm 14mm
RM501P 15mm 13.5mm
RM500P 15mm 13.5mm
PB120
PB104
PB112
PR309
PH115
PB123
PB124
PB125
PB321
P05織帶按釦

褲鉤 THROUSER HOOK





RH85

RH80

RH833 ∠0.7mm

RH247 ∠0.6mm

RH822 ∠0.7mm

RH866 ∠0.7mm

RH207 ∠0.7mm

RH207-S ∠0.7mm

RM207 ∠0.6mm

RM323

RM109

R109

R323

RLG04 RLG01 RLG02 RLG03


RH40333

牛仔釦 JEANS BUTTON

RY01 RY02 RY03 RY04 RY05 RY07 RY08

RE06 RE08 RE11 RE13 RE15 RE16 RE17 RE33


鉚釘類 RIVET
空心釘 HOLLOW RIVET
RIVET
6x3x7mm
8x4x7mm
8x4x9mm
8x4x12mm
10x4x7mm
10x4x9mm
10x4x12mm
13x4x9mm
15x4x7mm
15x4x9mm
WASHER
13x3.2mm
13x4.6mm
10x4.5mm
13x4.5mm
T3mm
10mm
10mm
12mm
15mm
15mm
撞釘 COLLISION NAIL
單包SINGLE LAYER
雙包DOUBLE LAYER
RIVET
7x6mm
7x8mm
8x10mm
9x10mm
6x6mm
7x7mm
8x6mm
9x7mm
10x8mm
13x8mm
15x9mm
CAP
7mm
8mm
9mm
10mm
6mm
7mm
8mm
9mm
10mm
13mm
15mm
7x8mm 子母釘
7x6mm 子母釘
開叉釘 BIFURCATED RIVET
中空釘 SEMI-TUBULAR RIVET
T11
T13
8mm
10mm
11x4.5mm
拉釘 BLIND RIVET
雙腳釘 PAPER FASTENERS



雞眼 EYELET
28x16.5x8mm
23x13.6x7.5mm
21x13.6x6.5mm
20.8x10x7mm
17x10x6mm
32x17x9mm
28x16.5x8mm
25x13x7.5mm
21x10x8mm
21x10.5mm
20x11x7mm
16x8.5x6mm
15x7x5mm
12x5x6mm
11x5.8x5mm
12x6.8x5.6mm
9x5x5mm
17x7.5x6mm
12x5.7x7mm
12x5.8x7mm
27x6mm
25x6mm
21x6mm
16x5mm
16.5x5mm
14x4mm
12x3.5mm
WASHER
28X17.5mm
17X10.5mm
24X14mm
21x10.5mm
13x8mm
12x7mm
12x7.5x3.5mm
鐵線類 METAL RING & BUCKLE

STEEL ELECTRIC GALVANIZED
BRONZE CASTING




BALL CHAIN


STEEL ELECTRIC GALVANIZED
BRONZE CASTING



BALL CHAIN


STEEL ELECTRIC GALVANIZED
BRONZE CASTING





BALL CHAIN

STEEL ELECTRIC GALVANIZED
BRONZE CASTING



STEEL ELECTRIC GALVANIZED
BRONZE CASTING

RICE CHAIN

STEEL ELECTRIC GALVANIZED
BRONZE CASTING



MIXED CHAIN


STEEL ELECTRIC GALVANIZED
BRONZE CASTING



STEEL ELECTRIC GALVANIZED
BRONZE CASTING

STEEL WIRE ROPE


6x19+FC



ITEN NO.	Nominal Diameter (kg/100m)	Approximate Weight		(N/mm) Norminal T/S									
				1470		1570		1670		1770		1870	
				(KN)Min B/L									
		FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS
TWR619FC-02	2	1.38	1.52	1.81	1.95	1.93	2.08	2.05	2.22	2.17	2.35	2.3	2.48
TWR619FC-03	3	3.11	3.43	4.06	4.39	4.33	4.69	4.61	4.98	4.87	5.28	5.16	5.58
TWR619FC-04	4	5.54	6.1	7.22	7.8	7.71	8.33	8.2	8.87	8.69	9.4	9.18	9.93
TWR619FC-05	5	8.65	9.52	11.2	12.2	12	13	12.8	13.8	13.5	14.6	14.3	15.5
TWR619FC-06	6	12.5	13.7	16.2	17.5	17.3	18.7	18.4	19.9	19.5	21.1	20.6	22.3
TWR619FC-07	7	17	18.7	22.1	23.9	23.6	25.5	25.1	27.1	26.6	28.7	28.1	34.4
TWR619FC-08	8	22.1	24.4	28.8	31.2	30.8	33.3	32.8	35.4	34.7	37.6	36.7	39.7
TWR619FC-10	10	34.6	38.1	45.1	48.8	48.1	52.1	51.2	55.4	54.3	58.7	57.4	62
TWR619FC-12	12	49.8	54.9	64.9	70.2	69.4	75	73.8	79.8	78.2	84.6	82.6	89.4
TWR619FC-14	14	67.8	74.7	88.4	95.6	94.4	102	100	108	106	115	112	121
TWR619FC-16	16	88.6	97.5	115	124	123	133	131	141	139	150	146	158
TWR619FC-18	18	112	123	146	158	156	168	166	179	176	190	186	201
TWR619FC-20	20	138	152	180	195	192	208	205	221	217	235	229	248
TWR619FC-22	22	167	184	218	236	233	252	248	268	263	284	277	300
TWR619FC-24	24	199	219	259	281	277	300	295	319	312	338	330	357
TWR619FC-26	26	234	258	305	329	325	352	346	374	367	397	388	419
TWR619FC-28	28	271	299	353	382	377	408	401	434	426	460	450	486
TWR619FC-30	30	311	343	406	439	433	469	461	498	489	528	516	558
TWR619FC-32	32	354	390	462	499	493	533	524	567	556	601	587	635
TWR619FC-34	34	400	440	521	564	557	602	592	640	628	679	663	717
TWR619FC-36	36	448	494	584	632	624	675	664	718	704	761	744	804
TWR619FC-38	38	500	550	651	704	695	752	740	752	784	848	828	896
TWR619FC-40	40	554	610	722	780	771	833	820	800	869	940	918	993
TWR619FC-42	42	610	672	796	860	850	919	904	887	958	1030	1010	1090
TWR619FC-44	44	670	738	873	944	933	1000	992	978	1050	1130	1110	1200
TWR619FC-46	46	732	806	954	1030	1010	1100	1080	1070	1140	1240	1210	1310
TWR619FC-48	48	797	878	1040	1124	1110	1201	1181	1277	1252	1354	1322	1430
TWR619FC-50	50	865	952	1128	1220	1205	1303	1281	1386	1358	1469	1435	1552
TWR619FC-52	52	935	1030	1220	1320	1303	1409	1386	1499	1469	1589	1552	1678
TWR619FC-54	54	1009	1111	1316	1423	1405	1520	1495	1616	1584	1713	1672	1810
TWR619FC-56	56	1085	1195	1415	1530	1511	1634	1607	1738	1704	1842	1800	1946
TWR619FC-58	58	1164	1281	1518	1641	1621	1753	1724	1865	1828	1976	1931	2088
TWR619FC-60	60	1245	1371	1624	1756	1735	1876	1845	1996	1956	2115	2066	2235

STEEL WIRE ROPE


6x19+IWS



ITEN NO.	Nominal Diameter (kg/100m)	Approximate Weight		(N/mm) Norminal T/S									
				1470		1570		1670		1770		1870	
				(KN)Min B/L									
		FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS
TWR619IWS-02	2	1.38	1.52	1.81	1.95	1.93	2.08	2.05	2.22	2.17	2.35	2.3	2.48
TWR619IWS-03	3	3.11	3.43	4.06	4.39	4.33	4.69	4.61	4.98	4.87	5.28	5.16	5.58
TWR619IWS-04	4	5.54	6.1	7.22	7.8	7.71	8.33	8.2	8.87	8.69	9.4	9.18	9.93
TWR619IWS-05	5	8.65	9.52	11.2	12.2	12	13	12.8	13.8	13.5	14.6	14.3	15.5
TWR619IWS-06	6	12.5	13.7	16.2	17.5	17.3	18.7	18.4	19.9	19.5	21.1	20.6	22.3
TWR619IWS-07	7	17	18.7	22.1	23.9	23.6	25.5	25.1	27.1	26.6	28.7	28.1	34.4
TWR619IWS-08	8	22.1	24.4	28.8	31.2	30.8	33.3	32.8	35.4	34.7	37.6	36.7	39.7
TWR619IWS-10	10	34.6	38.1	45.1	48.8	48.1	52.1	51.2	55.4	54.3	58.7	57.4	62
TWR619IWS-12	12	49.8	54.9	64.9	70.2	69.4	75	73.8	79.8	78.2	84.6	82.6	89.4
TWR619IWS-14	14	67.8	74.7	88.4	95.6	94.4	102	100	108	106	115	112	121
TWR619IWS-16	16	88.6	97.5	115	124	123	133	131	141	139	150	146	158
TWR619IWS-18	18	112	123	146	158	156	168	166	179	176	190	186	201
TWR619IWS-20	20	138	152	180	195	192	208	205	221	217	235	229	248
TWR619IWS-22	22	167	184	218	236	233	252	248	268	263	284	277	300
TWR619IWS-24	24	199	219	259	281	277	300	295	319	312	338	330	357
TWR619IWS-26	26	234	258	305	329	325	352	346	374	367	397	388	419
TWR619IWS-28	28	271	299	353	382	377	408	401	434	426	460	450	486
TWR619IWS-30	30	311	343	406	439	433	469	461	498	489	528	516	558
TWR619IWS-32	32	354	390	462	499	493	533	524	567	556	601	587	635
TWR619IWS-34	34	400	440	521	564	557	602	592	640	628	679	663	717
TWR619IWS-36	36	448	494	584	632	624	675	664	718	704	761	744	804
TWR619IWS-38	38	500	550	651	704	695	752	740	752	784	848	828	896
TWR619IWS-40	40	554	610	722	780	771	833	820	800	869	940	918	993
TWR619IWS-42	42	610	672	796	860	850	919	904	887	958	1030	1010	1090
TWR619IWS-44	44	670	738	873	944	933	1000	992	978	1050	1130	1110	1200
TWR619IWS-46	46	732	806	954	1030	1010	1100	1080	1070	1140	1240	1210	1310
TWR619IWS-48	48	797	878	1040	1124	1110	1201	1181	1277	1252	1354	1322	1430
TWR619IWS-50	50	865	952	1128	1220	1205	1303	1281	1386	1358	1469	1435	1552
TWR619IWS-52	52	935	1030	1220	1320	1303	1409	1386	1499	1469	1589	1552	1678
TWR619IWS-54	54	1009	1111	1316	1423	1405	1520	1495	1616	1584	1713	1672	1810
TWR619IWS-56	56	1085	1195	1415	1530	1511	1634	1607	1738	1704	1842	1800	1946
TWR619IWS-58	58	1164	1281	1518	1641	1621	1753	1724	1865	1828	1976	1931	2088
TWR619IWS-60	60	1245	1371	1624	1756	1735	1876	1845	1996	1956	2115	2066	2235

STEEL WIRE ROPE


6x37+IWR



ITEN NO.	Nominal Diameter (kg/100m)	Approximate Weight		(N/mm) Norminal T/S									
				1470		1570		1670		1770		1870	
				(KN) Min B/L									
		FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS
TWR637IWR-05	5	8.65	9.52	10.8	11.7	11.5	12.5	12.3	13.3	13	14.1	13.7	14.9
TWR637IWR-06	6	12.5	13.7	15.6	16.8	16.6	18	17.7	19.1	18.7	20.3	19.8	21.4
TWR637IWR-08	8	22.1	24.4	27.7	30	29.6	32	31.5	34	33.4	36.1	35.3	38.1
TWR637IWR-10	10	34.6	38.1	43.4	46	46.3	50	49.2	53.2	52.2	56.4	55.1	59.6
TWR637IWR-12	12	49.8	54.9	62.4	67.5	66.6	72.1	70.9	76.7	75.1	81.3	79.4	85.9
TWR637IWR-14	14	67.8	74.7	84.9	91.9	90.7	98.1	96.5	104	102	110	108	116
TWR637IWR-16	16	88.6	94.5	111	120	118	128	126	136	133	144	141	152
TWR637IWR-18	18	122	123	140	151	150	162	159	172	169	182	178	193
TWR637IWR-20	20	138	152	173	187	185	200	197	213	208	225	220	238
TWR637IWR-22	22	167	184	209	226	224	242	238	257	252	273	266	288
TWR637IWR-24	24	199	219	249	270	266	288	283	306	300	325	317	343
TWR637IWR-26	26	234	258	293	316	313	338	333	360	352	381	372	403
TWR637IWR-28	28	271	299	339	367	363	392	386	417	409	442	432	467
TWR637IWR-30	30	311	343	390	422	416	450	443	479	469	508	496	536
TWR637IWR-32	32	354	390	444	480	474	512	504	545	534	578	564	610
TWR637IWR-34	34	400	440	501	542	535	578	569	615	603	652	637	689
TWR637IWR-36	36	448	494	562	607	600	649	638	690	676	731	714	773
TWR637IWR-38	38	500	550	626	677	668	723	711	769	753	815	796	861
TWR637IWR-40	40	554	610	693	750	741	801	788	852	835	903	882	854
TWR637IWR-42	42	610	672	764	827	816	883	869	939	921	996	973	1050
TWR637IWR-44	44	670	738	839	907	896	969	953	1030	1010	1090	1060	1150
TWR637IWR-46	46	732	806	917	992	980	1050	1040	1120	1100	1300	1160	1260
TWR637IWR-48	48	797	878	999	1080	1060	1150	1130	1220	1200	1410	1270	1370
TWR637IWR-50	50	865	952	1080	1170	1150	1250	1230	1330	1300	1520	1370	1490
TWR637IWR-52	52	936	1030	1170	1260	1250	1350	1330	1440	1410	1640	1490	1610
TWR637IWR-54	54	1010	1110	1260	1360	1350	1460	1430	1550	1520	1770	1600	1730
TWR637IWR-56	56	1090	1190	1350	1470	1450	1570	1540	1670	1630	1890	1720	1870
TWR637IWR-58	58	1160	1280	1450	1570	1550	1680	1650	1790	1750	2030	1850	2000
TWR637IWR-60	60	1250	1370	1560	1680	1660	1800	1770	1910	1870	2170	1980	2140

STEEL WIRE ROPE


6x37+IWR



ITEN NO.	Nominal Diameter (kg/100m)	Approximate Weight		(N/mm) Norminal T/S									
				1470		1570		1670		1770		1870	
				(KN) Min B/L									
		FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS	FC	IWS
TWR637IWR-05	5	8.65	9.52	10.8	11.7	11.5	12.5	12.3	13.3	13	14.1	13.7	14.9
TWR637IWR-06	6	12.5	13.7	15.6	16.8	16.6	18	17.7	19.1	18.7	20.3	19.8	21.4
TWR637IWR-08	8	22.1	24.4	27.7	30	29.6	32	31.5	34	33.4	36.1	35.3	38.1
TWR637IWR-10	10	34.6	38.1	43.4	46	46.3	50	49.2	53.2	52.2	56.4	55.1	59.6
TWR637IWR-12	12	49.8	54.9	62.4	67.5	66.6	72.1	70.9	76.7	75.1	81.3	79.4	85.9
TWR637IWR-14	14	67.8	74.7	84.9	91.9	90.7	98.1	96.5	104	102	110	108	116
TWR637IWR-16	16	88.6	94.5	111	120	118	128	126	136	133	144	141	152
TWR637IWR-18	18	122	123	140	151	150	162	159	172	169	182	178	193
TWR637IWR-20	20	138	152	173	187	185	200	197	213	208	225	220	238
TWR637IWR-22	22	167	184	209	226	224	242	238	257	252	273	266	288
TWR637IWR-24	24	199	219	249	270	266	288	283	306	300	325	317	343
TWR637IWR-26	26	234	258	293	316	313	338	333	360	352	381	372	403
TWR637IWR-28	28	271	299	339	367	363	392	386	417	409	442	432	467
TWR637IWR-30	30	311	343	390	422	416	450	443	479	469	508	496	536
TWR637IWR-32	32	354	390	444	480	474	512	504	545	534	578	564	610
TWR637IWR-34	34	400	440	501	542	535	578	569	615	603	652	637	689
TWR637IWR-36	36	448	494	562	607	600	649	638	690	676	731	714	773
TWR637IWR-38	38	500	550	626	677	668	723	711	769	753	815	796	861
TWR637IWR-40	40	554	610	693	750	741	801	788	852	835	903	882	854
TWR637IWR-42	42	610	672	764	827	816	883	869	939	921	996	973	1050
TWR637IWR-44	44	670	738	839	907	896	969	953	1030	1010	1090	1060	1150
TWR637IWR-46	46	732	806	917	992	980	1050	1040	1120	1100	1300	1160	1260
TWR637IWR-48	48	797	878	999	1080	1060	1150	1130	1220	1200	1410	1270	1370
TWR637IWR-50	50	865	952	1080	1170	1150	1250	1230	1330	1300	1520	1370	1490
TWR637IWR-52	52	936	1030	1170	1260	1250	1350	1330	1440	1410	1640	1490	1610
TWR637IWR-54	54	1010	1110	1260	1360	1350	1460	1430	1550	1520	1770	1600	1730
TWR637IWR-56	56	1090	1190	1350	1470	1450	1570	1540	1670	1630	1890	1720	1870
TWR637IWR-58	58	1160	1280	1450	1570	1550	1680	1650	1790	1750	2030	1850	2000
TWR637IWR-60	60	1250	1370	1560	1680	1660	1800	1770	1910	1870	2170	1980	2140

STEEL EIRE ROPE


6x12+7FC



ITEN NO.	Nominal Diameter	Approximate Weight	(N/mm) Norminal T/S				
			1470	1570	1670	1770	1870
	mm	Kg/100m	(KN)Min B/L				
TWR6127FC-03	3	2.25	2.7	2.88	3	3.2	3.43
TWR6127FC-04	4	4	4.8	5.12	5.4	5.2	6.1
TWR6127FC-05	5	6.3	7.5	8	8.5	9	9.52
TWR6127FC-06	6	9.1	11	11.8	12.6	13.3	14.1
TWR6127FC-07	7	12.4	13.7	16	16.8	17.8	18.8
TWR6127FC-08	8	16.2	19.7	21	22.4	23.7	25.1
TWR6127FC-09	9	20.5	24.5	26	27.9	29.5	31.2
TWR6127FC-10	10	25.3	30.8	32	35	37.1	39.2
TWR6127FC-11	11	30.6	36.7	39	41.7	44.2	46.7
TWR6127FC-12	12	36.4	44.3	47	50.4	53.3	56.4
TWR6127FC-14	14	48.5	59	64	67.1	71.1	75.1
TWR6127FC-16	16	64.8	78.8	83	89.6	95	100.3
TWR6127FC-18	18	82	98.1	106	111.4	118	124.7
TWR6127FC-20	20	101.3	123	131	140	148	157
TWR6127FC-22	22	122.5	149	159	169	179	190
TWR6127FC-24	24	145.8	177	189	201	213	225
TWR6127FC-26	26	173.1	210	221	239	253	268

STEEL WIRE ROPE


6x12+7FC



ITEN NO.	Nominal Diameter	Approximate Weight	(N/mm) Norminal T/S				
			1470	1570	1670	1770	1870
	mm	Kg/100m	(KN)Min B/L				
TWR6247FC-06	6	11.5	14.8	15.8	16.8	17.8	18.8
TWR6247FC-08	8	20.4	26.3	28.1	29.9	31.6	33.4
TWR6247FC-10	10	31.8	41.1	43.9	46.7	49.5	52.2
TWR6247FC-12	12	45.8	59.2	63	67.3	71.2	75.3
TWR6247FC-14	14	62.3	80.6	86.1	91.6	97	102.5
TWR6247FC-16	16	81.4	105	112	119	126.7	133.8
TWR6247FC-18	18	103	133	142	151	160	169.3
TWR6247FC-20	20	127	164	175	187	198	209
TWR6247FC-22	22	154	199	212	226	239.5	253
TWR6247FC-24	24	183	137	253	269	285	301
TWR6247FC-26	26	215	278	297	316	334	353.3
TWR6247FC-28	28	249	322	344	366	388	410
TWR6247FC-30	30	286	370	395	420	445	470
TWR6247FC-32	32	326	421	450	478	506	535

RIGED STROP EYE SPRING SNAP


7x7



ITEN NO.	Nominal Diameter	Nominal T/S	(Min. b/1)	Approximate Weight
	mm	N/mm	KN	Kg/100M
TWR707-02	2	1770	2.54	1.55
TWR707-03	3	1770	5.71	3.48
TWR707-04	4	1770	10.10	6.19
TWR707-05	5	1770	15.08	9.68
TWR707-06	6	1770	22.08	13.9
TWR707-07	7	1770	31.1	19
TWR707-08	8	1770	40.6	24.8
TWR707-09	9	1770	51.4	31.3
TWR707-10	10	1770	63.5	38.7
TWR707-11	11	1770	76.8	46.8
TWR707-12	12	1770	91.5	55.7

RIGED STROP EYE SPRING SNAP

7x7



ITEN NO.	Nominal Diameter	Nominal T/S	(Min. b/1)	Approximate Weight
	mm	N/mm	KN	Kg/100M
TWR607FC-02	2	1770	2.54	1.55
TWR607FC-03	3	1770	5.71	3.48
TWR607FC-04	4	1770	10.10	6.19
TWR607FC-05	5	1770	15.08	9.68
TWR607FC-06	6	1770	22.08	13.9
TWR607FC-07	7	1770	31.1	19
TWR607FC-08	8	1770	40.6	24.8
TWR607FC-09	9	1770	51.4	31.3
TWR607FC-10	10	1770	63.5	38.7
TWR607FC-11	11	1770	76.8	46.8
TWR607FC-12	12	1770	91.5	55.7

WAN LUNG METAL CO,. LTD .

No. 92 , Lane 115 Ya Hsing St., Mashing tsun, Shiu Shui Hsiang,
Chang Hua, Taiwan R.O.C

TEL: 886-4-7510067
FAX::886-4-7510292
E-MAIL: wl@wan-lung.com wl@wanlung.net

http: wan-lung.com